

# Kerno API documentation

# Table of Contents

1. Overview .....	1
1.1. Version information .....	1
1.2. URI scheme .....	1
2. Paths .....	2
2.1. PUT /api/admin/kerno/attribute/update/{objectType}/{objectSubType} .....	2
2.1.1. Parameters .....	2
2.1.2. Responses .....	2
2.1.3. Consumes .....	2
2.2. PUT /api/admin/kerno/attribute/update/{objectType}/{objectSubType}/{idObject} .....	2
2.2.1. Parameters .....	2
2.2.2. Responses .....	3
2.2.3. Consumes .....	3
2.3. PUT /api/admin/kerno/batch/expiration/all-entities .....	3
2.3.1. Responses .....	3
2.4. PUT /api/admin/kerno/batch/index/all-entities .....	3
2.4.1. Responses .....	3
2.5. PUT /api/admin/kerno/batch/notification/expired-entities .....	4
2.5.1. Responses .....	4
2.6. POST /api/admin/kerno/change-organizational-unit/{idEntity} .....	4
2.6.1. Parameters .....	4
2.6.2. Responses .....	4
2.7. PUT /api/admin/kerno/change-state/{idObject}/{state} .....	4
2.7.1. Parameters .....	4
2.7.2. Responses .....	5
2.8. POST /api/admin/kerno/create-update/entity/dataset .....	5
2.8.1. Parameters .....	5
2.8.2. Responses .....	5
2.9. POST /api/admin/kerno/create-update/entity/dsa .....	5
2.9.1. Parameters .....	5
2.9.2. Responses .....	6
2.10. POST /api/admin/kerno/create-update/entity/instance .....	6
2.10.1. Parameters .....	6
2.10.2. Responses .....	6
2.11. POST /api/admin/kerno/create-update/entity/solution .....	6
2.11.1. Parameters .....	6
2.11.2. Responses .....	7
2.12. POST /api/admin/kerno/create-update/entity/{objectSubType} .....	7
2.12.1. Parameters .....	7

2.12.2. Responses .....	7
2.13. POST /api/admin/kerno/create-update/relationships/{objectSubType} .....	7
2.13.1. Parameters .....	7
2.13.2. Responses .....	8
2.14. POST /api/admin/kerno/create/attribute-definition .....	8
2.14.1. Parameters .....	8
2.14.2. Responses .....	8
2.15. POST /api/admin/kerno/create/attribute-definition-value .....	8
2.15.1. Parameters .....	8
2.15.2. Responses .....	8
2.16. POST /api/admin/kerno/create/menu .....	9
2.16.1. Parameters .....	9
2.16.2. Responses .....	9
2.17. POST /api/admin/kerno/create/object-sub-type .....	9
2.17.1. Parameters .....	9
2.17.2. Responses .....	9
2.18. POST /api/admin/kerno/create/section .....	9
2.18.1. Parameters .....	9
2.18.2. Responses .....	9
2.19. POST /api/admin/kerno/create/template-attribute .....	10
2.19.1. Parameters .....	10
2.19.2. Responses .....	10
2.20. POST /api/admin/kerno/create/template-attribute-validation .....	10
2.20.1. Parameters .....	10
2.20.2. Responses .....	10
2.21. DELETE /api/admin/kerno/delete/attribute-definition-value/{id} .....	10
2.21.1. Parameters .....	10
2.21.2. Responses .....	11
2.22. DELETE /api/admin/kerno/delete/attribute-definition/{id} .....	11
2.22.1. Parameters .....	11
2.22.2. Responses .....	11
2.23. DELETE /api/admin/kerno/delete/edition-submit-rule/{id} .....	11
2.23.1. Parameters .....	11
2.23.2. Responses .....	11
2.24. DELETE /api/admin/kerno/delete/entity/{id} .....	12
2.24.1. Parameters .....	12
2.24.2. Responses .....	12
2.25. DELETE /api/admin/kerno/delete/menu/{id} .....	12
2.25.1. Parameters .....	12
2.25.2. Responses .....	12
2.26. DELETE /api/admin/kerno/delete/object-sub-type/{id} .....	12

2.26.1. Parameters	12
2.26.2. Responses	12
2.27. DELETE /api/admin/kerno/delete/relationship/{id}	13
2.27.1. Parameters	13
2.27.2. Responses	13
2.28. DELETE /api/admin/kerno/delete/section/{id}	13
2.28.1. Parameters	13
2.28.2. Responses	13
2.29. DELETE /api/admin/kerno/delete/template-attribute-validation/{id}	13
2.29.1. Parameters	13
2.29.2. Responses	13
2.30. DELETE /api/admin/kerno/delete/template-attribute/{idTemplateAttribute}	14
2.30.1. Parameters	14
2.30.2. Responses	14
2.31. POST /api/admin/kerno/disadhere/{idObject}	14
2.31.1. Parameters	14
2.31.2. Responses	14
2.32. GET /api/admin/kerno/entity/{objectSubType}/{idObject}	14
2.32.1. Parameters	14
2.32.2. Responses	15
2.33. PUT /api/admin/kerno/index/all-entities	15
2.33.1. Responses	15
2.34. PUT /api/admin/kerno/lineage/entity/load/{id}	15
2.34.1. Parameters	15
2.34.2. Responses	15
2.35. PUT /api/admin/kerno/lineage/load	15
2.35.1. Responses	15
2.36. PUT /api/admin/kerno/lineage/relationship/load/{id}	16
2.36.1. Parameters	16
2.36.2. Responses	16
2.37. POST /api/admin/kerno/relationship	16
2.37.1. Parameters	16
2.37.2. Responses	16
2.38. POST /api/admin/kerno/save/edition-submit-rule	16
2.38.1. Parameters	16
2.38.2. Responses	17
2.39. PATCH /api/admin/kerno/update/attribute-definition	17
2.39.1. Parameters	17
2.39.2. Responses	17
2.40. PATCH /api/admin/kerno/update/attribute-definition-value	17
2.40.1. Parameters	17

2.40.2. Responses .....	17
2.41. PATCH /api/admin/kerno/update/menu .....	18
2.41.1. Parameters .....	18
2.41.2. Responses .....	18
2.42. PATCH /api/admin/kerno/update/object-sub-type .....	18
2.42.1. Parameters .....	18
2.42.2. Responses .....	18
2.43. PATCH /api/admin/kerno/update/section .....	18
2.43.1. Parameters .....	18
2.43.2. Responses .....	19
2.44. PATCH /api/admin/kerno/update/template-attribute .....	19
2.44.1. Parameters .....	19
2.44.2. Responses .....	19
2.45. PATCH /api/admin/kerno/update/template-attribute-validation .....	19
2.45.1. Parameters .....	19
2.45.2. Responses .....	19
2.46. PUT /api/admin/kerno/{workflowExecutionId} .....	20
2.46.1. Parameters .....	20
2.46.2. Responses .....	20
2.47. POST /api/v1/adherence/addAdherenceCart .....	20
2.47.1. Parameters .....	20
2.47.2. Responses .....	20
2.48. PUT /api/v1/adherence/combination/contracts/read/{idComb}/{idDsa} .....	21
2.48.1. Parameters .....	21
2.48.2. Responses .....	21
2.49. GET /api/v1/adherence/combination/contracts/{idComb} .....	21
2.49.1. Parameters .....	21
2.49.2. Responses .....	21
2.50. GET /api/v1/adherence/combinations .....	21
2.50.1. Responses .....	21
2.51. GET /api/v1/adherence/combinations/more .....	22
2.51.1. Responses .....	22
2.52. POST /api/v1/adherence/deleteAdherenceCart .....	22
2.52.1. Parameters .....	22
2.52.2. Responses .....	22
2.53. DELETE /api/v1/adherence/deleteAllUserAdherenceCart .....	22
2.53.1. Responses .....	22
2.54. GET /api/v1/adherence/listAdherenceCart .....	23
2.54.1. Responses .....	23
2.55. POST /api/v1/adherence/requestNewDsa .....	23
2.55.1. Parameters .....	23

2.55.2. Responses .....	23
2.56. PUT /api/v1/adherence/sendCombination .....	23
2.56.1. Parameters .....	23
2.56.2. Responses .....	23
2.57. POST /api/v1/dataset/deprecate .....	24
2.57.1. Parameters .....	24
2.57.2. Responses .....	24
2.58. POST /api/v1/dataset/structure/{idDataset} .....	24
2.58.1. Parameters .....	24
2.58.2. Responses .....	24
2.59. GET /api/v1/dataset/structure/{idDataset} .....	24
2.59.1. Parameters .....	24
2.59.2. Responses .....	25
2.60. DELETE /api/v1/dataset/structure/{idDataset}/{idField} .....	25
2.60.1. Parameters .....	25
2.60.2. Responses .....	25
2.61. GET /api/v1/dataset/versions/{idObject} .....	25
2.61.1. Parameters .....	25
2.61.2. Responses .....	25
2.62. POST /api/v1/dsa/adhere/{idObject} .....	26
2.62.1. Parameters .....	26
2.62.2. Responses .....	26
2.63. GET /api/v1/dsa/contract/{idObject} .....	26
2.63.1. Parameters .....	26
2.63.2. Responses .....	26
2.64. POST /api/v1/dsa/datasets/{idObject} .....	26
2.64.1. Parameters .....	26
2.64.2. Responses .....	27
2.65. GET /api/v1/dsa/datasets/{idObject} .....	27
2.65.1. Parameters .....	27
2.65.2. Responses .....	27
2.66. POST /api/v1/dsa/deprecate .....	27
2.66.1. Parameters .....	27
2.66.2. Responses .....	27
2.67. POST /api/v1/dsa/disadhere/{idObject} .....	27
2.67.1. Parameters .....	27
2.67.2. Responses .....	28
2.68. GET /api/v1/dsa/users/{idObject} .....	28
2.68.1. Parameters .....	28
2.68.2. Responses .....	28
2.69. GET /api/v1/dsa/versions/{idObject} .....	28

2.69.1. Parameters	28
2.69.2. Responses	28
2.70. POST /api/v1/instance/datasets/{io}/{idObject}	29
2.70.1. Parameters	29
2.70.2. Responses	29
2.71. GET /api/v1/instance/datasets/{io}/{idProcessInstance}	29
2.71.1. Parameters	29
2.71.2. Responses	29
2.72. POST /api/v1/instance/deprecate	30
2.72.1. Parameters	30
2.72.2. Responses	30
2.73. GET /api/v1/instance/project/{idObject}	30
2.73.1. Parameters	30
2.73.2. Responses	30
2.74. GET /api/v1/instance/solutions/{idProcessInstance}	30
2.74.1. Parameters	31
2.74.2. Responses	31
2.75. GET /api/v1/instance/versions/{idObject}	31
2.75.1. Parameters	31
2.75.2. Responses	31
2.76. POST /api/v1/metadata/autoMetaData	31
2.76.1. Parameters	31
2.76.2. Responses	31
2.77. POST /api/v1/metadata/available-structures/{objectSubType}	32
2.77.1. Parameters	32
2.77.2. Responses	32
2.78. POST /api/v1/metadata/requests	32
2.78.1. Parameters	32
2.78.2. Responses	32
2.79. POST /api/v1/metadata/requests/detail	32
2.79.1. Parameters	33
2.79.2. Responses	33
2.80. GET /api/v1/metadata/sampleDataset/{idDataset}	33
2.80.1. Parameters	33
2.80.2. Responses	33
2.81. POST /api/v1/process/deprecate	33
2.81.1. Parameters	33
2.81.2. Responses	33
2.82. GET /api/v1/process/instances/{idProcess}	34
2.82.1. Parameters	34
2.82.2. Responses	34

2.83. GET /api/v1/process/versions/{idObject} . . . . .	34
2.83.1. Parameters . . . . .	34
2.83.2. Responses . . . . .	34
2.84. POST /api/v1/solution/deprecate . . . . .	34
2.84.1. Parameters . . . . .	34
2.84.2. Responses . . . . .	35
2.85. GET /api/v1/solution/instances/owned/{idObject} . . . . .	35
2.85.1. Parameters . . . . .	35
2.85.2. Responses . . . . .	35
2.86. POST /api/v1/solution/instances/related/{idObject} . . . . .	35
2.86.1. Parameters . . . . .	35
2.86.2. Responses . . . . .	35
2.87. GET /api/v1/solution/instances/related/{idObject} . . . . .	36
2.87.1. Parameters . . . . .	36
2.87.2. Responses . . . . .	36
2.88. GET /api/v1/solution/versions/{idObject} . . . . .	36
2.88.1. Parameters . . . . .	36
2.88.2. Responses . . . . .	36
2.89. POST /api/v2/attribute/custom/list . . . . .	36
2.89.1. Parameters . . . . .	36
2.89.2. Responses . . . . .	37
2.90. POST /api/v2/attribute/objects . . . . .	37
2.90.1. Parameters . . . . .	37
2.90.2. Responses . . . . .	37
2.91. POST /api/v2/attribute/relationship . . . . .	37
2.91.1. Parameters . . . . .	37
2.91.2. Responses . . . . .	37
2.92. POST /api/v2/attribute/values . . . . .	38
2.92.1. Parameters . . . . .	38
2.92.2. Responses . . . . .	38
2.93. GET /api/v2/common/compare/{objectType} . . . . .	38
2.93.1. Parameters . . . . .	38
2.93.2. Responses . . . . .	38
2.94. GET /api/v2/common/compare/{objectType}/{idObject} . . . . .	38
2.94.1. Parameters . . . . .	38
2.94.2. Responses . . . . .	39
2.95. GET /api/v2/common/hasPermission/{permissionAction}/{objectSubType}/{objectId} . . . . .	39
2.95.1. Parameters . . . . .	39
2.95.2. Responses . . . . .	39
2.96. GET /api/v2/common/stakeholders/{objectType}/{objectSubType}/{idObject} . . . . .	40
2.96.1. Parameters . . . . .	40



2.96.2. Responses .....	40
2.97. GET /api/v2/common/{objectType}/{idObject} .....	40
2.97.1. Parameters .....	40
2.97.2. Responses .....	40
2.98. GET /api/v2/entity/approved-relationships/{objectSubType}/{idEntity} .....	41
2.98.1. Parameters .....	41
2.98.2. Responses .....	41
2.99. POST /api/v2/entity/change-organizational-unit/{objectSubType}/{idEntity} .....	41
2.99.1. Parameters .....	41
2.99.2. Responses .....	41
2.100. POST /api/v2/entity/change-state/{objectSubType}/{initialState}/{endState}/{idEntity} ...	42
2.100.1. Parameters .....	42
2.100.2. Responses .....	42
2.101. POST /api/v2/entity/clone/{objectSubType}/{idEntity} .....	42
2.101.1. Parameters .....	42
2.101.2. Responses .....	43
2.102. GET /api/v2/entity/complete-dynamic-catalog/{objectSubType} .....	43
2.102.1. Parameters .....	43
2.102.2. Responses .....	43
2.103. POST /api/v2/entity/create/{objectSubType} .....	43
2.103.1. Parameters .....	43
2.103.2. Responses .....	44
2.104. GET /api/v2/entity/dynamic-catalog/{objectSubTypeParam}/{idObject} .....	44
2.104.1. Parameters .....	44
2.104.2. Responses .....	44
2.105. GET /api/v2/entity/dynamic-catalog/{objectSubType} .....	44
2.105.1. Parameters .....	44
2.105.2. Responses .....	44
2.106. GET /api/v2/entity/find-relationships/{objectSubType}/{id} .....	45
2.106.1. Parameters .....	45
2.106.2. Responses .....	45
2.107. POST /api/v2/entity/is-new-version/{objectSubType}/{idObject} .....	45
2.107.1. Parameters .....	45
2.107.2. Responses .....	45
2.108. GET /api/v2/entity/owner/{objectSubType}/{idEntity} .....	46
2.108.1. Parameters .....	46
2.108.2. Responses .....	46
2.109. GET /api/v2/entity/relationships/{objectSubType}/{idEntity} .....	46
2.109.1. Parameters .....	46
2.109.2. Responses .....	46
2.110. POST /api/v2/entity/save/{objectSubType}/{idObject} .....	47

2.110.1. Parameters	47
2.110.2. Responses	47
2.111. POST /api/v2/entity/submit/{objectSubType}/{idObject}	47
2.111.1. Parameters	47
2.111.2. Responses	47
2.112. POST /api/v2/entity/validate/{objectSubType}	48
2.112.1. Parameters	48
2.112.2. Responses	48
2.113. GET /api/v2/entity/{objectSubType}/{idEntity}	48
2.113.1. Parameters	48
2.113.2. Responses	48
2.114. POST /api/v2/excel/{objectType}/{objectSubType}	48
2.114.1. Parameters	48
2.114.2. Responses	49
2.115. GET /api/v2/excel/{objectType}/{objectSubType}	49
2.115.1. Parameters	49
2.115.2. Responses	49
2.116. GET /api/v2/graphics/getAll	49
2.116.1. Responses	49
2.117. GET /api/v2/graphics/listGraphics/{objectType}/{idObject}	50
2.117.1. Parameters	50
2.117.2. Responses	50
2.118. GET /api/v2/graphics/myLineage	50
2.118.1. Responses	50
2.119. GET /api/v2/objectsubtypes/subtypes-wftypes	50
2.119.1. Responses	50
2.120. GET /api/v2/objectsubtypes/{objectType}	50
2.120.1. Parameters	50
2.120.2. Responses	51
2.121. GET /api/v2/objecttypes	51
2.121.1. Responses	51
2.122. GET /api/v2/objecttypes/objectsubtypes	51
2.122.1. Responses	51
2.123. GET /api/v2/objecttypes/relationship/sides	51
2.123.1. Responses	51
2.124. GET /api/v2/objecttypes/{objectType}	51
2.124.1. Parameters	52
2.124.2. Responses	52
2.125. GET /api/v2/relationship/all/{objectSubType}/{id}	52
2.125.1. Parameters	52
2.125.2. Responses	52

2.126. POST /api/v2/relationship/change-state/{objectSubType}/{initialState}/{endState}/{idRelationship} . . . . .	52
2.126.1. Parameters . . . . .	52
2.126.2. Responses . . . . .	53
2.127. POST /api/v2/relationship/clone/{objectSubType}/{idRelationship} . . . . .	53
2.127.1. Parameters . . . . .	53
2.127.2. Responses . . . . .	53
2.128. POST /api/v2/relationship/create/{objectSubType} . . . . .	54
2.128.1. Parameters . . . . .	54
2.128.2. Responses . . . . .	54
2.129. GET /api/v2/relationship/dynamic-catalog/{objectSubType} . . . . .	54
2.129.1. Parameters . . . . .	54
2.129.2. Responses . . . . .	54
2.130. GET /api/v2/relationship/dynamic-catalog/{objectSubType}/{idObject} . . . . .	55
2.130.1. Parameters . . . . .	55
2.130.2. Responses . . . . .	55
2.131. GET /api/v2/relationship/entities/{objectSubType}/{idRelationship} . . . . .	55
2.131.1. Parameters . . . . .	55
2.131.2. Responses . . . . .	55
2.132. POST /api/v2/relationship/is-new-version/{objectSubType}/{idObject} . . . . .	56
2.132.1. Parameters . . . . .	56
2.132.2. Responses . . . . .	56
2.133. GET /api/v2/relationship/owner/{idRelationship} . . . . .	56
2.133.1. Parameters . . . . .	56
2.133.2. Responses . . . . .	56
2.134. POST /api/v2/relationship/save/{objectSubType} . . . . .	56
2.134.1. Parameters . . . . .	56
2.134.2. Responses . . . . .	57
2.135. POST /api/v2/relationship/submit/{objectSubType}/{idObject} . . . . .	57
2.135.1. Parameters . . . . .	57
2.135.2. Responses . . . . .	57
2.136. GET /api/v2/relationship/{idRelationship} . . . . .	57
2.136.1. Parameters . . . . .	58
2.136.2. Responses . . . . .	58
2.137. GET /api/v2/relationship/{objectSubType}/{id} . . . . .	58
2.137.1. Parameters . . . . .	58
2.137.2. Responses . . . . .	58
2.138. PUT /internal/v1/cache/clear-all . . . . .	58
2.138.1. Responses . . . . .	58
2.139. POST /internal/v1/index/indexAll/{objectType} . . . . .	58
2.139.1. Parameters . . . . .	59

2.139.2. Responses	59
2.140. GET /internal/v1/telemetry	59
2.140.1. Responses	59
2.141. GET /internal/v2/attribute/attributedefinition/list	59
2.141.1. Responses	59
2.142. POST /internal/v2/common/flags	59
2.142.1. Parameters	59
2.142.2. Responses	60
2.143. GET /internal/v2/common/flags/{objectSubType}/{objectId}	60
2.143.1. Parameters	60
2.143.2. Responses	60
2.144. GET /internal/v2/common/objectType/{objectSubType}	60
2.144.1. Parameters	60
2.144.2. Responses	60
2.145. PUT /internal/v2/entity/change- state/{idEntity}/{initialState}/{endState}/{objectSubType}	61
2.145.1. Parameters	61
2.145.2. Responses	61
2.146. POST /internal/v4/common/getObject	61
2.146.1. Parameters	61
2.146.2. Responses	61
2.147. POST /internal/v4/entity/filter	62
2.147.1. Parameters	62
2.147.2. Responses	62
2.148. POST /public/v1/metadata/call-back	62
2.148.1. Parameters	62
2.148.2. Responses	62
2.149. POST /public/v1/metadata/inform-error	62
2.149.1. Parameters	62
2.149.2. Responses	62
3. Definitions	64
3.1. AdherenceCartDTO	64
3.2. AdminAttributeValueDTO	64
3.3. AdminDatasetFieldDTO	65
3.4. AdminDatasetFieldResponseDTO	65
3.5. AdminDsaDatasetDTO	65
3.6. AdminDsaDatasetResponseDTO	65
3.7. AdminEntityDTO	66
3.8. AdminInstanceDTO	66
3.9. AdminInstanceResponseDTO	67
3.10. AdminRelationshipDTO	67

3.11. AdminSolutionInstanceDTO	67
3.12. AdminSolutionInstanceResponseDTO	67
3.13. AttributeDefinition	68
3.14. AttributeDefinitionDTO	69
3.15. AttributeDefinitionValue	70
3.16. AttributeDefinitionValueDTO	71
3.17. AttributeRelationshipsParamDTO	71
3.18. AttributeValue	71
3.19. AttributeValueDTO	72
3.20. BaseDTO	72
3.21. CombinationContractsDTO	72
3.22. CombinationDTO	73
3.23. ComponentsFrontDTO	73
3.24. CustomAttributeParamDTO	73
3.25. DSA	74
3.26. DSAAndDatasetsDTO	74
3.27. DatasetAndFieldsDTO	74
3.28. DeprecatedDTO	75
3.29. DirectAdherenceRequestDTO	75
3.30. DisAdherenceDTO	75
3.31. DsaContractDTO	75
3.32. DsaDatasetDTO	75
3.33. DsaDsCombinationDTO	76
3.34. DynamicCatalogDTO	76
3.35. DynamicCatalogFieldDTO	76
3.36. EdgeDTO	76
3.37. EditionConfigurationDTO	77
3.38. EditionMassiveFailDTO	77
3.39. EditionMassiveResultDTO	77
3.40. EditionSubmitRuleDTO	78
3.41. Entity	78
3.42. EntityAttributesDTO	81
3.43. EntityCloneDTO	82
3.44. EntityDTO	82
3.45. EntityFilterRequest	85
3.46. EntityFormDTO	85
3.47. ErrorObjectImportedDTO	86
3.48. FilterBase	86
3.49. FilterBaseEntityFilterRequest	86
3.50. FilterBaseImportMetadataFilters	86
3.51. FilterBaseRequestImportFilters	87

3.52. GenericDTO	87
3.53. GenericDTOListAttributeDefinitionDTO	87
3.54. GenericDTOListEntityDTO	88
3.55. GenericDTOListMapStringSerializable	88
3.56. GenericDTOListRelatedObjectDTO	88
3.57. GenericDTOListRelationshipOneSideDTO	88
3.58. GenericDTOListString	88
3.59. GenericDTOMapStringString	89
3.60. GenericDTOObject	89
3.61. GenericDTOSetString	89
3.62. GenericDTOString	89
3.63. GraphicsDTO	90
3.64. HeadEntityAndRelationshipInfoDTO	90
3.65. IdCombAndReasonDTO	91
3.66. ImportMetadataFilters	92
3.67. ImportedMetadataFilterResponseDTO	92
3.68. IndexEntityInfoDTO	93
3.69. InfrastructureTechnologyZoneDTO	94
3.70. InfrastructureTechnologyZoneRequestFillDTO	94
3.71. InputStream	94
3.72. InputStreamResource	95
3.73. InstanceAndDatasetsDTO	95
3.74. InstanceDatasetsDTO	95
3.75. ListItemsDTO	95
3.76. MassiveEditDTO	96
3.77. MenuDTO	96
3.78. NewVersionDTO	96
3.79. NodeDTO	97
3.80. ObjectFlagsDTO	97
3.81. ObjectFlagsRequestDTO	98
3.82. ObjectFlagsResponseDTO	98
3.83. ObjectImportedDTO	98
3.84. ObjectInfoDTO	99
3.85. ObjectStakeholdersDTO	99
3.86. ObjectSubTypeDTO	99
3.87. ObjectTypeAnjana	100
3.88. PairNamesValuesDTO	100
3.89. PendingAdherenceEventsDTO	100
3.90. QueryEntityFilterResponse	101
3.91. QueryEntityFilterResponseEntityDTO	101
3.92. QueryResponseDTO	102

3.93. QueryResponseDTOImportedMetadataFilterResponseDTO	103
3.94. QueryResponseDTORequestImportDTO	103
3.95. RedirectionDTO	104
3.96. RelatedObjectDTO	104
3.97. RelationshipDTO	105
3.98. RelationshipOneSideDTO	106
3.99. RequestAttributeDefinitionValuesDTO	107
3.100. RequestAttributeNameRelatedToObjectsDto	107
3.101. RequestImportDTO	107
3.102. RequestImportFilters	108
3.103. RequestNewDsaDTO	109
3.104. ResponseBase	109
3.105. ResponseBaseAdminDatasetFieldResponseDTO	109
3.106. ResponseBaseAdminDsaDatasetResponseDTO	109
3.107. ResponseBaseAdminInstanceResponseDTO	110
3.108. ResponseBaseAdminSolutionInstanceResponseDTO	110
3.109. ResponseBaseAttributeDefinitionDTO	110
3.110. ResponseBaseAttributeDefinitionValueDTO	110
3.111. ResponseBaseBaseDTO	111
3.112. ResponseBaseBoolean	111
3.113. ResponseBaseCombinationContractsDTO	111
3.114. ResponseBaseDSA	111
3.115. ResponseBaseDSAAndDatasetsDTO	112
3.116. ResponseBaseDatasetAndFieldsDTO	112
3.117. ResponseBaseDisAdherenceDTO	112
3.118. ResponseBaseDynamicCatalogDTO	112
3.119. ResponseBaseEditionMassiveResultDTO	113
3.120. ResponseBaseEditionSubmitRuleDTO	113
3.121. ResponseBaseEntityDTO	113
3.122. ResponseBaseGenericDTOListAttributeDefinitionDTO	113
3.123. ResponseBaseGenericDTOListEntityDTO	114
3.124. ResponseBaseGenericDTOListMapStringSerializable	114
3.125. ResponseBaseGenericDTOListRelatedObjectDTO	114
3.126. ResponseBaseGenericDTOListRelationshipOneSideDTO	114
3.127. ResponseBaseGenericDTOListString	115
3.128. ResponseBaseGenericDTOMapStringString	115
3.129. ResponseBaseGenericDTOObject	115
3.130. ResponseBaseGenericDTOSetString	115
3.131. ResponseBaseGenericDTOString	116
3.132. ResponseBaseGraphicsDTO	116
3.133. ResponseBaseHashMapStringSetString	116

3.134. ResponseBaseHeadEntityAndRelationshipInfoDTO	117
3.135. ResponseBaseIndexEntityInfoDTO	117
3.136. ResponseBaseInstanceAndDatasetsDTO	117
3.137. ResponseBaseInteger	117
3.138. ResponseBaseListAdherenceCartDTO	118
3.139. ResponseBaseListAttributeDefinitionDTO	118
3.140. ResponseBaseListEditionConfigurationDTO	118
3.141. ResponseBaseListInteger	118
3.142. ResponseBaseListItemsDTO	119
3.143. ResponseBaseListMapStringSerializable	119
3.144. ResponseBaseListMapStringSimplifiedAttributeDTO	119
3.145. ResponseBaseListObjectSubTypeDTO	119
3.146. ResponseBaseListObjectTypeAnjana	120
3.147. ResponseBaseListSelectValueDTO	120
3.148. ResponseBaseListSubTypeDTO	120
3.149. ResponseBaseMapStringMapStringSerializable	120
3.150. ResponseBaseMenuDTO	121
3.151. ResponseBaseNewVersionDTO	121
3.152. ResponseBaseObject	121
3.153. ResponseBaseObjectFlagsDTO	121
3.154. ResponseBaseObjectFlagsResponseDTO	122
3.155. ResponseBaseObjectStakeholdersDTO	122
3.156. ResponseBaseObjectSubTypeDTO	122
3.157. ResponseBasePendingAdherenceEventsDTO	122
3.158. ResponseBaseQueryEntityFilterResponseEntityDTO	123
3.159. ResponseBaseQueryResponseDTOImportedMetadataFilterResponseDTO	123
3.160. ResponseBaseQueryResponseDTOResultImportDTO	123
3.161. ResponseBaseRelationshipDTO	123
3.162. ResponseBaseSectionsDTO	124
3.163. ResponseBaseSetSelectValueDTO	124
3.164. ResponseBaseSolutionAndInstancesDTO	124
3.165. ResponseBaseString	124
3.166. ResponseBaseSubmitEntityDTOString	125
3.167. ResponseBaseTelemetryData	125
3.168. ResponseBaseTemplateAttributeDTO	125
3.169. ResponseBaseWizardDTO	126
3.170. ResponseBaseWorkflowResponseDTO	126
3.171. SectionsDTO	126
3.172. SelectValueDTO	126
3.173. Serializable	127
3.174. SimplifiedAttributeDTO	127



3.175. SolutionAndInstancesDTO	127
3.176. SolutionInstancesDTO	127
3.177. StreamingResponseBody	127
3.178. SubTypeDTO	127
3.179. SubmitEntityDTO	128
3.180. SubmitEntityDTOString	128
3.181. SubmitFormDTO	128
3.182. TelemetryDSADData	129
3.183. TelemetryData	129
3.184. TelemetryDatasetData	129
3.185. TelemetryProcessData	129
3.186. TelemetryUserData	130
3.187. TemplateAttributeDTO	130
3.188. TemplateAttributeValidationDTO	130
3.189. ValuesDTO	131
3.190. WizardDTO	131
3.191. WorkflowEndInfo	134
3.192. WorkflowResponseDTO	134

# Chapter 1. Overview

## 1.1. Version information

*Version* : 4.4.0-SNAPSHOT

## 1.2. URI scheme

*BasePath* : /api

*Schemes* : HTTP, HTTPS

# Chapter 2. Paths

## 2.1. PUT

**/api/admin/kerno/attribute/update/{objectType}/{objectSubType}**

### 2.1.1. Parameters

Type	Name	Schema	Default
Path	<b>objectSubType</b> <i>required</i>	string	
Path	<b>objectType</b> <i>required</i>	enum (ORGANIZATIONAL_UNIT, ENTITY, RELATIONSHIP, ATTRIBUTE, ALL, USER)	
Query	<b>validateType</b> <i>optional</i>	boolean	"true"
Body	<b>body</b> <i>optional</i>	<a href="#">MassiveEditDTO</a>	

### 2.1.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseEdititionMassiveResultDTO</a>

### 2.1.3. Consumes

- `application/json`
- `application/xml`

## 2.2. PUT

**/api/admin/kerno/attribute/update/{objectType}/{objectSubType}/{idObject}**

### 2.2.1. Parameters

Type	Name	Schema	Default
Path	<b>idObject</b> <i>required</i>	integer (int32)	
Path	<b>objectSubType</b> <i>required</i>	string	
Path	<b>objectType</b> <i>required</i>	enum (ORGANIZATIONAL_UNIT, ENTITY, RELATIONSHIP, ATTRIBUTE, ALL, USER)	
Query	<b>validateType</b> <i>optional</i>	boolean	"true"
Body	<b>body</b> <i>optional</i>	< <a href="#">AdminAttributeValueDTO</a> > array	

### 2.2.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseGenericDTOString</a>

### 2.2.3. Consumes

- [application/json](#)
- [application/xml](#)

## 2.3. PUT /api/admin/kerno/batch/expiration/all-entities

### 2.3.1. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseGenericDTOMapStringString</a>

## 2.4. PUT /api/admin/kerno/batch/index/all-entities

### 2.4.1. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseGenericDTOMapStringString</a>

## 2.5. PUT /api/admin/kerno/batch/notification/expired-entities

### 2.5.1. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseGenericDTOSetString</a>

## 2.6. POST /api/admin/kerno/change-organizational-unit/{idEntity}

### 2.6.1. Parameters

Type	Name	Schema
Path	<b>idEntity</b> <i>required</i>	integer (int32)
Body	<b>body</b> <i>optional</i>	<a href="#">SubmitFormDTO</a>

### 2.6.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseGenericDTOString</a>

## 2.7. PUT /api/admin/kerno/change-state/{idObject}/{state}

### 2.7.1. Parameters

Type	Name	Schema
Path	<b>idObject</b> <i>required</i>	integer (int32)
Path	<b>state</b> <i>required</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)

## 2.7.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseEntityDTO</a>

## 2.8. POST /api/admin/kerno/create-update/entity/dataset

### 2.8.1. Parameters

Type	Name	Schema
Path	<b>idObject</b> <i>required</i>	integer (int32)
Body	<b>body</b> <i>optional</i>	<a href="#">AdminDatasetFieldDTO</a>

### 2.8.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseAdminDatasetFieldResponseDTO</a>

## 2.9. POST /api/admin/kerno/create-update/entity/dsa

### 2.9.1. Parameters

Type	Name	Schema
Path	<b>idObject</b> <i>required</i>	integer (int32)

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	<a href="#">AdminDsaDatasetDTO</a>

## 2.9.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseAdminDsaDatasetResponseDTO</a>

## 2.10. POST /api/admin/kerno/create-update/entity/instance

### 2.10.1. Parameters

Type	Name	Schema
Path	<b>idObject</b> <i>required</i>	integer (int32)
Body	<b>body</b> <i>optional</i>	<a href="#">AdminInstanceDTO</a>

### 2.10.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseAdminInstanceResponseDTO</a>

## 2.11. POST /api/admin/kerno/create-update/entity/solution

### 2.11.1. Parameters

Type	Name	Schema
Path	<b>idObject</b> <i>required</i>	integer (int32)
Body	<b>body</b> <i>optional</i>	<a href="#">AdminSolutionInstanceDTO</a>

## 2.11.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseAdminSolutionInstanceResponseDTO</a>

## 2.12. POST /api/admin/kerno/create-update/entity/{objectSubType}

### 2.12.1. Parameters

Type	Name	Schema
Path	<b>idObject</b> <i>required</i>	integer (int32)
Path	<b>objectSubType</b> <i>required</i>	string
Body	<b>body</b> <i>optional</i>	<a href="#">AdminEntityDTO</a>

### 2.12.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseEntityDTO</a>

## 2.13. POST /api/admin/kerno/create-update/relationships/{objectSubType}

### 2.13.1. Parameters

Type	Name	Schema
Path	<b>idObject</b> <i>required</i>	integer (int32)
Path	<b>objectSubType</b> <i>required</i>	string
Body	<b>body</b> <i>optional</i>	<a href="#">AdminRelationshipDTO</a>



## 2.13.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseRelationshipDTO</a>

## 2.14. POST /api/admin/kerno/create/attribute-definition

### 2.14.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	<a href="#">AttributeDefinitionDTO</a>

### 2.14.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseAttributeDefinitionDTO</a>

## 2.15. POST /api/admin/kerno/create/attribute-definition-value

### 2.15.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	<a href="#">AttributeDefinitionValueDTO</a>

### 2.15.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseAttributeDefinitionValueDTO</a>

## 2.16. POST /api/admin/kerno/create/menu

### 2.16.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	<a href="#">MenuDTO</a>

### 2.16.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseMenuDTO</a>

## 2.17. POST /api/admin/kerno/create/object-sub-type

### 2.17.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	<a href="#">ObjectSubTypeDTO</a>

### 2.17.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseObjectSubTypeDTO</a>

## 2.18. POST /api/admin/kerno/create/section

### 2.18.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	<a href="#">SectionsDTO</a>

### 2.18.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseSectionsDTO</a>

## 2.19. POST /api/admin/kerno/create/template-attribute

### 2.19.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	<a href="#">TemplateAttributeDTO</a>

### 2.19.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseTemplateAttributeDTO</a>

## 2.20. POST /api/admin/kerno/create/template-attribute-validation

### 2.20.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	<a href="#">TemplateAttributeDTO</a>

### 2.20.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseTemplateAttributeDTO</a>

## 2.21. DELETE /api/admin/kerno/delete/attribute-definition-value/{id}

### 2.21.1. Parameters

Type	Name	Schema
Path	<b>id</b> <i>required</i>	integer (int32)

### 2.21.2. Responses

HTTP Code	Description	Schema
default	successful operation	No Content

## 2.22. DELETE /api/admin/kerno/delete/attribute-definition/{id}

### 2.22.1. Parameters

Type	Name	Schema
Path	<b>id</b> <i>required</i>	integer (int32)

### 2.22.2. Responses

HTTP Code	Description	Schema
default	successful operation	No Content

## 2.23. DELETE /api/admin/kerno/delete/edition-submit-rule/{id}

### 2.23.1. Parameters

Type	Name	Schema
Path	<b>id</b> <i>required</i>	integer (int32)

### 2.23.2. Responses

HTTP Code	Description	Schema
default	successful operation	No Content

## 2.24. DELETE /api/admin/kerno/delete/entity/{id}

### 2.24.1. Parameters

Type	Name	Schema
Path	<b>id</b> <i>required</i>	integer (int32)

### 2.24.2. Responses

HTTP Code	Description	Schema
default	successful operation	No Content

## 2.25. DELETE /api/admin/kerno/delete/menu/{id}

### 2.25.1. Parameters

Type	Name	Schema
Path	<b>id</b> <i>required</i>	integer (int32)

### 2.25.2. Responses

HTTP Code	Description	Schema
default	successful operation	No Content

## 2.26. DELETE /api/admin/kerno/delete/object-sub-type/{id}

### 2.26.1. Parameters

Type	Name	Schema
Path	<b>id</b> <i>required</i>	integer (int32)

### 2.26.2. Responses

HTTP Code	Description	Schema
default	successful operation	No Content

## 2.27. DELETE /api/admin/kerno/delete/relationship/{id}

### 2.27.1. Parameters

Type	Name	Schema
Path	<b>id</b> <i>required</i>	integer (int32)

### 2.27.2. Responses

HTTP Code	Description	Schema
default	successful operation	No Content

## 2.28. DELETE /api/admin/kerno/delete/section/{id}

### 2.28.1. Parameters

Type	Name	Schema
Path	<b>id</b> <i>required</i>	integer (int32)

### 2.28.2. Responses

HTTP Code	Description	Schema
default	successful operation	No Content

## 2.29. DELETE /api/admin/kerno/delete/template-attribute-validation/{id}

### 2.29.1. Parameters

Type	Name	Schema
Path	<b>id</b> <i>required</i>	integer (int32)

### 2.29.2. Responses

HTTP Code	Description	Schema
default	successful operation	No Content

## 2.30. DELETE /api/admin/kerno/delete/template-attribute/{idTemplateAttribute}

### 2.30.1. Parameters

Type	Name	Schema
Path	<b>idTemplateAttribute</b> <i>required</i>	integer (int32)

### 2.30.2. Responses

HTTP Code	Description	Schema
default	successful operation	No Content

## 2.31. POST /api/admin/kerno/disadhere/{idObject}

### 2.31.1. Parameters

Type	Name	Schema
Path	<b>idObject</b> <i>required</i>	integer (int32)
Body	<b>body</b> <i>optional</i>	<a href="#">DisAdherenceDTO</a>

### 2.31.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseDisAdherenceDTO</a>

## 2.32. GET

### /api/admin/kerno/entity/{objectSubType}/{idObject}

### 2.32.1. Parameters

Type	Name	Schema
Path	<b>idObject</b> <i>required</i>	integer (int32)

Type	Name	Schema
Path	<b>objectSubType</b> <i>required</i>	string

### 2.32.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseDynamicCatalogDTO</a>

## 2.33. PUT /api/admin/kerno/index/all-entities

### 2.33.1. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseGenericDTOMapStringString</a>

## 2.34. PUT /api/admin/kerno/lineage/entity/load/{id}

### 2.34.1. Parameters

Type	Name	Schema
Path	<b>id</b> <i>required</i>	integer (int32)

### 2.34.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseGenericDTOSetString</a>

## 2.35. PUT /api/admin/kerno/lineage/load

### 2.35.1. Responses



HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseGenericDTOSetString</a>

## 2.36. PUT

### /api/admin/kerno/lineage/relationship/load/{id}

#### 2.36.1. Parameters

Type	Name	Schema
Path	<b>id</b> <i>required</i>	integer (int32)

#### 2.36.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseGenericDTOSetString</a>

## 2.37. POST /api/admin/kerno/relationship

#### 2.37.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	<a href="#">AttributeRelationshipsParamDTO</a>

#### 2.37.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseSetSelectValueDTO</a>

## 2.38. POST /api/admin/kerno/save/edition-submit-rule

#### 2.38.1. Parameters

Type	Name	Schema
Body	body <i>optional</i>	<a href="#">EditionSubmitRuleDTO</a>

### 2.38.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseEditionSubmitRuleDTO</a>

## 2.39. PATCH /api/admin/kerno/update/attribute-definition

### 2.39.1. Parameters

Type	Name	Schema
Body	body <i>optional</i>	<a href="#">AttributeDefinitionDTO</a>

### 2.39.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseAttributeDefinitionDTO</a>

## 2.40. PATCH /api/admin/kerno/update/attribute-definition-value

### 2.40.1. Parameters

Type	Name	Schema
Body	body <i>optional</i>	<a href="#">AttributeDefinitionValueDTO</a>

### 2.40.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseAttributeDefinitionValueDTO</a>

## 2.41. PATCH /api/admin/kerno/update/menu

### 2.41.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	<a href="#">MenuDTO</a>

### 2.41.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseMenuDTO</a>

## 2.42. PATCH /api/admin/kerno/update/object-sub-type

### 2.42.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	<a href="#">ObjectSubTypeDTO</a>

### 2.42.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseObjectSubTypeDTO</a>

## 2.43. PATCH /api/admin/kerno/update/section

### 2.43.1. Parameters

Type	Name	Schema
Body	body <i>optional</i>	<a href="#">SectionsDTO</a>

### 2.43.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseSectionsDTO</a>

## 2.44. PATCH /api/admin/kerno/update/template-attribute

### 2.44.1. Parameters

Type	Name	Schema
Body	body <i>optional</i>	<a href="#">TemplateAttributeDTO</a>

### 2.44.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseTemplateAttributeDTO</a>

## 2.45. PATCH /api/admin/kerno/update/template-attribute-validation

### 2.45.1. Parameters

Type	Name	Schema
Body	body <i>optional</i>	<a href="#">TemplateAttributeDTO</a>

### 2.45.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseTemplateAttributeDTO</a>

## 2.46. PUT /api/admin/kerno/{workflowExecutionId}

### 2.46.1. Parameters

Type	Name	Schema
Path	<b>workflowExecutionId</b> <i>required</i>	integer (int32)
Body	<b>body</b> <i>optional</i>	<a href="#">WorkflowEndInfo</a>

### 2.46.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseObject</a>

## 2.47. POST /api/v1/adherence/addAdherenceCart

### 2.47.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	<a href="#">AdherenceCartDTO</a>

### 2.47.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseListAdherenceCartDTO</a>

## 2.48. PUT

**/api/v1/adherence/combination/contracts/read/{idComb}/{idDsa}**

### 2.48.1. Parameters

Type	Name	Schema
Path	<b>idComb</b> <i>required</i>	integer (int32)
Path	<b>idDsa</b> <i>required</i>	integer (int32)

### 2.48.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseBase DTO</a>

## 2.49. GET

**/api/v1/adherence/combination/contracts/{idComb}**

### 2.49.1. Parameters

Type	Name	Schema
Path	<b>idComb</b> <i>required</i>	integer (int32)

### 2.49.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseCombinationContracts DTO</a>

## 2.50. GET /api/v1/adherence/combinations

### 2.50.1. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBasePendingAdherenceEventsDTO</a>

## 2.51. GET /api/v1/adherence/combinations/more

### 2.51.1. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBasePendingAdherenceEventsDTO</a>

## 2.52. POST /api/v1/adherence/deleteAdherenceCart

### 2.52.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	<a href="#">AdherenceCartDTO</a>

### 2.52.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseListAdherenceCartDTO</a>

## 2.53. DELETE

## /api/v1/adherence/deleteAllUserAdherenceCart

### 2.53.1. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseListAdherenceCartDTO</a>

## 2.54. GET /api/v1/adherence/listAdherenceCart

### 2.54.1. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseListAdherenceCartDTO</a>

## 2.55. POST /api/v1/adherence/requestNewDsa

### 2.55.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	<a href="#">RequestNewDsaDTO</a>

### 2.55.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseListInteger</a>

## 2.56. PUT /api/v1/adherence/sendCombination

### 2.56.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	<a href="#">IdCombAndReasonDTO</a>

### 2.56.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseString</a>



## 2.57. POST /api/v1/dataset/deprecate

### 2.57.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	<a href="#">DeprecatedDTO</a>

### 2.57.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseBaseDTO</a>

## 2.58. POST /api/v1/dataset/structure/{idDataset}

### 2.58.1. Parameters

Type	Name	Schema
Path	<b>idDataset</b> <i>required</i>	integer (int32)
Path	<b>idField</b> <i>required</i>	integer (int32)
Body	<b>body</b> <i>optional</i>	<a href="#">EntityFormDTO</a>

### 2.58.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseDataSetAndFieldsDTO</a>

## 2.59. GET /api/v1/dataset/structure/{idDataset}

### 2.59.1. Parameters

Type	Name	Schema
Path	<b>idDataset</b> <i>required</i>	integer (int32)

## 2.59.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseListMapStringSimplifiedAttributeDTO</a>

## 2.60. DELETE

### /api/v1/dataset/structure/{idDataset}/{idField}

#### 2.60.1. Parameters

Type	Name	Schema
Path	<b>idDataset</b> <i>required</i>	integer (int32)
Path	<b>idField</b> <i>required</i>	integer (int32)

#### 2.60.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseDataSetAndFieldsDTO</a>

## 2.61. GET /api/v1/dataset/versions/{idObject}

#### 2.61.1. Parameters

Type	Name	Schema
Path	<b>idObject</b> <i>required</i>	integer (int32)

#### 2.61.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseGenericDTOListEntityDTO</a>

## 2.62. POST /api/v1/dsa/adhere/{idObject}

### 2.62.1. Parameters

Type	Name	Schema
Path	<b>idObject</b> <i>required</i>	integer (int32)
Body	<b>body</b> <i>optional</i>	<a href="#">DirectAdherenceRequestDTO</a>

### 2.62.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseString</a>

## 2.63. GET /api/v1/dsa/contract/{idObject}

### 2.63.1. Parameters

Type	Name	Schema
Path	<b>idObject</b> <i>required</i>	integer (int32)

### 2.63.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseDSA</a>

## 2.64. POST /api/v1/dsa/datasets/{idObject}

### 2.64.1. Parameters

Type	Name	Schema
Path	<b>idObject</b> <i>required</i>	integer (int32)
Body	<b>body</b> <i>optional</i>	<a href="#">DsaDatasetDTO</a>

## 2.64.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseDSAAndDatasetsDTO</a>

## 2.65. GET /api/v1/dsa/datasets/{idObject}

### 2.65.1. Parameters

Type	Name	Schema
Path	<b>idObject</b> <i>required</i>	integer (int32)

### 2.65.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseListMapStringSerializable</a>

## 2.66. POST /api/v1/dsa/deprecate

### 2.66.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	<a href="#">DeprecatedDTO</a>

### 2.66.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseBaseDTO</a>

## 2.67. POST /api/v1/dsa/disadhere/{idObject}

### 2.67.1. Parameters

Type	Name	Schema
Path	<b>idObject</b> <i>required</i>	integer (int32)
Body	<b>body</b> <i>optional</i>	<a href="#">DisAdherenceDTO</a>

## 2.67.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseDisAdherenceDTO</a>

## 2.68. GET /api/v1/dsa/users/{idObject}

### 2.68.1. Parameters

Type	Name	Schema
Path	<b>idObject</b> <i>required</i>	integer (int32)

### 2.68.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseGenericDTOListString</a>

## 2.69. GET /api/v1/dsa/versions/{idObject}

### 2.69.1. Parameters

Type	Name	Schema
Path	<b>idObject</b> <i>required</i>	integer (int32)

### 2.69.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseGenericDTOListEntityDTO</a>

## 2.70. POST /api/v1/instance/datasets/{io}/{idObject}

### 2.70.1. Parameters

Type	Name	Schema
Path	<b>idObject</b> <i>required</i>	integer (int32)
Path	<b>io</b> <i>required</i>	string
Body	<b>body</b> <i>optional</i>	<a href="#">InstanceDatasetsDTO</a>

### 2.70.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseInstanceAndDatasetsDTO</a>

## 2.71. GET

## /api/v1/instance/datasets/{io}/{idProcessInstance}

### 2.71.1. Parameters

Type	Name	Schema
Path	<b>idProcessInstance</b> <i>required</i>	integer (int32)
Path	<b>io</b> <i>required</i>	string

### 2.71.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseGenericDTOListMapStringSerializable</a>

## 2.72. POST /api/v1/instance/deprecate

### 2.72.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	<a href="#">DeprecatedDTO</a>

### 2.72.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseBaseDTO</a>

## 2.73. GET /api/v1/instance/project/{idObject}

### 2.73.1. Parameters

Type	Name	Schema
Path	<b>idObject</b> <i>required</i>	integer (int32)

### 2.73.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseGenericDTOListMapStringSerializable</a>

## 2.74. GET /api/v1/instance/solutions/{idProcessInstance}

### 2.74.1. Parameters

Type	Name	Schema
Path	<b>idProcessInstance</b> <i>required</i>	integer (int32)

### 2.74.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseGenericDTOListMapStringSerializable</a>

## 2.75. GET /api/v1/instance/versions/{idObject}

### 2.75.1. Parameters

Type	Name	Schema
Path	<b>idObject</b> <i>required</i>	integer (int32)

### 2.75.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseGenericDTOListEntityDTO</a>

## 2.76. POST /api/v1/metadata/autoMetaData

### 2.76.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	<a href="#">InfrastructureTechnologyZoneRequestFillDTO</a>

### 2.76.2. Responses



HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseInteger</a>

## 2.77. POST /api/v1/metadata/available-structures/{objectSubType}

### 2.77.1. Parameters

Type	Name	Schema
Path	<b>objectSubType</b> <i>required</i>	string
Body	<b>body</b> <i>optional</i>	<a href="#">InfrastructureTechnologyZoneDTO</a>

### 2.77.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseListItemsDTO</a>

## 2.78. POST /api/v1/metadata/requests

### 2.78.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	<a href="#">FilterBaseRequestImportFilters</a>

### 2.78.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseQueryResponseDTORequestImportDTO</a>

## 2.79. POST /api/v1/metadata/requests/detail

### 2.79.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	<a href="#">FilterBaseImportMetadataFilters</a>

### 2.79.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseQueryResponseDTOImportedMetadataFilterResponseDTO</a>

## 2.80. GET /api/v1/metadata/sampleDataset/{idDataset}

### 2.80.1. Parameters

Type	Name	Schema
Path	<b>idDataset</b> <i>required</i>	integer (int32)

### 2.80.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseGenericDTOObject</a>

## 2.81. POST /api/v1/process/deprecate

### 2.81.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	<a href="#">DeprecatedDTO</a>

### 2.81.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseBase DTO</a>

## 2.82. GET /api/v1/process/instances/{idProcess}

### 2.82.1. Parameters

Type	Name	Schema
Path	<b>idProcess</b> <i>required</i>	integer (int32)

### 2.82.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseGenericDTOListMapStringSerializable</a>

## 2.83. GET /api/v1/process/versions/{idObject}

### 2.83.1. Parameters

Type	Name	Schema
Path	<b>idObject</b> <i>required</i>	integer (int32)

### 2.83.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseGenericDTOListEntity DTO</a>

## 2.84. POST /api/v1/solution/deprecate

### 2.84.1. Parameters

Type	Name	Schema
Body	body <i>optional</i>	<a href="#">DeprecateDTO</a>

## 2.84.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseBaseDTO</a>

## 2.85. GET /api/v1/solution/instances/owned/{idObject}

### 2.85.1. Parameters

Type	Name	Schema
Path	idObject <i>required</i>	integer (int32)

### 2.85.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseGenericDTOListMapStringSerializable</a>

## 2.86. POST /api/v1/solution/instances/related/{idObject}

### 2.86.1. Parameters

Type	Name	Schema
Path	idObject <i>required</i>	integer (int32)
Body	body <i>optional</i>	<a href="#">SolutionInstancesDTO</a>

### 2.86.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseSolutionAndInstancesDTO</a>

## 2.87. GET /api/v1/solution/instances/related/{idObject}

### 2.87.1. Parameters

Type	Name	Schema
Path	<b>idObject</b> <i>required</i>	integer (int32)

### 2.87.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseGenericDTOListMapStringSerializable</a>

## 2.88. GET /api/v1/solution/versions/{idObject}

### 2.88.1. Parameters

Type	Name	Schema
Path	<b>idObject</b> <i>required</i>	integer (int32)

### 2.88.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseGenericDTOListEntityDTO</a>

## 2.89. POST /api/v2/attribute/custom/list

### 2.89.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	<a href="#">CustomAttributeParamDTO</a>

## 2.89.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseGenericDTOListAttributeDefinitionDTO</a>

## 2.90. POST /api/v2/attribute/objects

### 2.90.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	<a href="#">RequestAttributeNameRelatedToObjectDto</a>

### 2.90.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseMapStringMapStringSerializable</a>

## 2.91. POST /api/v2/attribute/relationship

### 2.91.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	<a href="#">AttributeRelationshipsParamDTO</a>

### 2.91.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseSetSelectValueDTO</a>

## 2.92. POST /api/v2/attribute/values

### 2.92.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	<a href="#">RequestAttributeDefinitionValuesDTO</a>

### 2.92.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseList</a> <a href="#">SelectValueDTO</a>

## 2.93. GET /api/v2/common/compare/{objectType}

### 2.93.1. Parameters

Type	Name	Schema
Path	<b>objectType</b> <i>required</i>	enum (ORGANIZATIONAL_UNIT, ENTITY, RELATIONSHIP, ATTRIBUTE, ALL, USER)
Query	<b>id1</b> <i>required</i>	integer (int32)
Query	<b>id2</b> <i>required</i>	integer (int32)

### 2.93.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseList</a> <a href="#">EditionConfigurationDTO</a>

## 2.94. GET /api/v2/common/compare/{objectType}/{idObject}

### 2.94.1. Parameters

Type	Name	Schema
Path	<b>idObject</b> <i>required</i>	integer (int32)
Path	<b>objectType</b> <i>required</i>	enum (ORGANIZATIONAL_UNIT, ENTITY, RELATIONSHIP, ATTRIBUTE, ALL, USER)
Body	<b>body</b> <i>optional</i>	<a href="#">EntityFormDTO</a>

## 2.94.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseListEditionConfigurationDTO</a>

## 2.95. GET

**/api/v2/common/hasPermission/{permissionAction}/{objectSubType}/{objectId}**

### 2.95.1. Parameters

Type	Name	Schema
Path	<b>objectId</b> <i>required</i>	integer (int32)
Path	<b>objectSubType</b> <i>required</i>	string
Path	<b>permissionAction</b> <i>required</i>	enum (CHANGE_STATUS, CHANGE_OU, ACCESS, API_ADMIN, DEACTIVATE, ACTIVATE, ORGANIZATIONAL_UNIT_OWNER, CREATION_MODIF, LINEAGE_ACCESS, WORKFLOW_ACCESS, AUTOMATIC_METADATA, DEPRECATION, WIZARD, SEARCH, ADMIN, CREDENTIAL_ADMIN, FULL_VIEW, ALL)

### 2.95.2. Responses



HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseBoolean</a>

## 2.96. GET

### /api/v2/common/stakeholders/{objectType}/{objectSubType}/{idObject}

#### 2.96.1. Parameters

Type	Name	Schema
Path	<b>idObject</b> <i>required</i>	integer (int32)
Path	<b>objectSubType</b> <i>required</i>	string
Path	<b>objectType</b> <i>required</i>	enum (ORGANIZATIONAL_UNIT, ENTITY, RELATIONSHIP, ATTRIBUTE, ALL, USER)

#### 2.96.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseObjectStakeholdersDTO</a>

## 2.97. GET /api/v2/common/{objectType}/{idObject}

#### 2.97.1. Parameters

Type	Name	Schema
Path	<b>idObject</b> <i>required</i>	integer (int32)
Path	<b>objectType</b> <i>required</i>	enum (ORGANIZATIONAL_UNIT, ENTITY, RELATIONSHIP, ATTRIBUTE, ALL, USER)

#### 2.97.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseHeadEntityAndRelationshipInfoDTO</a>

## 2.98. GET /api/v2/entity/approved-relationships/{objectSubType}/{idEntity}

### 2.98.1. Parameters

Type	Name	Schema
Path	<b>idEntity</b> <i>required</i>	integer (int32)
Path	<b>objectSubType</b> <i>required</i>	string

### 2.98.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseGenericDTOListRelationshipOneSideDTO</a>

## 2.99. POST /api/v2/entity/change-organizational-unit/{objectSubType}/{idEntity}

### 2.99.1. Parameters

Type	Name	Schema
Path	<b>idEntity</b> <i>required</i>	integer (int32)
Path	<b>objectSubType</b> <i>required</i>	string
Body	<b>body</b> <i>optional</i>	<a href="#">SubmitFormDTO</a>

### 2.99.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseGenericDTOString</a>

## 2.100. POST /api/v2/entity/change-state/{objectSubType}/{initialState}/{endState}/{idEntity}

### 2.100.1. Parameters

Type	Name	Schema
Path	<b>endState</b> <i>required</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)
Path	<b>idEntity</b> <i>required</i>	integer (int32)
Path	<b>initialState</b> <i>required</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)
Path	<b>objectSubType</b> <i>required</i>	string
Body	<b>body</b> <i>optional</i>	<a href="#">SubmitFormDTO</a>

### 2.100.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseWorkflowResponseDTO</a>

## 2.101. POST /api/v2/entity/clone/{objectSubType}/{idEntity}

### 2.101.1. Parameters

Type	Name	Schema
Path	<b>idEntity</b> <i>required</i>	integer (int32)
Path	<b>objectSubType</b> <i>required</i>	string
Body	<b>body</b> <i>optional</i>	<a href="#">EntityCloneDTO</a>

## 2.101.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseEntityDTO</a>

## 2.102. GET /api/v2/entity/complete-dynamic-catalog/{objectSubType}

### 2.102.1. Parameters

Type	Name	Schema
Path	<b>objectSubType</b> <i>required</i>	string

### 2.102.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseDynamicCatalogDTO</a>

## 2.103. POST /api/v2/entity/create/{objectSubType}

### 2.103.1. Parameters

Type	Name	Schema
Path	<b>objectSubType</b> <i>required</i>	string
Body	<b>body</b> <i>optional</i>	<a href="#">WizardDTO</a>

## 2.103.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseEntityDTO</a>

## 2.104. GET /api/v2/entity/dynamic-catalog/{objectSubTypeParam}/{idObject}

### 2.104.1. Parameters

Type	Name	Schema
Path	<b>idObject</b> <i>required</i>	integer (int32)
Path	<b>objectSubTypeParam</b> <i>required</i>	string

### 2.104.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseDynamicCatalogDTO</a>

## 2.105. GET /api/v2/entity/dynamic-catalog/{objectSubType}

### 2.105.1. Parameters

Type	Name	Schema
Path	<b>objectSubType</b> <i>required</i>	string

### 2.105.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseDynamicCatalogDTO</a>

## 2.106. GET /api/v2/entity/find-relationships/{objectSubType}/{id}

### 2.106.1. Parameters

Type	Name	Schema
Path	<b>id</b> <i>required</i>	integer (int32)
Path	<b>objectSubType</b> <i>required</i>	string

### 2.106.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseGenericDTOListRelationshipOneSideDTO</a>

## 2.107. POST /api/v2/entity/is-new-version/{objectSubType}/{idObject}

### 2.107.1. Parameters

Type	Name	Schema
Path	<b>idObject</b> <i>required</i>	integer (int32)
Path	<b>objectSubType</b> <i>required</i>	string
Body	<b>body</b> <i>optional</i>	<a href="#">EntityFormDTO</a>

### 2.107.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseNewVersionDTO</a>

## 2.108. GET

**/api/v2/entity/owner/{objectSubType}/{idEntity}**

### 2.108.1. Parameters

Type	Name	Schema
Path	<b>idEntity</b> <i>required</i>	integer (int32)
Path	<b>objectSubType</b> <i>required</i>	string

### 2.108.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseGenericDTOSetString</a>

## 2.109. GET

**/api/v2/entity/relationships/{objectSubType}/{idEntity}**

### 2.109.1. Parameters

Type	Name	Schema
Path	<b>idEntity</b> <i>required</i>	integer (int32)
Path	<b>objectSubType</b> <i>required</i>	string

### 2.109.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseGenericDTOListRelationshipOneSideDTO</a>

## 2.110. POST

**/api/v2/entity/save/{objectSubType}/{idObject}**

### 2.110.1. Parameters

Type	Name	Schema
Path	<b>idObject</b> <i>required</i>	integer (int32)
Path	<b>objectSubType</b> <i>required</i>	string
Body	<b>body</b> <i>optional</i>	<a href="#">EntityFormDTO</a>

### 2.110.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseEntityDTO</a>

## 2.111. POST

**/api/v2/entity/submit/{objectSubType}/{idObject}**

### 2.111.1. Parameters

Type	Name	Schema
Path	<b>idObject</b> <i>required</i>	integer (int32)
Path	<b>objectSubType</b> <i>required</i>	string
Body	<b>body</b> <i>optional</i>	<a href="#">SubmitFormDTO</a>

### 2.111.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseSubmitEntityDTOString</a>



## 2.112. POST /api/v2/entity/validate/{objectSubType}

### 2.112.1. Parameters

Type	Name	Schema
Path	<b>objectSubType</b> <i>required</i>	string
Body	<b>body</b> <i>optional</i>	<a href="#">WizardDTO</a>

### 2.112.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseWizardDTO</a>

## 2.113. GET /api/v2/entity/{objectSubType}/{idEntity}

### 2.113.1. Parameters

Type	Name	Schema
Path	<b>idEntity</b> <i>required</i>	integer (int32)
Path	<b>objectSubType</b> <i>required</i>	string

### 2.113.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseEntityDTO</a>

## 2.114. POST /api/v2/excel/{objectType}/{objectSubType}

### 2.114.1. Parameters

Type	Name	Schema
Path	<b>objectSubType</b> <i>required</i>	string

Type	Name	Schema
Path	<b>objectType</b> <i>required</i>	string
Body	<b>body</b> <i>optional</i>	string

## 2.114.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseInteger</a>

## 2.115. GET /api/v2/excel/{objectType}/{objectSubType}

### 2.115.1. Parameters

Type	Name	Schema
Path	<b>objectSubType</b> <i>required</i>	string
Path	<b>objectType</b> <i>required</i>	string

### 2.115.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">InputStreamResource</a>

## 2.116. GET /api/v2/graphics/getAll

### 2.116.1. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">StreamingResponseBody</a>

## 2.117. GET

### **/api/v2/graphics/listGraphics/{objectType}/{idObject}**

#### 2.117.1. Parameters

Type	Name	Schema
Path	<b>idObject</b> <i>required</i>	integer (int32)
Path	<b>objectType</b> <i>required</i>	string

#### 2.117.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseGraphicsDTO</a>

## 2.118. GET /api/v2/graphics/myLineage

#### 2.118.1. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseGraphicsDTO</a>

## 2.119. GET /api/v2/objectsubtypes/subtypes-wftypes

#### 2.119.1. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseHashMapStringSetString</a>

## 2.120. GET /api/v2/objectsubtypes/{objectType}

#### 2.120.1. Parameters

Type	Name	Schema
Path	<b>objectType</b> <i>required</i>	enum (ORGANIZATIONAL_UNIT, ENTITY, RELATIONSHIP, ATTRIBUTE, ALL, USER)

## 2.120.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseList</a> <a href="#">ObjectSubTypeDT</a> <a href="#">O</a>

## 2.121. GET /api/v2/objecttypes

### 2.121.1. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseList</a> <a href="#">ObjectTypeAnjana</a>

## 2.122. GET /api/v2/objecttypes/objectsubtypes

### 2.122.1. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseList</a> <a href="#">SubTypeDTO</a>

## 2.123. GET /api/v2/objecttypes/relationship/sides

### 2.123.1. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseList</a> <a href="#">SubTypeDTO</a>

## 2.124. GET /api/v2/objecttypes/{objectType}

### 2.124.1. Parameters

Type	Name	Schema
Path	<b>objectType</b> <i>required</i>	enum (ORGANIZATIONAL_UNIT, ENTITY, RELATIONSHIP, ATTRIBUTE, ALL, USER)

### 2.124.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseListSubTypeDTO</a>

## 2.125. GET /api/v2/relationship/all/{objectSubType}/{id}

### 2.125.1. Parameters

Type	Name	Schema
Path	<b>id</b> <i>required</i>	integer (int32)
Path	<b>objectSubType</b> <i>required</i>	string

### 2.125.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseGenericDTOListRelationshipOneSideDTO</a>

## 2.126. POST /api/v2/relationship/change-state/{objectSubType}/{initialState}/{endState}/{idRelationship}

### 2.126.1. Parameters

Type	Name	Schema
Path	<b>endState</b> <i>required</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)
Path	<b>idRelationship</b> <i>required</i>	integer (int32)
Path	<b>initialState</b> <i>required</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)
Path	<b>objectSubType</b> <i>required</i>	string
Body	<b>body</b> <i>optional</i>	<a href="#">SubmitFormDTO</a>

## 2.126.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseWorkflowResponseDTO</a>

## 2.127. POST

**/api/v2/relationship/clone/{objectSubType}/{idRelationship}**

### 2.127.1. Parameters

Type	Name	Schema
Path	<b>idRelationship</b> <i>required</i>	integer (int32)
Path	<b>objectSubType</b> <i>required</i>	string
Body	<b>body</b> <i>optional</i>	<a href="#">EntityCloneDTO</a>

### 2.127.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseRelationshipDTO</a>

## 2.128. POST

### /api/v2/relationship/create/{objectSubType}

#### 2.128.1. Parameters

Type	Name	Schema
Path	<b>objectSubType</b> <i>required</i>	string
Body	<b>body</b> <i>optional</i>	<a href="#">RelationshipDTO</a>

#### 2.128.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseRelationshipDTO</a>

## 2.129. GET /api/v2/relationship/dynamic-catalog/{objectSubType}

#### 2.129.1. Parameters

Type	Name	Schema
Path	<b>objectSubType</b> <i>required</i>	string

#### 2.129.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseDynamicCatalogDTO</a>

## 2.130. GET /api/v2/relationship/dynamic-catalog/{objectSubType}/{idObject}

### 2.130.1. Parameters

Type	Name	Schema
Path	<b>idObject</b> <i>required</i>	integer (int32)
Path	<b>objectSubType</b> <i>required</i>	string

### 2.130.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseDynamicCatalogDTO</a>

## 2.131. GET /api/v2/relationship/entities/{objectSubType}/{idRelationship}

### 2.131.1. Parameters

Type	Name	Schema
Path	<b>idRelationship</b> <i>required</i>	integer (int32)
Path	<b>objectSubType</b> <i>required</i>	string

### 2.131.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseGenericDTOListRelatedObjectDTO</a>



## 2.132. POST /api/v2/relationship/is-new-version/{objectSubType}/{idObject}

### 2.132.1. Parameters

Type	Name	Schema
Path	<b>idObject</b> <i>required</i>	integer (int32)
Path	<b>objectSubType</b> <i>required</i>	string
Body	<b>body</b> <i>optional</i>	<a href="#">EntityFormDTO</a>

### 2.132.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseNewVersionDTO</a>

## 2.133. GET /api/v2/relationship/owner/{idRelationship}

### 2.133.1. Parameters

Type	Name	Schema
Path	<b>idRelationship</b> <i>required</i>	integer (int32)

### 2.133.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseGenericDTOSetString</a>

## 2.134. POST /api/v2/relationship/save/{objectSubType}

### 2.134.1. Parameters

Type	Name	Schema
Path	<b>id</b> <i>required</i>	integer (int32)
Path	<b>objectSubType</b> <i>required</i>	string
Body	<b>body</b> <i>optional</i>	<a href="#">EntityFormDTO</a>

## 2.134.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseRelationshipDTO</a>

## 2.135. POST

**/api/v2/relationship/submit/{objectSubType}/{idObject }**

### 2.135.1. Parameters

Type	Name	Schema
Path	<b>idObject</b> <i>required</i>	integer (int32)
Path	<b>objectSubType</b> <i>required</i>	string
Body	<b>body</b> <i>optional</i>	<a href="#">SubmitFormDTO</a>

### 2.135.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseSubmitEntityDTOString</a>

## 2.136. GET /api/v2/relationship/{idRelationship}

### 2.136.1. Parameters

Type	Name	Schema
Path	<b>idRelationship</b> <i>required</i>	integer (int32)

### 2.136.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseRelationshipDTO</a>

## 2.137. GET /api/v2/relationship/{objectSubType}/{id}

### 2.137.1. Parameters

Type	Name	Schema
Path	<b>id</b> <i>required</i>	integer (int32)
Path	<b>objectSubType</b> <i>required</i>	string

### 2.137.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseGenericDTOListRelationshipOneSideDTO</a>

## 2.138. PUT /internal/v1/cache/clear-all

### 2.138.1. Responses

HTTP Code	Description	Schema
default	successful operation	No Content

## 2.139. POST /internal/v1/index/indexAll/{objectType}

### 2.139.1. Parameters

Type	Name	Schema
Path	<b>objectType</b> <i>required</i>	string

### 2.139.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseString</a>

## 2.140. GET /internal/v1/telemetry

### 2.140.1. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseTelemetryData</a>

## 2.141. GET /internal/v2/attribute/attributedefinition/list

### 2.141.1. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseListAttributeDefinitionDTO</a>

## 2.142. POST /internal/v2/common/flags

### 2.142.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	<a href="#">ObjectFlagsRequestDTO</a>

## 2.142.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseObjectFlagsResponseDTO</a>

## 2.143. GET

**/internal/v2/common/flags/{objectSubType}/{objectId}**

### 2.143.1. Parameters

Type	Name	Schema
Path	<b>objectId</b> <i>required</i>	integer (int32)
Path	<b>objectSubType</b> <i>required</i>	string

### 2.143.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseObjectFlagsDTO</a>

## 2.144. GET

**/internal/v2/common/objectType/{objectSubType}**

### 2.144.1. Parameters

Type	Name	Schema
Path	<b>objectSubType</b> <i>required</i>	string

### 2.144.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseString</a>

## 2.145. PUT /internal/v2/entity/change-state/{idEntity}/{initialState}/{endState}/{objectSubType}

### 2.145.1. Parameters

Type	Name	Schema
Path	<b>endState</b> <i>required</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)
Path	<b>idEntity</b> <i>required</i>	integer (int32)
Path	<b>initialState</b> <i>required</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)
Path	<b>objectSubType</b> <i>required</i>	string

### 2.145.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseBoolean</a>

## 2.146. POST /internal/v4/common/getObject

### 2.146.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	<a href="#">ObjectInfoDTO</a>

### 2.146.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseIndexEntityInfoDTO</a>

## 2.147. POST /internal/v4/entity/filter

### 2.147.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	<a href="#">FilterBaseEntityFilterRequest</a>

### 2.147.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseQueryEntityFilterResponseEntityDTO</a>

## 2.148. POST /public/v1/metadata/call-back

### 2.148.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	<a href="#">ObjectImportedDTO</a>

### 2.148.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseString</a>

## 2.149. POST /public/v1/metadata/inform-error

### 2.149.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	<a href="#">ErrorObjectImportedDTO</a>

### 2.149.2. Responses

<b>HTTP Code</b>	<b>Description</b>	<b>Schema</b>
<b>default</b>	successful operation	No Content



# Chapter 3. Definitions

## 3.1. AdherenceCartDTO

Name	Schema
<b>hasCombination</b> <i>optional</i>	boolean
<b>hasNewValidVersion</b> <i>optional</i>	boolean
<b>idObject</b> <i>optional</i>	integer (int32)
<b>idSuperObj</b> <i>optional</i>	integer (int32)
<b>layer</b> <i>optional</i>	string
<b>name</b> <i>optional</i>	string
<b>organizationalUnit</b> <i>optional</i>	string
<b>primaryClusterName</b> <i>optional</i>	string
<b>state</b> <i>optional</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)
<b>typeObject</b> <i>optional</i>	string
<b>version</b> <i>optional</i>	integer (int32)

## 3.2. AdminAttributeValueDTO

Name	Schema
<b>attributeName</b> <i>required</i>	string
<b>attributeValue</b> <i>required</i>	object
<b>language</b> <i>optional</i>	string

### 3.3. AdminDatasetFieldDTO

Name	Schema
<b>disableNonEditValidations</b> <i>optional</i>	boolean
<b>entityFormDTO</b> <i>optional</i>	<a href="#">EntityFormDTO</a>
<b>entityFormDatasets</b> <i>optional</i>	< <a href="#">EntityFormDTO</a> > array
<b>state</b> <i>optional</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)
<b>submitFormDTO</b> <i>optional</i>	<a href="#">SubmitFormDTO</a>

### 3.4. AdminDatasetFieldResponseDTO

Name	Schema
<b>datasetAndFieldsDTO</b> <i>optional</i>	< <a href="#">DatasetAndFieldsDTO</a> > array
<b>entity</b> <i>optional</i>	<a href="#">EntityDTO</a>

### 3.5. AdminDsaDatasetDTO

Name	Schema
<b>disableNonEditValidations</b> <i>optional</i>	boolean
<b>dsaDatasetDTO</b> <i>optional</i>	<a href="#">DsaDatasetDTO</a>
<b>entityFormDTO</b> <i>optional</i>	<a href="#">EntityFormDTO</a>
<b>state</b> <i>optional</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)
<b>submitFormDTO</b> <i>optional</i>	<a href="#">SubmitFormDTO</a>

### 3.6. AdminDsaDatasetResponseDTO

Name	Schema
<b>dsaAndDatasetsDTO</b> <i>optional</i>	<a href="#">DSAAndDatasetsDTO</a>
<b>entity</b> <i>optional</i>	<a href="#">Entity</a>

### 3.7. AdminEntityDTO

Name	Schema
<b>disableNonEditValidations</b> <i>optional</i>	boolean
<b>entityFormDTO</b> <i>optional</i>	<a href="#">EntityFormDTO</a>
<b>state</b> <i>optional</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)
<b>submitFormDTO</b> <i>optional</i>	<a href="#">SubmitFormDTO</a>

### 3.8. AdminInstanceDTO

Name	Schema
<b>datasetInput</b> <i>optional</i>	<a href="#">InstanceDatasetsDTO</a>
<b>datasetOutput</b> <i>optional</i>	<a href="#">InstanceDatasetsDTO</a>
<b>disableNonEditValidations</b> <i>optional</i>	boolean
<b>entityFormDTO</b> <i>optional</i>	<a href="#">EntityFormDTO</a>
<b>state</b> <i>optional</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)
<b>submitFormDTO</b> <i>optional</i>	<a href="#">SubmitFormDTO</a>
<b>wizardDTO</b> <i>optional</i>	<a href="#">WizardDTO</a>

### 3.9. AdminInstanceResponseDTO

Name	Schema
<b>datasetsInputDTO</b> <i>optional</i>	<a href="#">InstanceAndDatasetsDTO</a>
<b>datasetsOutputDTO</b> <i>optional</i>	<a href="#">InstanceAndDatasetsDTO</a>
<b>entity</b> <i>optional</i>	<a href="#">Entity</a>

### 3.10. AdminRelationshipDTO

Name	Schema
<b>disableNonEditValidations</b> <i>optional</i>	boolean
<b>entityFormDTO</b> <i>optional</i>	<a href="#">EntityFormDTO</a>
<b>state</b> <i>optional</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)

### 3.11. AdminSolutionInstanceDTO

Name	Schema
<b>disableNonEditValidations</b> <i>optional</i>	boolean
<b>entityFormDTO</b> <i>optional</i>	<a href="#">EntityFormDTO</a>
<b>instances</b> <i>optional</i>	<a href="#">SolutionInstancesDTO</a>
<b>state</b> <i>optional</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)
<b>submitFormDTO</b> <i>optional</i>	<a href="#">SubmitFormDTO</a>

### 3.12. AdminSolutionInstanceResponseDTO

Name	Schema
<b>entity</b> <i>optional</i>	<a href="#">Entity</a>
<b>solutionAndInstancesDTO</b> <i>optional</i>	<a href="#">SolutionAndInstancesDTO</a>

### 3.13. AttributeDefinition

Name	Description	Schema
<b>attributeDefinitionValues</b> <i>optional</i>		< <a href="#">AttributeDefinitionValue</a> > array
<b>description</b> <i>optional</i>	Length : 0 - 300000	string
<b>id</b> <i>optional</i>		integer (int32)
<b>label</b> <i>optional</i>		string
<b>labelTranslationKey</b> <i>optional</i>		string
<b>lastModifiedDate</b> <i>optional</i>		integer (int64)
<b>module</b> <i>optional</i>		enum (BG, DC, KERN, TOT, PORTUNO, HD, AUTH, WF, AUDIT, SNAPSHOTS, ALL)
<b>name</b> <i>required</i>		string
<b>placeholder</b> <i>optional</i>		string
<b>placeholderTranslationKey</b> <i>optional</i>		string
<b>shortDescriptionTranslationKey</b> <i>optional</i>		string

Name	Description	Schema
<b>startDate</b> <i>optional</i>		integer (int64)
<b>type</b> <i>required</i>		enum (INPUT_TEXT, INPUT_DATE, INPUT_RANGE, INPUT_NUMBER, SELECT, TEXT_AREA, INPUT_CHECKBOX, INPUT_DECIMAL, SEARCH, SELECT_USERS, MULTI_USERS, SELECT_ORGANIZAT IONAL_UNIT, MULTI_ORGANIZATI ONAL_UNIT, UPLOAD_FILE, UPLOAD_URL, ARRAY_NUMBER, ARRAY_DATE, ARRAY_DECIMAL, ARRAY_BOOLEAN, ARRAY_ALPHANUM ERICAL, ARRAY_UPLOAD_FIL E, ARRAY_UPLOAD_UR L, MULTI_SELECT, ARRAY_ENTITY, ENTITY_SEARCH, ENRICHED_TEXT_AR EA, INPUT_TEXT_INTER NATIONAL, TEXT_AREA_INTERN ATIONAL, ENRICHED_TEXT_AR EA_INTERNATIONA L)

### 3.14. AttributeDefinitionDTO

Name	Schema
<b>description</b> <i>optional</i>	string
<b>id</b> <i>optional</i>	integer (int32)
<b>isCustom</b> <i>optional</i>	boolean
<b>label</b> <i>optional</i>	string
<b>labelTranslationKey</b> <i>optional</i>	string
<b>name</b> <i>optional</i>	string
<b>placeholder</b> <i>optional</i>	string
<b>type</b> <i>optional</i>	enum (INPUT_TEXT, INPUT_DATE, INPUT_RANGE, INPUT_NUMBER, SELECT, TEXT_AREA, INPUT_CHECKBOX, INPUT_DECIMAL, SEARCH, SELECT_USERS, MULTI_USERS, SELECT_ORGANIZATIONAL_UNIT, MULTI_ORGANIZATIONAL_UNIT, UPLOAD_FILE, UPLOAD_URL, ARRAY_NUMBER, ARRAY_DATE, ARRAY_DECIMAL, ARRAY_BOOLEAN, ARRAY_ALPHANUMERICAL, ARRAY_UPLOAD_FILE, ARRAY_UPLOAD_URL, MULTI_SELECT, ARRAY_ENTITY, ENTITY_SEARCH, ENRICHED_TEXT_AREA, INPUT_TEXT_INTERNATIONAL, TEXT_AREA_INTERNATIONAL, ENRICHED_TEXT_AREA_INTERNATIONAL)
<b>value</b> <i>optional</i>	<a href="#">Serializable</a>

### 3.15. AttributeDefinitionValue

Name	Schema
<b>id</b> <i>optional</i>	integer (int32)
<b>idAttributeDefinition</b> <i>required</i>	integer (int32)
<b>labelSelect</b> <i>required</i>	string

Name	Schema
<b>value</b> <i>required</i>	string

### 3.16. AttributeDefinitionValueDTO

Name	Schema
<b>id</b> <i>optional</i>	integer (int32)
<b>idAttributeDefinition</b> <i>optional</i>	integer (int32)
<b>labelSelect</b> <i>optional</i>	string
<b>value</b> <i>optional</i>	string

### 3.17. AttributeRelationshipsParamDTO

Name	Schema
<b>nameAttributeDest</b> <i>optional</i>	string
<b>nameAttributeSource</b> <i>optional</i>	string
<b>objectSubType</b> <i>optional</i>	string
<b>valueAttributeSource</b> <i>optional</i>	< string > array

### 3.18. AttributeValue

Name	Description	Schema
<b>attributeDefinition</b> <i>required</i>		<a href="#">AttributeDefinition</a>
<b>i18n</b> <i>optional</i>	Length : 0 - 5	string
<b>id</b> <i>optional</i>		integer (int32)
<b>idObject</b> <i>required</i>		integer (int32)



Name	Description	Schema
<b>idTemplateAttribute</b> <i>optional</i>		integer (int32)
<b>objectSubType</b> <i>required</i>		string
<b>value</b> <i>optional</i>	Length : 0 - 300000	string

### 3.19. AttributeValueDTO

Name	Schema
<b>attributeDefinition</b> <i>optional</i>	<a href="#">AttributeDefinitionDTO</a>
<b>i18n</b> <i>optional</i>	string
<b>id</b> <i>optional</i>	integer (int32)
<b>idObject</b> <i>optional</i>	integer (int32)
<b>objectType</b> <i>optional</i>	enum (ORGANIZATIONAL_UNIT, ENTITY, RELATIONSHIP, ATTRIBUTE, ALL, USER)
<b>value</b> <i>optional</i>	string

### 3.20. BaseDTO

Type : object

### 3.21. CombinationContractsDTO

Name	Schema
<b>allRead</b> <i>optional</i>	boolean
<b>dsas</b> <i>optional</i>	< <a href="#">DSA</a> > array
<b>idCombination</b> <i>optional</i>	integer (int32)

## 3.22. CombinationDTO

Name	Schema
<b>allLicensesRead</b> <i>optional</i>	boolean
<b>dsaDatasetCombinations</b> <i>optional</i>	< <a href="#">DsaDsCombinationDTO</a> > array
<b>idCombination</b> <i>optional</i>	integer (int32)

## 3.23. ComponentsFrontDTO

Name	Schema
<b>idTemplateAttribute</b> <i>optional</i>	integer (int32)
<b>label</b> <i>optional</i>	string
<b>name</b> <i>optional</i>	string
<b>placeholder</b> <i>optional</i>	string
<b>type</b> <i>optional</i>	enum (INPUT_TEXT, INPUT_DATE, INPUT_RANGE, INPUT_NUMBER, SELECT, TEXT_AREA, INPUT_CHECKBOX, INPUT_DECIMAL, SEARCH, SELECT_USERS, MULTI_USERS, SELECT_ORGANIZATIONAL_UNIT, MULTI_ORGANIZATIONAL_UNIT, UPLOAD_FILE, UPLOAD_URL, ARRAY_NUMBER, ARRAY_DATE, ARRAY_DECIMAL, ARRAY_BOOLEAN, ARRAY_ALPHANUMERICAL, ARRAY_UPLOAD_FILE, ARRAY_UPLOAD_URL, MULTI_SELECT, ARRAY_ENTITY, ENTITY_SEARCH, ENRICHED_TEXT_AREA, INPUT_TEXT_INTERNATIONAL, TEXT_AREA_INTERNATIONAL, ENRICHED_TEXT_AREA_INTERNATIONAL)
<b>validations</b> <i>optional</i>	< <a href="#">TemplateAttributeValidationDTO</a> > array

## 3.24. CustomAttributeParamDTO

Name	Schema
<b>contains</b> <i>optional</i>	string
<b>objectId</b> <i>optional</i>	integer (int32)
<b>objectSubType</b> <i>optional</i>	string

### 3.25. DSA

Name	Schema
<b>contractDTO</b> <i>optional</i>	<a href="#">DsaContractDTO</a>
<b>id</b> <i>optional</i>	integer (int32)
<b>name</b> <i>optional</i>	string
<b>read</b> <i>optional</i>	boolean
<b>version</b> <i>optional</i>	integer (int32)

### 3.26. DSAAndDatasetsDTO

Name	Schema
<b>datasets</b> <i>optional</i>	< < string, <a href="#">Serializable</a> > map > array
<b>id</b> <i>optional</i>	integer (int32)
<b>nonExistingDataset</b> <i>optional</i>	< integer (int32) > array

### 3.27. DatasetAndFieldsDTO

Name	Schema
<b>fields</b> <i>optional</i>	< < string, <a href="#">SimplifiedAttributeDTO</a> > map > array
<b>id</b> <i>optional</i>	integer (int32)

## 3.28. DeprecatedDTO

Name	Schema
<b>id</b> <i>optional</i>	integer (int32)
<b>submitFormDTO</b> <i>optional</i>	<a href="#">SubmitFormDTO</a>

## 3.29. DirectAdherenceRequestDTO

Name	Schema
<b>idObject</b> <i>optional</i>	integer (int32)
<b>requestReason</b> <i>optional</i>	< string, string > map
<b>role</b> <i>optional</i>	string

## 3.30. DisAdherenceDTO

Name	Schema
<b>userDisAdhered</b> <i>optional</i>	string

## 3.31. DsaContractDTO

Name	Schema
<b>dsaExpirationDate</b> <i>optional</i>	string
<b>fileName</b> <i>optional</i>	string
<b>hasUploadFile</b> <i>optional</i>	boolean

## 3.32. DsaDatasetDTO

Name	Schema
<b>datasets</b> <i>optional</i>	< integer (int32) > array

### 3.33. DsaDsCombinationDTO

Name	Schema
<b>datasets</b> <i>optional</i>	< <a href="#">EntityDTO</a> > array
<b>dsa</b> <i>optional</i>	<a href="#">EntityDTO</a>
<b>dsaLicTermsRead</b> <i>optional</i>	boolean
<b>idDsaDatasetComb</b> <i>optional</i>	integer (int32)
<b>required</b> <i>optional</i>	boolean

### 3.34. DynamicCatalogDTO

Name	Schema
<b>menus</b> <i>optional</i>	< <a href="#">MenuDTO</a> > array

### 3.35. DynamicCatalogFieldDTO

Name	Schema
<b>attributeValues</b> <i>optional</i>	< <a href="#">AttributeDefinitionValueDTO</a> > array
<b>componentFront</b> <i>optional</i>	<a href="#">ComponentsFrontDTO</a>
<b>selectedValue</b> <i>optional</i>	<a href="#">AttributeDefinitionDTO</a>

### 3.36. EdgeDTO

Name	Schema
<b>arrow</b> <i>optional</i>	string
<b>canRedirect</b> <i>optional</i>	boolean
<b>dashes</b> <i>optional</i>	boolean

Name	Schema
<b>from</b> <i>optional</i>	string
<b>idRelationship</b> <i>optional</i>	integer (int32)
<b>name</b> <i>optional</i>	string
<b>state</b> <i>optional</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)
<b>subtypeObject</b> <i>optional</i>	string
<b>to</b> <i>optional</i>	string

### 3.37. EditionConfigurationDTO

Name	Schema
<b>currentValue</b> <i>optional</i>	string
<b>name</b> <i>optional</i>	string
<b>newValue</b> <i>optional</i>	string
<b>objectSubtype</b> <i>optional</i>	string

### 3.38. EditionMassiveFailDTO

Name	Schema
<b>error</b> <i>optional</i>	string
<b>id</b> <i>optional</i>	integer (int32)

### 3.39. EditionMassiveResultDTO

Name	Schema
<b>failed</b> <i>optional</i>	< <a href="#">EditionMassiveFailDTO</a> > array

Name	Schema
<b>successful</b> <i>optional</i>	< integer (int32) > array

### 3.40. EditionSubmitRuleDTO

Name	Schema
<b>id</b> <i>optional</i>	integer (int32)
<b>idTemplateAttribute</b> <i>optional</i>	integer (int32)
<b>role</b> <i>optional</i>	string

### 3.41. Entity

Name	Description	Schema
<b>addInstances</b> <i>optional</i>		boolean
<b>adheredUsers</b> <i>optional</i>		< string > array
<b>adheredUsersOfOtherVersions</b> <i>optional</i>		< string > array
<b>ari</b> <i>optional</i>	Length : 0 - 10000	string
<b>attributes</b> <i>optional</i>		< <a href="#">AttributeValue</a> > array
<b>creator</b> <i>optional</i>		string
<b>datasetId</b> <i>optional</i>		integer (int32)
<b>datasetName</b> <i>optional</i>		string
<b>datasetVersion</b> <i>optional</i>		integer (int32)
<b>edited</b> <i>optional</i>		boolean

<b>Name</b>	<b>Description</b>	<b>Schema</b>
<b>hasExternalRelationships</b> <i>optional</i>		boolean
<b>hasPendingOrDraftVersion</b> <i>optional</i>		boolean
<b>id</b> <i>optional</i>		integer (int32)
<b>idParent</b> <i>optional</i>		integer (int32)
<b>idWorkflowExecution</b> <i>optional</i>		integer (int32)
<b>infrastructure</b> <i>optional</i>		string
<b>isEngineToIndex</b> <i>optional</i>		boolean
<b>isLastModifiedObject</b> <i>optional</i>		boolean
<b>isLastValidVersion</b> <i>optional</i>		boolean
<b>isValidated</b> <i>optional</i>		boolean
<b>lastModifiedDate</b> <i>optional</i>		integer (int64)
<b>module</b> <i>optional</i>		enum (BG, DC, Kerno, TOT, PORTUNO, HD, AUTH, WF, AUDIT, SNAPSHOTS, ALL)
<b>name</b> <i>optional</i>		string
<b>numInstances</b> <i>optional</i>		integer (int32)



<b>Name</b>	<b>Description</b>	<b>Schema</b>
<b>numOwnedInstances</b> <i>optional</i>		integer (int32)
<b>numRelatedInstances</b> <i>optional</i>		integer (int32)
<b>numVersions</b> <i>optional</i>		integer (int32)
<b>objectSubType</b> <i>optional</i>		string
<b>organizationalUnit</b> <i>optional</i>		string
<b>ownedSolutionOwners</b> <i>optional</i>		< string > array
<b>ownedSolutionOwnersOfOtherVersions</b> <i>optional</i>		< string > array
<b>owners</b> <i>optional</i>		< string > array
<b>ownersOfOtherVersions</b> <i>optional</i>		< string > array
<b>path</b> <i>optional</i>		string
<b>pendingAdherenceUsers</b> <i>optional</i>		< string > array
<b>processName</b> <i>optional</i>		string
<b>processOwners</b> <i>optional</i>		< string > array
<b>processOwnersOfOtherVersions</b> <i>optional</i>		< string > array

Name	Description	Schema
<b>relatedSolutionOwners</b> <i>optional</i>		< string > array
<b>relatedSolutionOwnersOfOtherVersions</b> <i>optional</i>		< string > array
<b>relatedSolutions</b> <i>optional</i>		integer (int32)
<b>solutionName</b> <i>optional</i>		string
<b>startDate</b> <i>optional</i>		integer (int64)
<b>state</b> <i>required</i>		enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)
<b>technology</b> <i>optional</i>		string
<b>validityDate</b> <i>optional</i>		integer (int64)
<b>version</b> <i>optional</i>		integer (int32)
<b>zone</b> <i>optional</i>		string

### 3.42. EntityAttributesDTO

Name	Schema
<b>entityAttributes</b> <i>optional</i>	< <a href="#">PairNamesValuesDTO</a> > array

### 3.43. EntityCloneDTO

Name	Schema
<b>creator</b> <i>optional</i>	string
<b>destination</b> <i>optional</i>	string
<b>infrastructure</b> <i>optional</i>	string
<b>name</b> <i>optional</i>	string
<b>organizationalUnit</b> <i>optional</i>	string
<b>originalObject</b> <i>optional</i>	integer (int32)
<b>path</b> <i>optional</i>	string
<b>processAri</b> <i>optional</i>	string
<b>solutionAri</b> <i>optional</i>	string
<b>source</b> <i>optional</i>	string
<b>technology</b> <i>optional</i>	string
<b>zone</b> <i>optional</i>	string

### 3.44. EntityDTO

Name	Schema
<b>addInstances</b> <i>optional</i>	boolean
<b>adheredUsers</b> <i>optional</i>	< string > array
<b>adheredUsersOfOtherVersions</b> <i>optional</i>	< string > array
<b>ari</b> <i>optional</i>	string

<b>Name</b>	<b>Schema</b>
<b>attributes</b> <i>optional</i>	< <a href="#">AttributeValueDTO</a> > array
<b>creator</b> <i>optional</i>	string
<b>datasetName</b> <i>optional</i>	string
<b>datasetVersion</b> <i>optional</i>	integer (int32)
<b>engineToIndex</b> <i>optional</i>	boolean
<b>hasExternalRelationships</b> <i>optional</i>	boolean
<b>hasPendingOrDraftVersion</b> <i>optional</i>	boolean
<b>id</b> <i>optional</i>	integer (int32)
<b>idParent</b> <i>optional</i>	integer (int32)
<b>lastModifiedDate</b> <i>optional</i>	integer (int64)
<b>lastModifiedObject</b> <i>optional</i>	boolean
<b>lastValidVersion</b> <i>optional</i>	boolean
<b>module</b> <i>optional</i>	enum (BG, DC, KERNO, TOT, PORTUNO, HD, AUTH, WF, AUDIT, SNAPSHOTS, ALL)
<b>name</b> <i>optional</i>	string
<b>numInstances</b> <i>optional</i>	integer (int32)
<b>numOwnedInstances</b> <i>optional</i>	integer (int32)
<b>numRelatedInstances</b> <i>optional</i>	integer (int32)
<b>numVersions</b> <i>optional</i>	integer (int32)
<b>objectSubType</b> <i>optional</i>	string

<b>Name</b>	<b>Schema</b>
<b>organizationalUnit</b> <i>optional</i>	string
<b>ownedSolutionOwners</b> <i>optional</i>	< string > array
<b>ownedSolutionOwnersOfOtherVersions</b> <i>optional</i>	< string > array
<b>owners</b> <i>optional</i>	< string > array
<b>ownersOfOtherVersions</b> <i>optional</i>	< string > array
<b>path</b> <i>optional</i>	string
<b>pendingAdherenceUsers</b> <i>optional</i>	< string > array
<b>processName</b> <i>optional</i>	string
<b>processOwners</b> <i>optional</i>	< string > array
<b>processOwnersOfOtherVersions</b> <i>optional</i>	< string > array
<b>relatedAris</b> <i>optional</i>	< string, < string > array > map
<b>relatedSolutionOwners</b> <i>optional</i>	< string > array
<b>relatedSolutionOwnersOfOtherVersions</b> <i>optional</i>	< string > array
<b>relatedSolutions</b> <i>optional</i>	string
<b>solutionName</b> <i>optional</i>	string
<b>startDate</b> <i>optional</i>	integer (int64)
<b>state</b> <i>optional</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)
<b>validityDate</b> <i>optional</i>	integer (int64)

Name	Schema
<b>version</b> <i>optional</i>	integer (int32)

### 3.45. EntityFilterRequest

Name	Schema
<b>attributes</b> <i>optional</i>	< string > array
<b>infraTechZones</b> <i>optional</i>	< <a href="#">InfrastructureTechnologyZoneDTO</a> > array
<b>isGoverned</b> <i>optional</i>	boolean
<b>objectSubType</b> <i>optional</i>	string
<b>retrieveAttributes</b> <i>optional</i>	< string > array
<b>states</b> <i>optional</i>	< enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED) > array
<b>withVersions</b> <i>optional</i>	boolean

### 3.46. EntityFormDTO

Name	Schema
<b>entityAttributes</b> <i>optional</i>	< <a href="#">AttributeDefinitionDTO</a> > array
<b>idObject</b> <i>optional</i>	integer (int32)
<b>idParent</b> <i>optional</i>	integer (int32)
<b>modifiedDate</b> <i>optional</i>	integer (int64)
<b>organizationalUnit</b> <i>optional</i>	string
<b>referenceId</b> <i>optional</i>	integer (int32)

### 3.47. ErrorObjectImportedDTO

Name	Schema
<b>error</b> <i>optional</i>	string
<b>jobId</b> <i>optional</i>	string

### 3.48. FilterBase

Name	Schema
<b>criteria</b> <i>optional</i>	object
<b>order</b> <i>optional</i>	enum (ASC, DESC)
<b>page</b> <i>optional</i>	integer (int32)
<b>size</b> <i>optional</i>	integer (int32)
<b>sortBy</b> <i>optional</i>	< string > array

### 3.49. FilterBaseEntityFilterRequest

Name	Schema
<b>criteria</b> <i>optional</i>	<a href="#">EntityFilterRequest</a>
<b>order</b> <i>optional</i>	enum (ASC, DESC)
<b>page</b> <i>optional</i>	integer (int32)
<b>size</b> <i>optional</i>	integer (int32)
<b>sortBy</b> <i>optional</i>	< string > array

### 3.50. FilterBaseImportMetadataFilters

Name	Schema
<b>criteria</b> <i>optional</i>	<a href="#">ImportMetadataFilters</a>
<b>order</b> <i>optional</i>	enum (ASC, DESC)
<b>page</b> <i>optional</i>	integer (int32)
<b>size</b> <i>optional</i>	integer (int32)
<b>sortBy</b> <i>optional</i>	< string > array

### 3.51. FilterBaseRequestImportFilters

Name	Schema
<b>criteria</b> <i>optional</i>	<a href="#">RequestImportFilters</a>
<b>order</b> <i>optional</i>	enum (ASC, DESC)
<b>page</b> <i>optional</i>	integer (int32)
<b>size</b> <i>optional</i>	integer (int32)
<b>sortBy</b> <i>optional</i>	< string > array

### 3.52. GenericDTO

Name	Schema
<b>name</b> <i>optional</i>	string
<b>value</b> <i>optional</i>	object

### 3.53. GenericDTOListAttributeDefinitionDTO

Name	Schema
<b>name</b> <i>optional</i>	string



Name	Schema
<b>value</b> <i>optional</i>	< <a href="#">AttributeDefinitionDTO</a> > array

### 3.54. GenericDTOListEntityDTO

Name	Schema
<b>name</b> <i>optional</i>	string
<b>value</b> <i>optional</i>	< <a href="#">EntityDTO</a> > array

### 3.55. GenericDTOListMapStringSerializable

Name	Schema
<b>name</b> <i>optional</i>	string
<b>value</b> <i>optional</i>	< < string, <a href="#">Serializable</a> > map > array

### 3.56. GenericDTOListRelatedObjectDTO

Name	Schema
<b>name</b> <i>optional</i>	string
<b>value</b> <i>optional</i>	< <a href="#">RelatedObjectDTO</a> > array

### 3.57. GenericDTOListRelationshipOneSideDTO

Name	Schema
<b>name</b> <i>optional</i>	string
<b>value</b> <i>optional</i>	< <a href="#">RelationshipOneSideDTO</a> > array

### 3.58. GenericDTOListString

Name	Schema
<b>name</b> <i>optional</i>	string
<b>value</b> <i>optional</i>	< string > array

### 3.59. GenericDTOMapStringString

Name	Schema
<b>name</b> <i>optional</i>	string
<b>value</b> <i>optional</i>	< string, string > map

### 3.60. GenericDTOObject

Name	Schema
<b>name</b> <i>optional</i>	string
<b>value</b> <i>optional</i>	object

### 3.61. GenericDTOSetString

Name	Schema
<b>name</b> <i>optional</i>	string
<b>value</b> <i>optional</i>	< string > array

### 3.62. GenericDTOString

Name	Schema
<b>name</b> <i>optional</i>	string
<b>value</b> <i>optional</i>	string

### 3.63. GraphicsDTO

Name	Schema
<b>edges</b> <i>optional</i>	< <a href="#">EdgeDTO</a> > array
<b>nodes</b> <i>optional</i>	< <a href="#">NodeDTO</a> > array
<b>timestamp</b> <i>optional</i>	integer (int64)

### 3.64. HeadEntityAndRelationshipInfoDTO

Name	Schema
<b>ari</b> <i>optional</i>	string
<b>creator</b> <i>optional</i>	string
<b>dataset</b> <i>optional</i>	<a href="#">RedirectionDTO</a>
<b>destinationId</b> <i>optional</i>	string
<b>draftOrPendingVersionId</b> <i>optional</i>	integer (int32)
<b>expirationDate</b> <i>optional</i>	string
<b>flags</b> <i>optional</i>	<a href="#">ObjectFlagsDTO</a>
<b>id</b> <i>optional</i>	integer (int32)
<b>idWorkflowExecution</b> <i>optional</i>	integer (int32)
<b>infrastructure</b> <i>optional</i>	string
<b>isValidated</b> <i>optional</i>	boolean
<b>module</b> <i>optional</i>	enum (BG, DC, KERNO, TOT, PORTUNO, HD, AUTH, WF, AUDIT, SNAPSHOTS, ALL)
<b>name</b> <i>optional</i>	string

Name	Schema
<b>objectSubType</b> <i>optional</i>	string
<b>objectType</b> <i>optional</i>	string
<b>organizationalUnit</b> <i>optional</i>	< string > array
<b>path</b> <i>optional</i>	string
<b>process</b> <i>optional</i>	<a href="#">RedirectionDTO</a>
<b>solution</b> <i>optional</i>	<a href="#">RedirectionDTO</a>
<b>sourceId</b> <i>optional</i>	integer (int32)
<b>specialSave</b> <i>optional</i>	boolean
<b>startDate</b> <i>optional</i>	integer (int64)
<b>state</b> <i>optional</i>	string
<b>technicalId</b> <i>optional</i>	string
<b>technology</b> <i>optional</i>	string
<b>validityDate</b> <i>optional</i>	integer (int64)
<b>version</b> <i>optional</i>	integer (int32)
<b>zone</b> <i>optional</i>	string

### 3.65. IdCombAndReasonDTO

Name	Schema
<b>idComb</b> <i>optional</i>	integer (int32)
<b>requestReason</b> <i>optional</i>	< string, string > map

Name	Schema
<b>role</b> <i>optional</i>	string

### 3.66. ImportMetadataFilters

Name	Schema
<b>importDate</b> <i>optional</i>	< string (date-time) > array
<b>importStatus</b> <i>optional</i>	< enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED) > array
<b>name</b> <i>optional</i>	string
<b>objectInfrastructure</b> <i>optional</i>	< string > array
<b>objectOrganizationalUnit</b> <i>optional</i>	< string > array
<b>objectPath</b> <i>optional</i>	string
<b>objectState</b> <i>optional</i>	< enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED) > array
<b>objectTechnology</b> <i>optional</i>	< string > array
<b>objectZone</b> <i>optional</i>	< string > array
<b>requestImportID</b> <i>optional</i>	integer (int32)

### 3.67. ImportedMetadataFilterResponseDTO

Name	Schema
<b>comment</b> <i>optional</i>	string
<b>fields</b> <i>optional</i>	< <a href="#">ImportedMetadataFilterResponseDTO</a> > array
<b>fileARI</b> <i>optional</i>	string

Name	Schema
<b>idImportedMetadata</b> <i>optional</i>	integer (int32)
<b>importDate</b> <i>optional</i>	string (date-time)
<b>importStatus</b> <i>optional</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)
<b>name</b> <i>optional</i>	string
<b>objectDestination</b> <i>optional</i>	string
<b>objectID</b> <i>optional</i>	integer (int32)
<b>objectInfrastructure</b> <i>optional</i>	string
<b>objectOrganizationalUnit</b> <i>optional</i>	string
<b>objectPath</b> <i>optional</i>	string
<b>objectSource</b> <i>optional</i>	string
<b>objectState</b> <i>optional</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)
<b>objectSubType</b> <i>optional</i>	string
<b>objectTechnology</b> <i>optional</i>	string
<b>objectType</b> <i>optional</i>	string
<b>objectZone</b> <i>optional</i>	string

### 3.68. IndexEntityInfoDTO

Name	Schema
<b>attributeDefinitionList</b> <i>optional</i>	< <a href="#">AttributeDefinitionDTO</a> > array

Name	Schema
<b>entity</b> <i>optional</i>	<a href="#">Serializable</a>
<b>entityClass</b> <i>optional</i>	string
<b>objectSubtype</b> <i>optional</i>	string
<b>objectType</b> <i>optional</i>	enum (ORGANIZATIONAL_UNIT, ENTITY, RELATIONSHIP, ATTRIBUTE, ALL, USER)

### 3.69. InfrastructureTechnologyZoneDTO

Name	Schema
<b>infrastructure</b> <i>optional</i>	string
<b>technology</b> <i>optional</i>	string
<b>zone</b> <i>optional</i>	string

### 3.70. InfrastructureTechnologyZoneRequestFillDTO

Name	Schema
<b>infrastructure</b> <i>optional</i>	string
<b>organizationalUnit</b> <i>optional</i>	string
<b>path</b> <i>optional</i>	< <a href="#">ValuesDTO</a> > array
<b>subType</b> <i>optional</i>	string
<b>technology</b> <i>optional</i>	string
<b>zone</b> <i>optional</i>	string

### 3.71. InputStream

Type : object

## 3.72. InputStreamResource

Name	Schema
<b>description</b> <i>optional</i>	string
<b>file</b> <i>optional</i>	file
<b>filename</b> <i>optional</i>	string
<b>inputStream</b> <i>optional</i>	<a href="#">InputStream</a>
<b>open</b> <i>optional</i>	boolean
<b>readable</b> <i>optional</i>	boolean
<b>uri</b> <i>optional</i>	string (uri)
<b>url</b> <i>optional</i>	string (url)

## 3.73. InstanceAndDatasetsDTO

Name	Schema
<b>datasets</b> <i>optional</i>	< < string, <a href="#">Serializable</a> > map > array
<b>id</b> <i>optional</i>	integer (int32)
<b>nonExistingDataset</b> <i>optional</i>	< integer (int32) > array

## 3.74. InstanceDatasetsDTO

Name	Schema
<b>datasets</b> <i>optional</i>	< integer (int32) > array

## 3.75. ListItemsDTO



Name	Schema
<b>listValues</b> <i>optional</i>	< <a href="#">ValuesDTO</a> > array
<b>propName</b> <i>optional</i>	string

### 3.76. MassiveEditDTO

Name	Schema
<b>attributes</b> <i>optional</i>	< <a href="#">AdminAttributeValueDTO</a> > array
<b>objectList</b> <i>optional</i>	< integer (int32) > array

### 3.77. MenuDTO

Name	Schema
<b>description</b> <i>optional</i>	string
<b>idMenu</b> <i>optional</i>	integer (int32)
<b>idSubType</b> <i>optional</i>	integer (int32)
<b>name</b> <i>optional</i>	string
<b>orderMenu</b> <i>optional</i>	integer (int32)
<b>sections</b> <i>optional</i>	< <a href="#">SectionsDTO</a> > array

### 3.78. NewVersionDTO

Name	Schema
<b>oldVersionEndDate</b> <i>optional</i>	string
<b>versionReasons</b> <i>optional</i>	< <a href="#">EditionConfigurationDTO</a> > array
<b>versionReasonsSpecialFields</b> <i>optional</i>	< string, < <a href="#">EditionConfigurationDTO</a> > array > map

Name	Schema
<b>versionType</b> <i>optional</i>	enum (CREATION, MODIFY, VERSION)

### 3.79. NodeDTO

Name	Schema
<b>idEntity</b> <i>optional</i>	integer (int32)
<b>idObject</b> <i>optional</i>	string
<b>lastModifiedObject</b> <i>optional</i>	boolean
<b>moreInfo</b> <i>optional</i>	< string, <a href="#">Serializable</a> > map
<b>name</b> <i>optional</i>	string
<b>organizationalUnit</b> <i>optional</i>	string
<b>redirection</b> <i>optional</i>	string
<b>state</b> <i>optional</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)
<b>subtypeObject</b> <i>optional</i>	string
<b>timestamp</b> <i>optional</i>	integer (int64)
<b>version</b> <i>optional</i>	integer (int32)

### 3.80. ObjectFlagsDTO

Name	Schema
<b>adhered</b> <i>optional</i>	boolean
<b>canAddToCart</b> <i>optional</i>	boolean
<b>canAdhereDirect</b> <i>optional</i>	boolean

Name	Schema
<b>canDeprecate</b> <i>optional</i>	boolean
<b>canDisadhere</b> <i>optional</i>	boolean
<b>canTransfer</b> <i>optional</i>	boolean
<b>hasSampleData</b> <i>optional</i>	boolean
<b>isActivable</b> <i>optional</i>	boolean
<b>isClonable</b> <i>optional</i>	boolean
<b>isDeactivable</b> <i>optional</i>	boolean
<b>isEditable</b> <i>optional</i>	boolean
<b>isInAdherenceCart</b> <i>optional</i>	boolean
<b>isOwner</b> <i>optional</i>	boolean
<b>pendingAdherence</b> <i>optional</i>	boolean

### 3.81. ObjectFlagsRequestDTO

Name	Schema
<b>idsBySubType</b> <i>optional</i>	< string, < integer (int32) > array > map

### 3.82. ObjectFlagsResponseDTO

Name	Schema
<b>flagsByIdBySubType</b> <i>optional</i>	< string, < string, <a href="#">ObjectFlagsDTO</a> > map > map

### 3.83. ObjectImportedDTO

Name	Schema
<b>entity</b> <i>optional</i>	<a href="#">EntityAttributesDTO</a>
<b>fields</b> <i>optional</i>	< <a href="#">EntityAttributesDTO</a> > array
<b>jobId</b> <i>optional</i>	string

### 3.84. ObjectInfoDTO

Name	Schema
<b>id</b> <i>optional</i>	integer (int32)
<b>objectSubtype</b> <i>optional</i>	string
<b>objectType</b> <i>optional</i>	enum (ORGANIZATIONAL_UNIT, ENTITY, RELATIONSHIP, ATTRIBUTE, ALL, USER)

### 3.85. ObjectStakeholdersDTO

Name	Schema
<b>organizationalUnits</b> <i>optional</i>	< string > array
<b>users</b> <i>optional</i>	< string, < string > array > map

### 3.86. ObjectSubTypeDTO

Name	Schema
<b>activateWF</b> <i>optional</i>	string
<b>allowExcelImport</b> <i>optional</i>	boolean
<b>createWF</b> <i>optional</i>	string
<b>deactivateWF</b> <i>optional</i>	string
<b>deprecateWF</b> <i>optional</i>	string

Name	Schema
<b>id</b> <i>optional</i>	integer (int32)
<b>modifyWF</b> <i>optional</i>	string
<b>module</b> <i>optional</i>	enum (BG, DC, KERNO, TOT, PORTUNO, HD, AUTH, WF, AUDIT, SNAPSHOTS, ALL)
<b>name</b> <i>optional</i>	string
<b>objectType</b> <i>optional</i>	string
<b>transferWF</b> <i>optional</i>	string
<b>wfRoleDependent</b> <i>optional</i>	boolean

### 3.87. ObjectTypeAnjana

Name	Schema
<b>objectType</b> <i>optional</i>	string

### 3.88. PairNamesValuesDTO

Name	Schema
<b>name</b> <i>optional</i>	string
<b>value</b> <i>optional</i>	string

### 3.89. PendingAdherenceEventsDTO

Name	Schema
<b>combinations</b> <i>optional</i>	< <a href="#">CombinationDTO</a> > array
<b>idPae</b> <i>optional</i>	integer (int32)
<b>idUser</b> <i>optional</i>	string

Name	Schema
<b>startDate</b> <i>optional</i>	integer (int64)
<b>status</b> <i>optional</i>	boolean

### 3.90. QueryEntityFilterResponse

Name	Schema
<b>importStatusFilterValues</b> <i>optional</i>	< string > array
<b>notificationTypesFilterValues</b> <i>optional</i>	< string > array
<b>related</b> <i>optional</i>	< <a href="#">Serializable</a> > array
<b>requestImport</b> <i>optional</i>	<a href="#">RequestImportDTO</a>
<b>results</b> <i>optional</i>	< <a href="#">Serializable</a> > array
<b>stateFilterValues</b> <i>optional</i>	< string > array
<b>subtypeObjectFilterValues</b> <i>optional</i>	< string > array
<b>totalPages</b> <i>optional</i>	integer (int32)
<b>totalResults</b> <i>optional</i>	integer (int64)
<b>typeObjectFilterValues</b> <i>optional</i>	< string > array
<b>versions</b> <i>optional</i>	< <a href="#">Serializable</a> > array
<b>workflowTypesFilterValues</b> <i>optional</i>	< string > array

### 3.91. QueryEntityFilterResponseEntityDTO

Name	Schema
<b>importStatusFilterValues</b> <i>optional</i>	< string > array

Name	Schema
<b>notificationTypesFilterValues</b> <i>optional</i>	< string > array
<b>related</b> <i>optional</i>	< <a href="#">EntityDTO</a> > array
<b>requestImport</b> <i>optional</i>	<a href="#">RequestImportDTO</a>
<b>results</b> <i>optional</i>	< <a href="#">EntityDTO</a> > array
<b>stateFilterValues</b> <i>optional</i>	< string > array
<b>subtypeObjectFilterValues</b> <i>optional</i>	< string > array
<b>totalPages</b> <i>optional</i>	integer (int32)
<b>totalResults</b> <i>optional</i>	integer (int64)
<b>typeObjectFilterValues</b> <i>optional</i>	< string > array
<b>versions</b> <i>optional</i>	< <a href="#">EntityDTO</a> > array
<b>workflowTypesFilterValues</b> <i>optional</i>	< string > array

### 3.92. QueryResponseDTO

Name	Schema
<b>importStatusFilterValues</b> <i>optional</i>	< string > array
<b>notificationTypesFilterValues</b> <i>optional</i>	< string > array
<b>requestImport</b> <i>optional</i>	<a href="#">RequestImportDTO</a>
<b>results</b> <i>optional</i>	< <a href="#">Serializable</a> > array
<b>stateFilterValues</b> <i>optional</i>	< string > array
<b>subtypeObjectFilterValues</b> <i>optional</i>	< string > array

Name	Schema
<b>totalPages</b> <i>optional</i>	integer (int32)
<b>totalResults</b> <i>optional</i>	integer (int64)
<b>typeObjectFilterValues</b> <i>optional</i>	< string > array
<b>workflowTypesFilterValues</b> <i>optional</i>	< string > array

### 3.93.

## QueryResponseDTOImportedMetadataFilterResponse DTO

Name	Schema
<b>importStatusFilterValues</b> <i>optional</i>	< string > array
<b>notificationTypesFilterValues</b> <i>optional</i>	< string > array
<b>requestImport</b> <i>optional</i>	<a href="#">RequestImportDTO</a>
<b>results</b> <i>optional</i>	< <a href="#">ImportedMetadataFilterResponseDTO</a> > array
<b>stateFilterValues</b> <i>optional</i>	< string > array
<b>subtypeObjectFilterValues</b> <i>optional</i>	< string > array
<b>totalPages</b> <i>optional</i>	integer (int32)
<b>totalResults</b> <i>optional</i>	integer (int64)
<b>typeObjectFilterValues</b> <i>optional</i>	< string > array
<b>workflowTypesFilterValues</b> <i>optional</i>	< string > array

### 3.94. QueryResponseDTORequestImportDTO



Name	Schema
<b>importStatusFilterValues</b> <i>optional</i>	< string > array
<b>notificationTypesFilterValues</b> <i>optional</i>	< string > array
<b>requestImport</b> <i>optional</i>	<a href="#">RequestImportDTO</a>
<b>results</b> <i>optional</i>	< <a href="#">RequestImportDTO</a> > array
<b>stateFilterValues</b> <i>optional</i>	< string > array
<b>subtypeObjectFilterValues</b> <i>optional</i>	< string > array
<b>totalPages</b> <i>optional</i>	integer (int32)
<b>totalResults</b> <i>optional</i>	integer (int64)
<b>typeObjectFilterValues</b> <i>optional</i>	< string > array
<b>workflowTypesFilterValues</b> <i>optional</i>	< string > array

### 3.95. RedirectionDTO

Name	Schema
<b>id</b> <i>optional</i>	integer (int32)
<b>name</b> <i>optional</i>	string
<b>subType</b> <i>optional</i>	string
<b>type</b> <i>optional</i>	string

### 3.96. RelatedObjectDTO

Name	Schema
<b>idObj</b> <i>optional</i>	integer (int32)

Name	Schema
<b>input</b> <i>optional</i>	boolean
<b>moduleObj</b> <i>optional</i>	enum (BG, DC, KERNO, TOT, PORTUNO, HD, AUTH, WF, AUDIT, SNAPSHOTS, ALL)
<b>name</b> <i>optional</i>	string
<b>typeObj</b> <i>optional</i>	string
<b>version</b> <i>optional</i>	integer (int32)

### 3.97. RelationshipDTO

Name	Schema
<b>ari</b> <i>optional</i>	string
<b>attributes</b> <i>optional</i>	< <a href="#">AttributeValueDTO</a> > array
<b>creator</b> <i>optional</i>	string
<b>destination</b> <i>optional</i>	string
<b>destinationModule</b> <i>optional</i>	enum (BG, DC, KERNO, TOT, PORTUNO, HD, AUTH, WF, AUDIT, SNAPSHOTS, ALL)
<b>destinationType</b> <i>optional</i>	string
<b>hasPendingOrDraftVersion</b> <i>optional</i>	boolean
<b>id</b> <i>optional</i>	integer (int32)
<b>idParent</b> <i>optional</i>	integer (int32)
<b>lastModifiedDate</b> <i>optional</i>	integer (int64)
<b>lastModifiedObject</b> <i>optional</i>	boolean
<b>module</b> <i>optional</i>	enum (BG, DC, KERNO, TOT, PORTUNO, HD, AUTH, WF, AUDIT, SNAPSHOTS, ALL)

Name	Schema
<b>name</b> <i>optional</i>	string
<b>objectSubType</b> <i>optional</i>	string
<b>organizationalUnit</b> <i>optional</i>	< string > array
<b>source</b> <i>optional</i>	string
<b>sourceModule</b> <i>optional</i>	enum (BG, DC, KERNO, TOT, PORTUNO, HD, AUTH, WF, AUDIT, SNAPSHOTS, ALL)
<b>sourceType</b> <i>optional</i>	string
<b>startDate</b> <i>optional</i>	integer (int64)
<b>state</b> <i>optional</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)
<b>validityDate</b> <i>optional</i>	integer (int64)

### 3.98. RelationshipOneSideDTO

Name	Schema
<b>id</b> <i>optional</i>	integer (int32)
<b>input</b> <i>optional</i>	boolean
<b>name</b> <i>optional</i>	string
<b>objectSubType</b> <i>optional</i>	string
<b>organizationalUnit</b> <i>optional</i>	string
<b>relatedId</b> <i>optional</i>	integer (int32)
<b>relatedName</b> <i>optional</i>	string
<b>relatedSubType</b> <i>optional</i>	string

Name	Schema
<b>relatedVersion</b> <i>optional</i>	integer (int32)
<b>sourceName</b> <i>optional</i>	string
<b>state</b> <i>optional</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)

### 3.99. RequestAttributeDefinitionValuesDTO

Name	Schema
<b>attributeName</b> <i>optional</i>	string

### 3.100. RequestAttributeNameRelatedToObjectsDto

Name	Schema
<b>attributes</b> <i>optional</i>	< string > array
<b>objects</b> <i>optional</i>	< string > array

### 3.101. RequestImportDTO

Name	Schema
<b>endImportDate</b> <i>optional</i>	string (date-time)
<b>fileARI</b> <i>optional</i>	string
<b>id</b> <i>optional</i>	integer (int32)
<b>importer</b> <i>optional</i>	string
<b>objectSubType</b> <i>optional</i>	string
<b>objectType</b> <i>optional</i>	string
<b>percentage</b> <i>optional</i>	integer (int32)

Name	Schema
<b>percentageKo</b> <i>optional</i>	number (float)
<b>percentageOk</b> <i>optional</i>	number (float)
<b>percentagePending</b> <i>optional</i>	number (float)
<b>requestType</b> <i>optional</i>	enum (EXCEL, AUTOMATIC)
<b>source</b> <i>optional</i>	string
<b>startImportDate</b> <i>optional</i>	string (date-time)
<b>state</b> <i>optional</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)
<b>total</b> <i>optional</i>	integer (int32)

### 3.102. RequestImportFilters

Name	Schema
<b>endImportDateRange</b> <i>optional</i>	< string (date-time) > array
<b>importer</b> <i>optional</i>	string
<b>objectSubType</b> <i>optional</i>	< string > array
<b>objectType</b> <i>optional</i>	< string > array
<b>requestType</b> <i>optional</i>	enum (EXCEL, AUTOMATIC)
<b>source</b> <i>optional</i>	string
<b>startImportDateRange</b> <i>optional</i>	< string (date-time) > array
<b>state</b> <i>optional</i>	< enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED) > array

### 3.103. RequestNewDsaDTO

Name	Schema
<b>elements</b> <i>optional</i>	< string, < <a href="#">ValuesDTO</a> > array > map
<b>reason</b> <i>optional</i>	< string, string > map

### 3.104. ResponseBase

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	object
<b>description</b> <i>optional</i>	string

### 3.105. ResponseBaseAdminDatasetFieldResponseDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">AdminDatasetFieldResponseDTO</a>
<b>description</b> <i>optional</i>	string

### 3.106. ResponseBaseAdminDsaDatasetResponseDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">AdminDsaDatasetResponseDTO</a>
<b>description</b> <i>optional</i>	string

### 3.107. ResponseBaseAdminInstanceResponseDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">AdminInstanceResponseDTO</a>
<b>description</b> <i>optional</i>	string

### 3.108.

### ResponseBaseAdminSolutionInstanceResponseDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">AdminSolutionInstanceResponseDTO</a>
<b>description</b> <i>optional</i>	string

### 3.109. ResponseBaseAttributeDefinitionDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">AttributeDefinitionDTO</a>
<b>description</b> <i>optional</i>	string

### 3.110. ResponseBaseAttributeDefinitionValueDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">AttributeDefinitionValueDTO</a>
<b>description</b> <i>optional</i>	string

### 3.111. ResponseBaseBaseDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">BaseDTO</a>
<b>description</b> <i>optional</i>	string

### 3.112. ResponseBaseBoolean

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	boolean
<b>description</b> <i>optional</i>	string

### 3.113. ResponseBaseCombinationContractsDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">CombinationContractsDTO</a>
<b>description</b> <i>optional</i>	string

### 3.114. ResponseBaseDSA

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">DSA</a>
<b>description</b> <i>optional</i>	string



### 3.115. ResponseBaseDSAAndDatasetsDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">DSAAndDatasetsDTO</a>
<b>description</b> <i>optional</i>	string

### 3.116. ResponseBaseDatasetAndFieldsDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">DatasetAndFieldsDTO</a>
<b>description</b> <i>optional</i>	string

### 3.117. ResponseBaseDisAdherenceDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">DisAdherenceDTO</a>
<b>description</b> <i>optional</i>	string

### 3.118. ResponseBaseDynamicCatalogDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">DynamicCatalogDTO</a>
<b>description</b> <i>optional</i>	string

### 3.119. ResponseBaseEditionMassiveResultDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">EditionMassiveResultDTO</a>
<b>description</b> <i>optional</i>	string

### 3.120. ResponseBaseEditionSubmitRuleDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">EditionSubmitRuleDTO</a>
<b>description</b> <i>optional</i>	string

### 3.121. ResponseBaseEntityDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">EntityDTO</a>
<b>description</b> <i>optional</i>	string

### 3.122.

### ResponseBaseGenericDTOListAttributeDefinitionDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">GenericDTOListAttributeDefinitionDTO</a>
<b>description</b> <i>optional</i>	string

### 3.123. ResponseBaseGenericDTOListEntityDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">GenericDTOListEntityDTO</a>
<b>description</b> <i>optional</i>	string

### 3.124.

### ResponseBaseGenericDTOListMapStringSerializable

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">GenericDTOListMapStringSerializable</a>
<b>description</b> <i>optional</i>	string

### 3.125. ResponseBaseGenericDTOListRelatedObjectDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">GenericDTOListRelatedObjectDTO</a>
<b>description</b> <i>optional</i>	string

### 3.126.

### ResponseBaseGenericDTOListRelationshipOneSideDT O

Name	Schema
<b>code</b> <i>optional</i>	string

Name	Schema
<b>data</b> <i>optional</i>	<a href="#">GenericDTOListRelationshipOneSideDTO</a>
<b>description</b> <i>optional</i>	string

### 3.127. ResponseBaseGenericDTOListString

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">GenericDTOListString</a>
<b>description</b> <i>optional</i>	string

### 3.128. ResponseBaseGenericDTOMapStringString

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">GenericDTOMapStringString</a>
<b>description</b> <i>optional</i>	string

### 3.129. ResponseBaseGenericDTOObject

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">GenericDTOObject</a>
<b>description</b> <i>optional</i>	string

### 3.130. ResponseBaseGenericDTOSetString

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">GenericDTOSetString</a>
<b>description</b> <i>optional</i>	string

### 3.131. ResponseBaseGenericDTOString

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">GenericDTOString</a>
<b>description</b> <i>optional</i>	string

### 3.132. ResponseBaseGraphicsDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">GraphicsDTO</a>
<b>description</b> <i>optional</i>	string

### 3.133. ResponseBaseHashMapStringSetString

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	< string, < string > array > map
<b>description</b> <i>optional</i>	string

### 3.134.

## ResponseBaseHeadEntityAndRelationshipInfoDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">HeadEntityAndRelationshipInfoDTO</a>
<b>description</b> <i>optional</i>	string

### 3.135. ResponseBaseIndexEntityInfoDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">IndexEntityInfoDTO</a>
<b>description</b> <i>optional</i>	string

### 3.136. ResponseBaseInstanceAndDatasetsDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">InstanceAndDatasetsDTO</a>
<b>description</b> <i>optional</i>	string

### 3.137. ResponseBaseInteger

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	integer (int32)
<b>description</b> <i>optional</i>	string

### 3.138. ResponseBaseListAdherenceCartDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	< <a href="#">AdherenceCartDTO</a> > array
<b>description</b> <i>optional</i>	string

### 3.139. ResponseBaseListAttributeDefinitionDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	< <a href="#">AttributeDefinitionDTO</a> > array
<b>description</b> <i>optional</i>	string

### 3.140. ResponseBaseListEditionConfigurationDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	< <a href="#">EditionConfigurationDTO</a> > array
<b>description</b> <i>optional</i>	string

### 3.141. ResponseBaseListInteger

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	< integer (int32) > array
<b>description</b> <i>optional</i>	string

### 3.142. ResponseBaseListItemsDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">ListItemsDTO</a>
<b>description</b> <i>optional</i>	string

### 3.143. ResponseBaseListMapStringSerializable

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	< < string, <a href="#">Serializable</a> > map > array
<b>description</b> <i>optional</i>	string

### 3.144.

### ResponseBaseListMapStringSimplifiedAttributeDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	< < string, <a href="#">SimplifiedAttributeDTO</a> > map > array
<b>description</b> <i>optional</i>	string

### 3.145. ResponseBaseListObjectSubTypeDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	< <a href="#">ObjectSubTypeDTO</a> > array
<b>description</b> <i>optional</i>	string



### 3.146. ResponseBaseListObjectTypeAnjana

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	< <a href="#">ObjectTypeAnjana</a> > array
<b>description</b> <i>optional</i>	string

### 3.147. ResponseBaseListSelectValueDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	< <a href="#">SelectValueDTO</a> > array
<b>description</b> <i>optional</i>	string

### 3.148. ResponseBaseListSubTypeDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	< <a href="#">SubTypeDTO</a> > array
<b>description</b> <i>optional</i>	string

### 3.149. ResponseBaseMapStringMapStringSerializable

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	< string, < string, <a href="#">Serializable</a> > map > map
<b>description</b> <i>optional</i>	string

### 3.150. ResponseBaseMenuDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">MenuDTO</a>
<b>description</b> <i>optional</i>	string

### 3.151. ResponseBaseNewVersionDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">NewVersionDTO</a>
<b>description</b> <i>optional</i>	string

### 3.152. ResponseBaseObject

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	object
<b>description</b> <i>optional</i>	string

### 3.153. ResponseBaseObjectFlagsDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">ObjectFlagsDTO</a>
<b>description</b> <i>optional</i>	string

### 3.154. ResponseBaseObjectFlagsResponseDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">ObjectFlagsResponseDTO</a>
<b>description</b> <i>optional</i>	string

### 3.155. ResponseBaseObjectStakeholdersDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">ObjectStakeholdersDTO</a>
<b>description</b> <i>optional</i>	string

### 3.156. ResponseBaseObjectSubTypeDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">ObjectSubTypeDTO</a>
<b>description</b> <i>optional</i>	string

### 3.157. ResponseBasePendingAdherenceEventsDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">PendingAdherenceEventsDTO</a>
<b>description</b> <i>optional</i>	string

### 3.158.

## ResponseBaseQueryEntityFilterResponseEntityDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">QueryEntityFilterResponseEntityDTO</a>
<b>description</b> <i>optional</i>	string

### 3.159.

## ResponseBaseQueryResponseDTOImportedMetadataFilterResponseDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">QueryResponseDTOImportedMetadataFilterResponseDTO</a>
<b>description</b> <i>optional</i>	string

### 3.160.

## ResponseBaseQueryResponseDTORequestImportDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">QueryResponseDTORequestImportDTO</a>
<b>description</b> <i>optional</i>	string

### 3.161. ResponseBaseRelationshipDTO

Name	Schema
<b>code</b> <i>optional</i>	string

Name	Schema
<b>data</b> <i>optional</i>	<a href="#">RelationshipDTO</a>
<b>description</b> <i>optional</i>	string

### 3.162. ResponseBaseSectionsDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">SectionsDTO</a>
<b>description</b> <i>optional</i>	string

### 3.163. ResponseBaseSetSelectValueDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	< <a href="#">SelectValueDTO</a> > array
<b>description</b> <i>optional</i>	string

### 3.164. ResponseBaseSolutionAndInstancesDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">SolutionAndInstancesDTO</a>
<b>description</b> <i>optional</i>	string

### 3.165. ResponseBaseString

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	string
<b>description</b> <i>optional</i>	string

### 3.166. ResponseBaseSubmitEntityDTOString

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">SubmitEntityDTOString</a>
<b>description</b> <i>optional</i>	string

### 3.167. ResponseBaseTelemetryData

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">TelemetryData</a>
<b>description</b> <i>optional</i>	string

### 3.168. ResponseBaseTemplateAttributeDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">TemplateAttributeDTO</a>
<b>description</b> <i>optional</i>	string

### 3.169. ResponseBaseWizardDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">WizardDTO</a>
<b>description</b> <i>optional</i>	string

### 3.170. ResponseBaseWorkflowResponseDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">WorkflowResponseDTO</a>
<b>description</b> <i>optional</i>	string

### 3.171. SectionsDTO

Name	Schema
<b>description</b> <i>optional</i>	string
<b>idMenu</b> <i>optional</i>	integer (int32)
<b>idSection</b> <i>optional</i>	integer (int32)
<b>name</b> <i>optional</i>	string
<b>orderSection</b> <i>optional</i>	integer (int32)
<b>sectionFields</b> <i>optional</i>	< <a href="#">DynamicCatalogFieldDTO</a> > array

### 3.172. SelectValueDTO

Name	Schema
<b>labelSelect</b> <i>optional</i>	string
<b>value</b> <i>optional</i>	string

### 3.173. Serializable

Type : object

### 3.174. SimplifiedAttributeDTO

Name	Schema
<b>label</b> <i>optional</i>	string
<b>value</b> <i>optional</i>	object

### 3.175. SolutionAndInstancesDTO

Name	Schema
<b>instances</b> <i>optional</i>	< <a href="#">RelationshipDTO</a> > array
<b>nonExistingInstances</b> <i>optional</i>	< integer (int32) > array
<b>solution</b> <i>optional</i>	integer (int32)

### 3.176. SolutionInstancesDTO

Name	Schema
<b>instances</b> <i>optional</i>	< integer (int32) > array

### 3.177. StreamingResponseBody

Type : object

### 3.178. SubTypeDTO



Name	Schema
<b>module</b> <i>optional</i>	string
<b>objectSubType</b> <i>optional</i>	string
<b>objectType</b> <i>optional</i>	string

### 3.179. SubmitEntityDTO

Name	Schema
<b>name</b> <i>optional</i>	string
<b>redirectId</b> <i>optional</i>	integer (int32)
<b>value</b> <i>optional</i>	object

### 3.180. SubmitEntityDTOString

Name	Schema
<b>name</b> <i>optional</i>	string
<b>redirectId</b> <i>optional</i>	integer (int32)
<b>value</b> <i>optional</i>	string

### 3.181. SubmitFormDTO

Name	Schema
<b>expirationDate</b> <i>optional</i>	string
<b>organizationalUnit</b> <i>optional</i>	string
<b>requestReason</b> <i>optional</i>	< string, string > map
<b>role</b> <i>optional</i>	string

### 3.182. TelemetryDSAData

Name	Schema
<b>activeDSAs</b> <i>optional</i>	integer (int32)
<b>totalDSAs</b> <i>optional</i>	integer (int32)

### 3.183. TelemetryData

Name	Schema
<b>datasetData</b> <i>optional</i>	<a href="#">TelemetryDatasetData</a>
<b>dsaData</b> <i>optional</i>	<a href="#">TelemetryDSAData</a>
<b>infoMachine</b> <i>optional</i>	string
<b>processData</b> <i>optional</i>	<a href="#">TelemetryProcessData</a>
<b>userData</b> <i>optional</i>	<a href="#">TelemetryUserData</a>

### 3.184. TelemetryDatasetData

Name	Schema
<b>activeDatasets</b> <i>optional</i>	integer (int32)
<b>totalDatasets</b> <i>optional</i>	integer (int32)

### 3.185. TelemetryProcessData

Name	Schema
<b>activeProcesses</b> <i>optional</i>	integer (int32)
<b>totalProcessInstances</b> <i>optional</i>	integer (int32)
<b>totalProcesses</b> <i>optional</i>	integer (int32)

### 3.186. TelemetryUserData

Name	Schema
<b>activeUsers</b> <i>optional</i>	integer (int32)
<b>totalUserLogins</b> <i>optional</i>	integer (int32)
<b>totalUserSessions</b> <i>optional</i>	integer (int32)
<b>totalUsers</b> <i>optional</i>	integer (int32)

### 3.187. TemplateAttributeDTO

Name	Schema
<b>attributeDefinition</b> <i>required</i>	<a href="#">AttributeDefinitionDTO</a>
<b>componentFront</b> <i>optional</i>	<a href="#">ComponentsFrontDTO</a>
<b>idTemplateAttribute</b> <i>optional</i>	integer (int32)
<b>section</b> <i>required</i>	<a href="#">SectionsDTO</a>
<b>sort</b> <i>optional</i>	integer (int32)
<b>validations</b> <i>optional</i>	< <a href="#">TemplateAttributeValidationDTO</a> > array

### 3.188. TemplateAttributeValidationDTO

Name	Schema
<b>validatorKey</b> <i>optional</i>	enum (REQUIRED, NOT_EDITABLE, MIN, MAX, MIN_LENGTH, MAX_LENGTH, MIN_LENGTH_ARRAY, MAX_LENGTH_ARRAY, DEPENDS_ON, HERITABLE, MAX_DECIMAL_PRECISION, MIN_DECIMAL_PRECISION, MIN_RANGE, MAX_RANGE)
<b>validatorMessage</b> <i>optional</i>	string
<b>validatorName</b> <i>optional</i>	string

Name	Schema
<b>validatorParams</b> <i>optional</i>	object

### 3.189. ValuesDTO

Name	Schema
<b>childList</b> <i>optional</i>	< <a href="#">ValuesDTO</a> > array
<b>imported</b> <i>optional</i>	boolean
<b>valueId</b> <i>optional</i>	integer (int32)
<b>valueName</b> <i>optional</i>	string

### 3.190. WizardDTO

Name	Schema
<b>addInstances</b> <i>optional</i>	boolean
<b>adheredUsers</b> <i>optional</i>	< string > array
<b>adheredUsersOfOtherVersions</b> <i>optional</i>	< string > array
<b>ari</b> <i>optional</i>	string
<b>attributes</b> <i>optional</i>	< <a href="#">AttributeValueDTO</a> > array
<b>creator</b> <i>optional</i>	string
<b>datasetName</b> <i>optional</i>	string
<b>datasetVersion</b> <i>optional</i>	integer (int32)
<b>engineToIndex</b> <i>optional</i>	boolean
<b>hasExternalRelationships</b> <i>optional</i>	boolean

<b>Name</b>	<b>Schema</b>
<b>hasPendingOrDraftVersion</b> <i>optional</i>	boolean
<b>id</b> <i>optional</i>	integer (int32)
<b>idParent</b> <i>optional</i>	integer (int32)
<b>infrastructure</b> <i>optional</i>	string
<b>lastModifiedDate</b> <i>optional</i>	integer (int64)
<b>lastModifiedObject</b> <i>optional</i>	boolean
<b>lastValidVersion</b> <i>optional</i>	boolean
<b>module</b> <i>optional</i>	enum (BG, DC, KERNO, TOT, PORTUNO, HD, AUTH, WF, AUDIT, SNAPSHOTS, ALL)
<b>name</b> <i>optional</i>	string
<b>numInstances</b> <i>optional</i>	integer (int32)
<b>numOwnedInstances</b> <i>optional</i>	integer (int32)
<b>numRelatedInstances</b> <i>optional</i>	integer (int32)
<b>numVersions</b> <i>optional</i>	integer (int32)
<b>objectSubType</b> <i>optional</i>	string
<b>organizationalUnit</b> <i>optional</i>	string
<b>ownedSolutionOwners</b> <i>optional</i>	< string > array
<b>ownedSolutionOwnersOfOtherVersions</b> <i>optional</i>	< string > array
<b>owners</b> <i>optional</i>	< string > array
<b>ownersOfOtherVersions</b> <i>optional</i>	< string > array

<b>Name</b>	<b>Schema</b>
<b>path</b> <i>optional</i>	string
<b>pendingAdherenceUsers</b> <i>optional</i>	< string > array
<b>processAri</b> <i>optional</i>	string
<b>processName</b> <i>optional</i>	string
<b>processOwners</b> <i>optional</i>	< string > array
<b>processOwnersOfOtherVersions</b> <i>optional</i>	< string > array
<b>relatedAris</b> <i>optional</i>	< string, < string > array > map
<b>relatedSolutionOwners</b> <i>optional</i>	< string > array
<b>relatedSolutionOwnersOfOtherVersions</b> <i>optional</i>	< string > array
<b>relatedSolutions</b> <i>optional</i>	string
<b>solutionAri</b> <i>optional</i>	string
<b>solutionName</b> <i>optional</i>	string
<b>startDate</b> <i>optional</i>	integer (int64)
<b>state</b> <i>optional</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)
<b>technology</b> <i>optional</i>	string
<b>validityDate</b> <i>optional</i>	integer (int64)
<b>version</b> <i>optional</i>	integer (int32)
<b>zone</b> <i>optional</i>	string

### 3.191. WorkflowEndInfo

Name	Schema
<b>accepted</b> <i>optional</i>	boolean
<b>moduleType</b> <i>optional</i>	enum (BG, DC, KERNO, TOT, PORTUNO, HD, AUTH, WF, AUDIT, SNAPSHOTS, ALL)

### 3.192. WorkflowResponseDTO

Name	Schema
<b>idWorkflowExecution</b> <i>optional</i>	integer (int32)