

# Hermes API documentation

# Table of Contents

1. Overview	1
1.1. Version information	1
1.2. URI scheme	1
2. Paths	2
2.1. POST /api/admin/hermes/create/notification	2
2.1.1. Parameters	2
2.1.2. Responses	2
2.2. DELETE /api/admin/hermes/delete/notification/{id}	2
2.2.1. Parameters	2
2.2.2. Responses	2
2.3. DELETE /api/admin/hermes/delete/workflow/{id}	2
2.3.1. Parameters	2
2.3.2. Responses	2
2.4. GET /api/admin/hermes/execution/{id}	3
2.4.1. Parameters	3
2.4.2. Responses	3
2.5. POST /api/admin/hermes/executions	3
2.5.1. Parameters	3
2.5.2. Responses	3
2.6. POST /api/admin/hermes/notification	3
2.6.1. Parameters	3
2.6.2. Responses	4
2.7. POST /api/admin/hermes/send	4
2.7.1. Parameters	4
2.7.2. Responses	4
2.8. POST /api/admin/hermes/snapshots	4
2.8.1. Responses	4
2.9. PATCH /api/admin/hermes/update/notification	4
2.9.1. Parameters	4
2.9.2. Responses	5
3. Definitions	6
3.1. AdminSentNotificationsRequestDTO	6
3.2. NotificationDTO	7
3.3. NotificationsRequest	7
3.4. QueryResponseDTO	8
3.5. QueryResponseDTOSentNotificationDTO	9
3.6. QueryResponseDTOWorkflowExecutionLiteDTO	10
3.7. RequestImportDTO	10

3.8. ResponseBase	11
3.9. ResponseBaseInteger	11
3.10. ResponseBaseNotificationDTO	12
3.11. ResponseBaseQueryResponseDTOSentNotificationDTO	12
3.12. ResponseBaseQueryResponseDTOWorkflowExecutionLiteDTO	12
3.13. ResponseBaseSentNotification	13
3.14. ResponseBaseVoid	13
3.15. ResponseBaseWorkflowExecutionDTO	13
3.16. SentNotification	13
3.17. SentNotificationDTO	15
3.18. Serializable	17
3.19. WorkflowExecutionDTO	17
3.20. WorkflowExecutionLiteDTO	19
3.21. WorkflowExecutionRequest	20
3.22. WorkflowSubTaskDTO	21
3.23. WorkflowTaskDTO	21
3.24. WorkflowTaskLiteDTO	22

# Chapter 1. Overview

Anjana Workflow Manager

## 1.1. Version information

*Version* : 4.5.0-SNAPSHOT

## 1.2. URI scheme

*BasePath* : /api

*Schemes* : HTTP, HTTPS

# Chapter 2. Paths

## 2.1. POST /api/admin/hermes/create/notification

### 2.1.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	<a href="#">NotificationDTO</a>

### 2.1.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseNotificationDTO</a>

## 2.2. DELETE /api/admin/hermes/delete/notification/{id}

### 2.2.1. Parameters

Type	Name	Schema
Path	<b>id</b> <i>required</i>	integer (int32)

### 2.2.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseVoid</a>

## 2.3. DELETE /api/admin/hermes/delete/workflow/{id}

### 2.3.1. Parameters

Type	Name	Schema
Path	<b>id</b> <i>required</i>	integer (int32)

### 2.3.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseInteger</a>

## 2.4. GET /api/admin/hermes/execution/{id}

### 2.4.1. Parameters

Type	Name	Schema
Path	<b>id</b> <i>required</i>	integer (int32)

### 2.4.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseWorkflowExecutionDTO</a>

## 2.5. POST /api/admin/hermes/executions

### 2.5.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	<a href="#">WorkflowExecutionRequest</a>

### 2.5.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseQueryResponseDTOWorkflowExecutionLiteDTO</a>

## 2.6. POST /api/admin/hermes/notification

### 2.6.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	<a href="#">NotificationsRequest</a>

## 2.6.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseQueryResponseDTO</a> <a href="#">SentNotificationDTO</a>

## 2.7. POST /api/admin/hermes/send

### 2.7.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	<a href="#">AdminSentNotificationsRequestDTO</a>

### 2.7.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseSentNotification</a>

## 2.8. POST /api/admin/hermes/snapshots

### 2.8.1. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseVoid</a>

## 2.9. PATCH /api/admin/hermes/update/notification

### 2.9.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	<a href="#">NotificationDTO</a>

## 2.9.2. Responses

<b>HTTP Code</b>	<b>Description</b>	<b>Schema</b>
200	successful operation	<a href="#">ResponseBaseNotificationDTO</a>



# Chapter 3. Definitions

## 3.1. AdminSentNotificationsRequestDTO

Name	Schema
<b>creationDate</b> <i>optional</i>	integer (int64)
<b>endDate</b> <i>optional</i>	integer (int64)
<b>execution</b> <i>optional</i>	integer (int32)
<b>idNotification</b> <i>optional</i>	integer (int32)
<b>idObject</b> <i>optional</i>	integer (int32)
<b>messageKey</b> <i>optional</i>	string
<b>messageParams</b> <i>optional</i>	< string, object > map
<b>moduleType</b> <i>optional</i>	enum (BG, DC, KERNO, TOT, PORTUNO, HD, AUTH, WF, AUDIT, SNAPSHOTS, ALL)
<b>notificationReceiverType</b> <i>optional</i>	enum (ROLE, USER)
<b>notificationType</b> <i>optional</i>	enum (NOTICE, ALERT, ADMIN_ALERT)
<b>objectName</b> <i>optional</i>	string
<b>objectVersion</b> <i>optional</i>	string
<b>organizationalUnit</b> <i>optional</i>	string
<b>read</b> <i>optional</i>	boolean
<b>receiverRole</b> <i>optional</i>	string
<b>receiverUser</b> <i>optional</i>	string
<b>redirectionType</b> <i>optional</i>	string

Name	Schema
<b>senderUser</b> <i>optional</i>	string
<b>severity</b> <i>optional</i>	enum (LOW, MEDIUM, HIGH)
<b>subtypeObject</b> <i>optional</i>	string
<b>task</b> <i>optional</i>	string
<b>typeObject</b> <i>optional</i>	enum (ORGANIZATIONAL_UNIT, ENTITY, RELATIONSHIP, ATTRIBUTE, ALL, USER)

## 3.2. NotificationDTO

Name	Schema
<b>idNotification</b> <i>optional</i>	integer (int32)
<b>moduleType</b> <i>optional</i>	enum (BG, DC, KERNO, TOT, PORTUNO, HD, AUTH, WF, AUDIT, SNAPSHOTS, ALL)
<b>notificationCode</b> <i>optional</i>	string
<b>notificationReceiverType</b> <i>optional</i>	enum (ROLE, USER)
<b>notificationType</b> <i>optional</i>	enum (NOTICE, ALERT, ADMIN_ALERT)
<b>receiverRole</b> <i>optional</i>	string
<b>severity</b> <i>optional</i>	enum (LOW, MEDIUM, HIGH)
<b>subject</b> <i>optional</i>	string
<b>translationKey</b> <i>optional</i>	string

## 3.3. NotificationsRequest

Name	Schema
<b>creationRangeEnd</b> <i>optional</i>	integer (int64)

Name	Schema
<b>creationRangeStart</b> <i>optional</i>	integer (int64)
<b>notificationType</b> <i>optional</i>	< string > array
<b>objectName</b> <i>optional</i>	string
<b>objectSubType</b> <i>optional</i>	< string > array
<b>objectType</b> <i>optional</i>	< string > array
<b>order</b> <i>optional</i>	enum (ASC, DESC)
<b>page</b> <i>optional</i>	integer (int32)
<b>read</b> <i>optional</i>	boolean
<b>size</b> <i>optional</i>	integer (int32)
<b>sortBy</b> <i>optional</i>	< string > array

### 3.4. QueryResponseDTO

Name	Schema
<b>hasToValidate</b> <i>optional</i>	boolean
<b>importStatusFilterValues</b> <i>optional</i>	< string > array
<b>notificationTypesFilterValues</b> <i>optional</i>	< string > array
<b>requestImport</b> <i>optional</i>	<a href="#">RequestImportDTO</a>
<b>requestTypesFilterValues</b> <i>optional</i>	< string > array
<b>results</b> <i>optional</i>	< <a href="#">Serializable</a> > array
<b>stateFilterValues</b> <i>optional</i>	< string > array

Name	Schema
<b>subtypeObjectFilterValues</b> <i>optional</i>	< string > array
<b>totalPages</b> <i>optional</i>	integer (int32)
<b>totalResults</b> <i>optional</i>	integer (int64)
<b>typeObjectFilterValues</b> <i>optional</i>	< string > array
<b>workflowTypesFilterValues</b> <i>optional</i>	< string > array

### 3.5. QueryResponseDTOSentNotificationDTO

Name	Schema
<b>hasToValidate</b> <i>optional</i>	boolean
<b>importStatusFilterValues</b> <i>optional</i>	< string > array
<b>notificationTypesFilterValues</b> <i>optional</i>	< string > array
<b>requestImport</b> <i>optional</i>	<a href="#">RequestImportDTO</a>
<b>requestTypesFilterValues</b> <i>optional</i>	< string > array
<b>results</b> <i>optional</i>	< <a href="#">SentNotificationDTO</a> > array
<b>stateFilterValues</b> <i>optional</i>	< string > array
<b>subtypeObjectFilterValues</b> <i>optional</i>	< string > array
<b>totalPages</b> <i>optional</i>	integer (int32)
<b>totalResults</b> <i>optional</i>	integer (int64)
<b>typeObjectFilterValues</b> <i>optional</i>	< string > array
<b>workflowTypesFilterValues</b> <i>optional</i>	< string > array

## 3.6. QueryResponseDTOWorkflowExecutionLiteDTO

Name	Schema
<b>hasToValidate</b> <i>optional</i>	boolean
<b>importStatusFilterValues</b> <i>optional</i>	< string > array
<b>notificationTypesFilterValues</b> <i>optional</i>	< string > array
<b>requestImport</b> <i>optional</i>	<a href="#">RequestImportDTO</a>
<b>requestTypesFilterValues</b> <i>optional</i>	< string > array
<b>results</b> <i>optional</i>	< <a href="#">WorkflowExecutionLiteDTO</a> > array
<b>stateFilterValues</b> <i>optional</i>	< string > array
<b>subtypeObjectFilterValues</b> <i>optional</i>	< string > array
<b>totalPages</b> <i>optional</i>	integer (int32)
<b>totalResults</b> <i>optional</i>	integer (int64)
<b>typeObjectFilterValues</b> <i>optional</i>	< string > array
<b>workflowTypesFilterValues</b> <i>optional</i>	< string > array

## 3.7. RequestImportDTO

Name	Schema
<b>endImportDate</b> <i>optional</i>	string (date-time)
<b>extractResult</b> <i>optional</i>	boolean
<b>fileARI</b> <i>optional</i>	string
<b>id</b> <i>optional</i>	integer (int32)

Name	Schema
<b>importer</b> <i>optional</i>	string
<b>objectSubType</b> <i>optional</i>	string
<b>objectType</b> <i>optional</i>	string
<b>percentage</b> <i>optional</i>	integer (int32)
<b>percentageKo</b> <i>optional</i>	number (float)
<b>percentageOk</b> <i>optional</i>	number (float)
<b>percentagePending</b> <i>optional</i>	number (float)
<b>requestType</b> <i>optional</i>	enum (EXCEL, AUTOMATIC)
<b>source</b> <i>optional</i>	string
<b>startImportDate</b> <i>optional</i>	string (date-time)
<b>state</b> <i>optional</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)
<b>total</b> <i>optional</i>	integer (int32)

### 3.8. ResponseBase

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	object
<b>description</b> <i>optional</i>	string

### 3.9. ResponseBaseInteger

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	integer (int32)
<b>description</b> <i>optional</i>	string

### 3.10. ResponseBaseNotificationDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">NotificationDTO</a>
<b>description</b> <i>optional</i>	string

### 3.11.

### ResponseBaseQueryResponseDTOSentNotificationDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">QueryResponseDTOSentNotificationDTO</a>
<b>description</b> <i>optional</i>	string

### 3.12.

### ResponseBaseQueryResponseDTOWorkflowExecution LiteDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">QueryResponseDTOWorkflowExecutionLiteDTO</a>

Name	Schema
<b>description</b> <i>optional</i>	string

### 3.13. ResponseBaseSentNotification

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">SentNotification</a>
<b>description</b> <i>optional</i>	string

### 3.14. ResponseBaseVoid

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">Void</a>
<b>description</b> <i>optional</i>	string

### 3.15. ResponseBaseWorkflowExecutionDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">WorkflowExecutionDTO</a>
<b>description</b> <i>optional</i>	string

### 3.16. SentNotification

Name	Description	Schema
<b>creationDate</b> <i>optional</i>		integer (int64)



Name	Description	Schema
<b>endDate</b> <i>optional</i>		integer (int64)
<b>execution</b> <i>optional</i>		integer (int32)
<b>idNotification</b> <i>optional</i>		integer (int32)
<b>idObject</b> <i>optional</i>		integer (int32)
<b>idSentNotification</b> <i>optional</i>		integer (int32)
<b>messageKey</b> <i>optional</i>		string
<b>messageParams</b> <i>optional</i>	Length : 0 - 300000	string
<b>moduleType</b> <i>optional</i>		enum (BG, DC, KERNO, TOT, PORTUNO, HD, AUTH, WF, AUDIT, SNAPSHOTS, ALL)
<b>notificationReceiverType</b> <i>optional</i>		enum (ROLE, USER)
<b>notificationType</b> <i>required</i>		enum (NOTICE, ALERT, ADMIN_ALERT)
<b>objectName</b> <i>optional</i>		string
<b>objectVersion</b> <i>optional</i>		string
<b>organizationalUnit</b> <i>optional</i>		string
<b>read</b> <i>optional</i>		boolean
<b>receiverRole</b> <i>optional</i>		string
<b>receiverUser</b> <i>optional</i>		string

Name	Description	Schema
<b>redirectionType</b> <i>optional</i>		string
<b>responseUser</b> <i>optional</i>		string
<b>senderUser</b> <i>optional</i>		string
<b>severity</b> <i>required</i>		enum (LOW, MEDIUM, HIGH)
<b>state</b> <i>optional</i>		enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)
<b>step</b> <i>optional</i>		integer (int32)
<b>subtypeObject</b> <i>optional</i>		string
<b>task</b> <i>optional</i>		string
<b>typeObject</b> <i>optional</i>		enum (ORGANIZATIONAL_UNIT, ENTITY, RELATIONSHIP, ATTRIBUTE, ALL, USER)

### 3.17. SentNotificationDTO

Name	Schema
<b>creationDate</b> <i>optional</i>	integer (int64)
<b>endDate</b> <i>optional</i>	integer (int64)
<b>execution</b> <i>optional</i>	integer (int32)

<b>Name</b>	<b>Schema</b>
<b>idNotification</b> <i>optional</i>	integer (int32)
<b>idObject</b> <i>optional</i>	integer (int32)
<b>idSentNotification</b> <i>optional</i>	integer (int32)
<b>moduleType</b> <i>optional</i>	enum (BG, DC, KERNO, TOT, PORTUNO, HD, AUTH, WF, AUDIT, SNAPSHOTS, ALL)
<b>notificationReceiverType</b> <i>optional</i>	enum (ROLE, USER)
<b>notificationType</b> <i>optional</i>	enum (NOTICE, ALERT, ADMIN_ALERT)
<b>objectName</b> <i>optional</i>	string
<b>objectVersion</b> <i>optional</i>	string
<b>organizationalUnit</b> <i>optional</i>	string
<b>read</b> <i>optional</i>	boolean
<b>receiverRole</b> <i>optional</i>	string
<b>receiverUser</b> <i>optional</i>	string
<b>redirectionType</b> <i>optional</i>	string
<b>responseUser</b> <i>optional</i>	string
<b>senderUser</b> <i>optional</i>	string
<b>severity</b> <i>optional</i>	enum (LOW, MEDIUM, HIGH)
<b>state</b> <i>optional</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)
<b>step</b> <i>optional</i>	integer (int32)
<b>subtypeObject</b> <i>optional</i>	string

Name	Schema
<b>task</b> <i>optional</i>	string
<b>textMessage</b> <i>optional</i>	string
<b>typeObject</b> <i>optional</i>	enum (ORGANIZATIONAL_UNIT, ENTITY, RELATIONSHIP, ATTRIBUTE, ALL, USER)

## 3.18. Serializable

Type : object

## 3.19. WorkflowExecutionDTO

Name	Schema
<b>acitivitiID</b> <i>optional</i>	string
<b>activitiDone</b> <i>optional</i>	boolean
<b>idObject</b> <i>optional</i>	integer (int32)
<b>idOriginalObject</b> <i>optional</i>	integer (int32)
<b>idWorkflowExecution</b> <i>optional</i>	integer (int32)
<b>isObjectPending</b> <i>optional</i>	boolean
<b>nameObj</b> <i>optional</i>	string
<b>numRequest</b> <i>optional</i>	integer (int32)
<b>objectExpirationDate</b> <i>optional</i>	integer (int64)
<b>ouInput</b> <i>optional</i>	string
<b>ouModified</b> <i>optional</i>	string
<b>ouOriginal</b> <i>optional</i>	string

<b>Name</b>	<b>Schema</b>
<b>ouOutput</b> <i>optional</i>	string
<b>owner</b> <i>optional</i>	string
<b>progress</b> <i>optional</i>	< <a href="#">WorkflowTaskLiteDTO</a> > array
<b>requestDate</b> <i>optional</i>	integer (int64)
<b>requestReason</b> <i>optional</i>	string
<b>requester</b> <i>optional</i>	string
<b>requesterRole</b> <i>optional</i>	string
<b>responseDate</b> <i>optional</i>	integer (int64)
<b>responseReason</b> <i>optional</i>	string
<b>snapshotId</b> <i>optional</i>	string (uuid)
<b>snapshotOriginalId</b> <i>optional</i>	string (uuid)
<b>state</b> <i>optional</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)
<b>taskList</b> <i>optional</i>	< <a href="#">WorkflowTaskDTO</a> > array
<b>typeObject</b> <i>optional</i>	enum (ORGANIZATIONAL_UNIT, ENTITY, RELATIONSHIP, ATTRIBUTE, ALL, USER)
<b>typeSubObject</b> <i>optional</i>	string
<b>validate</b> <i>optional</i>	boolean
<b>versionObject</b> <i>optional</i>	integer (int32)
<b>workflowDescription</b> <i>optional</i>	string
<b>workflowName</b> <i>optional</i>	string

Name	Schema
<b>workflowType</b> <i>optional</i>	string

### 3.20. WorkflowExecutionLiteDTO

Name	Schema
<b>activityID</b> <i>optional</i>	string
<b>idObject</b> <i>optional</i>	integer (int32)
<b>idOriginalObject</b> <i>optional</i>	integer (int32)
<b>idWorkflowExecution</b> <i>optional</i>	integer (int32)
<b>nameObj</b> <i>optional</i>	string
<b>owner</b> <i>optional</i>	string
<b>progress</b> <i>optional</i>	< <a href="#">WorkflowTaskLiteDTO</a> > array
<b>requestDate</b> <i>optional</i>	integer (int64)
<b>requester</b> <i>optional</i>	string
<b>requesterRole</b> <i>optional</i>	string
<b>responseDate</b> <i>optional</i>	integer (int64)
<b>snapshotId</b> <i>optional</i>	string (uuid)
<b>snapshotOriginalId</b> <i>optional</i>	string (uuid)
<b>state</b> <i>optional</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)
<b>typeObject</b> <i>optional</i>	enum (ORGANIZATIONAL_UNIT, ENTITY, RELATIONSHIP, ATTRIBUTE, ALL, USER)
<b>typeSubObject</b> <i>optional</i>	string

Name	Schema
<b>validate</b> <i>optional</i>	boolean
<b>versionObject</b> <i>optional</i>	integer (int32)
<b>workflowName</b> <i>optional</i>	string
<b>workflowType</b> <i>optional</i>	string

### 3.21. WorkflowExecutionRequest

Name	Schema
<b>objectName</b> <i>optional</i>	string
<b>objectSubType</b> <i>optional</i>	< string > array
<b>objectType</b> <i>optional</i>	< string > array
<b>order</b> <i>optional</i>	enum (ASC, DESC)
<b>page</b> <i>optional</i>	integer (int32)
<b>requester</b> <i>optional</i>	< string > array
<b>size</b> <i>optional</i>	integer (int32)
<b>sortBy</b> <i>optional</i>	< string > array
<b>state</b> <i>optional</i>	< string > array
<b>validate</b> <i>optional</i>	boolean
<b>validator</b> <i>optional</i>	< string > array
<b>workflowType</b> <i>optional</i>	< string > array

## 3.22. WorkflowSubTaskDTO

Name	Schema
<b>comment</b> <i>optional</i>	string
<b>endDate</b> <i>optional</i>	integer (int64)
<b>organizationalUnit</b> <i>optional</i>	string
<b>role</b> <i>optional</i>	string
<b>state</b> <i>optional</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)
<b>timestamp</b> <i>optional</i>	integer (int64)
<b>user</b> <i>optional</i>	string

## 3.23. WorkflowTaskDTO

Name	Schema
<b>comment</b> <i>optional</i>	string
<b>completed</b> <i>optional</i>	integer (int64)
<b>description</b> <i>optional</i>	string
<b>name</b> <i>optional</i>	string
<b>state</b> <i>optional</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)
<b>step</b> <i>optional</i>	integer (int32)
<b>subSteps</b> <i>optional</i>	< <a href="#">WorkflowSubTaskDTO</a> > array
<b>timestamp</b> <i>optional</i>	integer (int64)



## 3.24. WorkflowTaskLiteDTO

Name	Schema
<b>completed</b> <i>optional</i>	integer (int64)
<b>state</b> <i>optional</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)
<b>step</b> <i>optional</i>	integer (int32)