

Kerno API documentation

Table of Contents

1. Overview	1
1.1. Version information	1
1.2. URI scheme	1
2. Paths	2
2.1. PUT /api/admin/kerno/attribute/update/{objectType}/{objectSubType}	2
2.1.1. Parameters	2
2.1.2. Responses	2
2.1.3. Consumes	2
2.2. PUT /api/admin/kerno/attribute/update/{objectType}/{objectSubType}/{idObject}	2
2.2.1. Parameters	2
2.2.2. Responses	3
2.2.3. Consumes	3
2.3. PUT /api/admin/kerno/batch/expiration/all-entities	3
2.3.1. Responses	3
2.4. PUT /api/admin/kerno/batch/index/all-entities	3
2.4.1. Responses	3
2.5. PUT /api/admin/kerno/batch/notification/expired-entities	4
2.5.1. Responses	4
2.6. GET /api/admin/kerno/body-create-update/{objectSubType}	4
2.6.1. Parameters	4
2.6.2. Responses	4
2.7. GET /api/admin/kerno/body-create-update/{objectSubType}/{idObject}	4
2.7.1. Parameters	4
2.7.2. Responses	5
2.8. POST /api/admin/kerno/change-organizational-unit/{idEntity}	5
2.8.1. Parameters	5
2.8.2. Responses	5
2.9. POST /api/admin/kerno/create-update/entity/dataset	5
2.9.1. Parameters	5
2.9.2. Responses	6
2.10. POST /api/admin/kerno/create-update/entity/dsa	6
2.10.1. Parameters	6
2.10.2. Responses	6
2.11. POST /api/admin/kerno/create-update/entity/instance	6
2.11.1. Parameters	6
2.11.2. Responses	6
2.12. POST /api/admin/kerno/create-update/entity/process	7
2.12.1. Parameters	7

2.12.2. Responses	7
2.13. POST /api/admin/kerno/create-update/entity/solution	7
2.13.1. Parameters	7
2.13.2. Responses	7
2.14. POST /api/admin/kerno/create-update/entity/{objectSubType}	8
2.14.1. Parameters	8
2.14.2. Responses	8
2.15. POST /api/admin/kerno/create-update/relationships/{objectSubType}	8
2.15.1. Parameters	8
2.15.2. Responses	9
2.16. POST /api/admin/kerno/create/attribute-definition	9
2.16.1. Parameters	9
2.16.2. Responses	9
2.17. POST /api/admin/kerno/create/attribute-definition-value	9
2.17.1. Parameters	9
2.17.2. Responses	9
2.18. POST /api/admin/kerno/create/menu	10
2.18.1. Parameters	10
2.18.2. Responses	10
2.19. POST /api/admin/kerno/create/object-sub-type	10
2.19.1. Parameters	10
2.19.2. Responses	10
2.20. POST /api/admin/kerno/create/section	10
2.20.1. Parameters	10
2.20.2. Responses	10
2.21. POST /api/admin/kerno/create/template-attribute	11
2.21.1. Parameters	11
2.21.2. Responses	11
2.22. POST /api/admin/kerno/create/template-attribute-validation	11
2.22.1. Parameters	11
2.22.2. Responses	11
2.23. DELETE /api/admin/kerno/delete/attribute-definition-value/{id}	11
2.23.1. Parameters	11
2.23.2. Responses	12
2.24. DELETE /api/admin/kerno/delete/attribute-definition/{id}	12
2.24.1. Parameters	12
2.24.2. Responses	12
2.25. DELETE /api/admin/kerno/delete/edition-submit-rule/{id}	12
2.25.1. Parameters	12
2.25.2. Responses	12
2.26. DELETE /api/admin/kerno/delete/entity/{id}	13

2.26.1. Parameters	13
2.26.2. Responses	13
2.27. DELETE /api/admin/kerno/delete/menu/{id}	13
2.27.1. Parameters	13
2.27.2. Responses	13
2.28. DELETE /api/admin/kerno/delete/object-sub-type/{id}	13
2.28.1. Parameters	13
2.28.2. Responses	13
2.29. DELETE /api/admin/kerno/delete/relationship/{id}	14
2.29.1. Parameters	14
2.29.2. Responses	14
2.30. DELETE /api/admin/kerno/delete/section/{id}	14
2.30.1. Parameters	14
2.30.2. Responses	14
2.31. DELETE /api/admin/kerno/delete/template-attribute-validation/{id}	14
2.31.1. Parameters	14
2.31.2. Responses	14
2.32. DELETE /api/admin/kerno/delete/template-attribute/{idTemplateAttribute}	15
2.32.1. Parameters	15
2.32.2. Responses	15
2.33. POST /api/admin/kerno/disadhere/{idObject}	15
2.33.1. Parameters	15
2.33.2. Responses	15
2.34. PUT /api/admin/kerno/entity/change-state/{idObject}/{state}	15
2.34.1. Parameters	15
2.34.2. Responses	16
2.35. GET /api/admin/kerno/entity/{objectSubType}/{idObject}	16
2.35.1. Parameters	16
2.35.2. Responses	16
2.36. PUT /api/admin/kerno/index/all-entities	16
2.36.1. Responses	16
2.37. PUT /api/admin/kerno/lineage/entity/load/{id}	17
2.37.1. Parameters	17
2.37.2. Responses	17
2.38. PUT /api/admin/kerno/lineage/load	17
2.38.1. Responses	17
2.39. PUT /api/admin/kerno/lineage/relationship/load/{id}	17
2.39.1. Parameters	17
2.39.2. Responses	17
2.40. PUT /api/admin/kerno/name/{objectType}	18
2.40.1. Parameters	18

2.40.2. Responses	18
2.41. POST /api/admin/kerno/relationship	18
2.41.1. Parameters	18
2.41.2. Responses	18
2.42. PUT /api/admin/kerno/relationship/change	18
2.42.1. Parameters	18
2.42.2. Responses	18
2.43. PUT /api/admin/kerno/relationship/change-state/{idObject}/{state}	19
2.43.1. Parameters	19
2.43.2. Responses	19
2.44. PUT /api/admin/kerno/relationship/change-subtype/{id}	19
2.44.1. Parameters	19
2.44.2. Responses	19
2.45. PUT /api/admin/kerno/relationship/exchange	20
2.45.1. Parameters	20
2.45.2. Responses	20
2.46. GET /api/admin/kerno/relationship/{objectSubType}/{idObject}	20
2.46.1. Parameters	20
2.46.2. Responses	20
2.47. POST /api/admin/kerno/save/edition-submit-rule	20
2.47.1. Parameters	20
2.47.2. Responses	21
2.48. PATCH /api/admin/kerno/update/attribute-definition	21
2.48.1. Parameters	21
2.48.2. Responses	21
2.49. PATCH /api/admin/kerno/update/attribute-definition-value	21
2.49.1. Parameters	21
2.49.2. Responses	21
2.50. PATCH /api/admin/kerno/update/menu	22
2.50.1. Parameters	22
2.50.2. Responses	22
2.51. PATCH /api/admin/kerno/update/object-sub-type	22
2.51.1. Parameters	22
2.51.2. Responses	22
2.52. PATCH /api/admin/kerno/update/section	22
2.52.1. Parameters	22
2.52.2. Responses	22
2.53. PATCH /api/admin/kerno/update/template-attribute	23
2.53.1. Parameters	23
2.53.2. Responses	23
2.54. PATCH /api/admin/kerno/update/template-attribute-validation	23

2.54.1. Parameters	23
2.54.2. Responses	23
2.55. PUT /api/admin/kerno/workflow/finish/{workflowExecutionId}	24
2.55.1. Parameters	24
2.55.2. Responses	24
2.56. POST /api/v1/adherence/addAdherenceCart	24
2.56.1. Parameters	24
2.56.2. Responses	24
2.57. PUT /api/v1/adherence/combination/contracts/read/{idComb}/{idDsa}	24
2.57.1. Parameters	25
2.57.2. Responses	25
2.58. GET /api/v1/adherence/combination/contracts/{idComb}	25
2.58.1. Parameters	25
2.58.2. Responses	25
2.59. GET /api/v1/adherence/combinations	25
2.59.1. Responses	25
2.60. GET /api/v1/adherence/combinations/more	26
2.60.1. Responses	26
2.61. POST /api/v1/adherence/deleteAdherenceCart	26
2.61.1. Parameters	26
2.61.2. Responses	26
2.62. DELETE /api/v1/adherence/deleteAllUserAdherenceCart	26
2.62.1. Responses	26
2.63. GET /api/v1/adherence/listAdherenceCart	26
2.63.1. Responses	26
2.64. POST /api/v1/adherence/requestNewDsa	27
2.64.1. Parameters	27
2.64.2. Responses	27
2.65. PUT /api/v1/adherence/sendCombination	27
2.65.1. Parameters	27
2.65.2. Responses	27
2.66. POST /api/v1/dataset/deprecate	27
2.66.1. Parameters	27
2.66.2. Responses	28
2.67. POST /api/v1/dataset/structure/{idDataset}	28
2.67.1. Parameters	28
2.67.2. Responses	28
2.68. GET /api/v1/dataset/structure/{idDataset}	28
2.68.1. Parameters	28
2.68.2. Responses	28
2.69. DELETE /api/v1/dataset/structure/{idDataset}/{idField}	29

2.69.1. Parameters	29
2.69.2. Responses	29
2.70. GET /api/v1/dataset/versions/{idObject}	29
2.70.1. Parameters	29
2.70.2. Responses	29
2.71. POST /api/v1/dsa/adhere	29
2.71.1. Parameters	29
2.71.2. Responses	30
2.72. GET /api/v1/dsa/contract/{idObject}	30
2.72.1. Parameters	30
2.72.2. Responses	30
2.73. POST /api/v1/dsa/datasets/{idObject}	30
2.73.1. Parameters	30
2.73.2. Responses	30
2.74. GET /api/v1/dsa/datasets/{idObject}	31
2.74.1. Parameters	31
2.74.2. Responses	31
2.75. POST /api/v1/dsa/deprecate	31
2.75.1. Parameters	31
2.75.2. Responses	31
2.76. POST /api/v1/dsa/disadhere/{idObject}	31
2.76.1. Parameters	32
2.76.2. Responses	32
2.77. GET /api/v1/dsa/users/{idObject}	32
2.77.1. Parameters	32
2.77.2. Responses	32
2.78. GET /api/v1/dsa/versions/{idObject}	32
2.78.1. Parameters	32
2.78.2. Responses	32
2.79. POST /api/v1/instance/datasets/{io}/{idObject}	33
2.79.1. Parameters	33
2.79.2. Responses	33
2.80. GET /api/v1/instance/datasets/{io}/{idProcessInstance}	33
2.80.1. Parameters	33
2.80.2. Responses	33
2.81. POST /api/v1/instance/deprecate	34
2.81.1. Parameters	34
2.81.2. Responses	34
2.82. GET /api/v1/instance/project/{idObject}	34
2.82.1. Parameters	34
2.82.2. Responses	34

2.83. GET /api/v1/instance/solutions/{idProcessInstance}	35
2.83.1. Parameters	35
2.83.2. Responses	35
2.84. GET /api/v1/instance/versions/{idObject}	35
2.84.1. Parameters	35
2.84.2. Responses	35
2.85. POST /api/v1/process/deprecate	35
2.85.1. Parameters	35
2.85.2. Responses	36
2.86. GET /api/v1/process/instances/{idProcess}	36
2.86.1. Parameters	36
2.86.2. Responses	36
2.87. GET /api/v1/process/versions/{idObject}	36
2.87.1. Parameters	36
2.87.2. Responses	36
2.88. POST /api/v1/solution/deprecate	37
2.88.1. Parameters	37
2.88.2. Responses	37
2.89. GET /api/v1/solution/instances/owned/{idObject}	37
2.89.1. Parameters	37
2.89.2. Responses	37
2.90. POST /api/v1/solution/instances/related/{idObject}	37
2.90.1. Parameters	38
2.90.2. Responses	38
2.91. GET /api/v1/solution/instances/related/{idObject}	38
2.91.1. Parameters	38
2.91.2. Responses	38
2.92. GET /api/v1/solution/versions/{idObject}	38
2.92.1. Parameters	38
2.92.2. Responses	39
2.93. POST /api/v2/attribute/custom/list	39
2.93.1. Parameters	39
2.93.2. Responses	39
2.94. POST /api/v2/attribute/objects	39
2.94.1. Parameters	39
2.94.2. Responses	39
2.95. POST /api/v2/attribute/relationship	40
2.95.1. Parameters	40
2.95.2. Responses	40
2.96. POST /api/v2/attribute/values	40
2.96.1. Parameters	40

2.96.2. Responses	40
2.97. POST /api/v2/common/checkSubmit	40
2.97.1. Parameters	40
2.97.2. Responses	41
2.98. GET /api/v2/common/compare/{objectType}	41
2.98.1. Parameters	41
2.98.2. Responses	41
2.99. GET /api/v2/common/compare/{objectType}/{idObject}	41
2.99.1. Parameters	41
2.99.2. Responses	42
2.100. GET /api/v2/common/hasPermission/{permissionAction}/{objectSubType}/{objectId}	42
2.100.1. Parameters	42
2.100.2. Responses	42
2.101. POST /api/v2/common/massiveSubmit/{objectSubType}	43
2.101.1. Parameters	43
2.101.2. Responses	43
2.102. GET /api/v2/common/stakeholders/{objectType}/{objectSubType}/{idObject}	43
2.102.1. Parameters	43
2.102.2. Responses	43
2.103. GET /api/v2/common/{objectType}/{idObject}	44
2.103.1. Parameters	44
2.103.2. Responses	44
2.104. GET /api/v2/entity/approved-relationships/{objectSubType}/{idEntity}	44
2.104.1. Parameters	44
2.104.2. Responses	44
2.105. POST /api/v2/entity/change-organizational-unit/{objectSubType}/{idEntity}	45
2.105.1. Parameters	45
2.105.2. Responses	45
2.106. POST /api/v2/entity/change-state/{objectSubType}/{initialState}/{endState}/{idEntity}	45
2.106.1. Parameters	45
2.106.2. Responses	46
2.107. POST /api/v2/entity/clone/{objectSubType}/{idEntity}	46
2.107.1. Parameters	46
2.107.2. Responses	46
2.108. GET /api/v2/entity/complete-dynamic-catalog/{objectSubType}	47
2.108.1. Parameters	47
2.108.2. Responses	47
2.109. POST /api/v2/entity/create/{objectSubType}	47
2.109.1. Parameters	47
2.109.2. Responses	47
2.110. GET /api/v2/entity/dynamic-catalog/{objectSubTypeParam}/{idObject}	47

2.110.1. Parameters	48
2.110.2. Responses	48
2.111. GET /api/v2/entity/dynamic-catalog/{objectSubType}	48
2.111.1. Parameters	48
2.111.2. Responses	48
2.112. GET /api/v2/entity/find-relationships/{objectSubType}/{id}	48
2.112.1. Parameters	48
2.112.2. Responses	49
2.113. POST /api/v2/entity/is-new-version/{objectSubType}/{idObject}	49
2.113.1. Parameters	49
2.113.2. Responses	49
2.114. GET /api/v2/entity/owner/{objectSubType}/{idEntity}	49
2.114.1. Parameters	49
2.114.2. Responses	50
2.115. GET /api/v2/entity/relationships/{objectSubType}/{idEntity}	50
2.115.1. Parameters	50
2.115.2. Responses	50
2.116. POST /api/v2/entity/save/{objectSubType}/{idObject}	50
2.116.1. Parameters	50
2.116.2. Responses	51
2.117. POST /api/v2/entity/submit/{objectSubType}/{idObject}	51
2.117.1. Parameters	51
2.117.2. Responses	51
2.118. POST /api/v2/entity/validate/{objectSubType}	51
2.118.1. Parameters	51
2.118.2. Responses	52
2.119. GET /api/v2/entity/{objectSubType}/{idEntity}	52
2.119.1. Parameters	52
2.119.2. Responses	52
2.120. POST /api/v2/excel/{objectType}/{objectSubType}	52
2.120.1. Parameters	52
2.120.2. Responses	53
2.121. GET /api/v2/excel/{objectType}/{objectSubType}	53
2.121.1. Parameters	53
2.121.2. Responses	53
2.122. GET /api/v2/graphics/getAll	53
2.122.1. Responses	53
2.123. GET /api/v2/graphics/listGraphics/{objectType}/{idObject}	54
2.123.1. Parameters	54
2.123.2. Responses	54
2.124. GET /api/v2/graphics/myLineage	54

2.124.1. Responses	54
2.125. GET /api/v2/objectsubtypes/subtypes-wftypes	54
2.125.1. Responses	54
2.126. GET /api/v2/objectsubtypes/{objectType}	54
2.126.1. Parameters	55
2.126.2. Responses	55
2.127. GET /api/v2/objecttypes	55
2.127.1. Responses	55
2.128. GET /api/v2/objecttypes/objectsubtypes	55
2.128.1. Responses	55
2.129. GET /api/v2/objecttypes/relationship/sides	55
2.129.1. Responses	55
2.130. GET /api/v2/objecttypes/{objectType}	56
2.130.1. Parameters	56
2.130.2. Responses	56
2.131. GET /api/v2/relationship/all/{objectSubType}/{id}	56
2.131.1. Parameters	56
2.131.2. Responses	56
2.132. POST /api/v2/relationship/change- state/{objectSubType}/{initialState}/{endState}/{idRelationship}	56
2.132.1. Parameters	57
2.132.2. Responses	57
2.133. POST /api/v2/relationship/clone/{objectSubType}/{idRelationship}	57
2.133.1. Parameters	57
2.133.2. Responses	58
2.134. POST /api/v2/relationship/create/{objectSubType}	58
2.134.1. Parameters	58
2.134.2. Responses	58
2.135. GET /api/v2/relationship/dynamic-catalog/{objectSubType}	58
2.135.1. Parameters	58
2.135.2. Responses	58
2.136. GET /api/v2/relationship/dynamic-catalog/{objectSubType}/{idObject}	59
2.136.1. Parameters	59
2.136.2. Responses	59
2.137. GET /api/v2/relationship/entities/{objectSubType}/{idRelationship}	59
2.137.1. Parameters	59
2.137.2. Responses	59
2.138. POST /api/v2/relationship/is-new-version/{objectSubType}/{idObject}	60
2.138.1. Parameters	60
2.138.2. Responses	60
2.139. GET /api/v2/relationship/owner/{idRelationship}	60

2.139.1. Parameters	60
2.139.2. Responses	60
2.140. POST /api/v2/relationship/save/{objectSubType}	60
2.140.1. Parameters	60
2.140.2. Responses	61
2.141. POST /api/v2/relationship/submit/{objectSubType}/{idObject}	61
2.141.1. Parameters	61
2.141.2. Responses	61
2.142. GET /api/v2/relationship/{idRelationship}	62
2.142.1. Parameters	62
2.142.2. Responses	62
2.143. GET /api/v2/relationship/{objectSubType}/{id}	62
2.143.1. Parameters	62
2.143.2. Responses	62
2.144. POST /api/v4/attribute/custom/list	62
2.144.1. Parameters	62
2.144.2. Responses	63
2.145. GET /api/v4/attribute/validate_fields	63
2.145.1. Responses	63
2.146. GET /api/v4/catalog/complete/{objectType}/{objectSubType}	63
2.146.1. Parameters	63
2.146.2. Responses	63
2.147. GET /api/v4/catalog/custom-types	63
2.147.1. Responses	63
2.148. GET /api/v4/catalog/{objectType}/{objectSubType}	64
2.148.1. Parameters	64
2.148.2. Responses	64
2.149. GET /api/v4/catalog/{objectType}/{objectSubType}/{idObject}	64
2.149.1. Parameters	64
2.149.2. Responses	64
2.150. GET /api/v4/common/stakeholders/{objectType}/{objectSubType}/{idObject}	65
2.150.1. Parameters	65
2.150.2. Responses	65
2.151. POST /api/v4/dataset/structure/{idDataset}	65
2.151.1. Parameters	65
2.151.2. Responses	65
2.152. GET /api/v4/dataset/versions/{idObject}	66
2.152.1. Parameters	66
2.152.2. Responses	66
2.153. POST /api/v4/dsa/disadhere	66
2.153.1. Parameters	66

2.153.2. Responses	66
2.154. GET /api/v4/dsa/versions/{idObject}	66
2.154.1. Parameters	66
2.154.2. Responses	67
2.155. POST /api/v4/entity/create/{objectSubType}	67
2.155.1. Parameters	67
2.155.2. Responses	67
2.156. DELETE /api/v4/entity/delete/{objectSubType}/{id}	67
2.156.1. Parameters	67
2.156.2. Responses	67
2.157. GET /api/v4/entity/{idEntity}/relationships/COMPOSITION	68
2.157.1. Parameters	68
2.157.2. Responses	68
2.158. GET /api/v4/entity/{idEntity}/relationships/DIRECT	68
2.158.1. Parameters	68
2.158.2. Responses	68
2.159. GET /api/v4/entity/{idEntity}/relationships/INDIRECT	68
2.159.1. Parameters	68
2.159.2. Responses	69
2.160. POST /api/v4/entity/{objectSubType}/instances/owned	69
2.160.1. Parameters	69
2.160.2. Responses	69
2.161. GET /api/v4/instance/versions/{idObject}	69
2.161.1. Parameters	69
2.161.2. Responses	69
2.162. GET /api/v4/objecttypes/objectsubtypes	70
2.162.1. Responses	70
2.163. GET /api/v4/objecttypes/{objectType}	70
2.163.1. Parameters	70
2.163.2. Responses	70
2.164. GET /api/v4/process/versions/{idObject}	70
2.164.1. Parameters	70
2.164.2. Responses	70
2.165. DELETE /api/v4/relationship/delete/{objectSubType}/{id}	71
2.165.1. Parameters	71
2.165.2. Responses	71
2.166. GET /api/v4/relationship/entities/{objectSubType}/{idRelationship}	71
2.166.1. Parameters	71
2.166.2. Responses	71
2.167. GET /api/v4/solution/versions/{idObject}	72
2.167.1. Parameters	72

2.167.2. Responses	72
2.168. PUT /internal/v1/cache/clear-all	72
2.168.1. Responses	72
2.169. PUT /internal/v1/cache/clear/license	72
2.169.1. Responses	72
2.170. POST /internal/v1/index/indexAll/{objectType}	72
2.170.1. Parameters	73
2.170.2. Responses	73
2.171. GET /internal/v1/telemetry	73
2.171.1. Responses	73
2.172. GET /internal/v2/attribute/attributedefinition/list	73
2.172.1. Responses	73
2.173. POST /internal/v2/common/flags	73
2.173.1. Parameters	73
2.173.2. Responses	74
2.173.3. Produces	74
2.174. GET /internal/v2/common/objectType/{objectSubType}	74
2.174.1. Parameters	74
2.174.2. Responses	74
2.174.3. Produces	74
2.175. PUT /internal/v2/entity/change- state/{idEntity}/{initialState}/{endState}/{objectSubType}	74
2.175.1. Parameters	74
2.175.2. Responses	75
2.176. POST /internal/v4/common/getObject	75
2.176.1. Parameters	75
2.176.2. Responses	75
2.177. POST /internal/v4/common/object/check	75
2.177.1. Parameters	75
2.177.2. Responses	76
2.178. DELETE /internal/v4/common/workflow/{idWorkflowExecution}	76
2.178.1. Parameters	76
2.178.2. Responses	76
2.179. POST /internal/v4/entity/filter	76
2.179.1. Parameters	76
2.179.2. Responses	76
2.180. POST /internal/v4/index/AsyncIndexAll	77
2.180.1. Responses	77
2.181. PATCH /internal/v4/metadata/aqtiva/result	77
2.181.1. Parameters	77
2.181.2. Responses	77

2.182. POST /internal/v4/metadata/aqtiva/synchronize	77
2.182.1. Parameters	77
2.182.2. Responses	77
2.183. PATCH /internal/v4/metadata/aqtiva/synchronize	78
2.183.1. Parameters	78
2.183.2. Responses	78
3. Definitions	79
3.1. AdherenceCartDTO	79
3.2. AdminAttributeValueDTO	79
3.3. AdminDatasetFieldDTO	80
3.4. AdminDatasetFieldResponseDTO	80
3.5. AdminDsaDatasetDTO	80
3.6. AdminEntityDTO	80
3.7. AdminEntityResponseDTO	81
3.8. AdminInstanceDTO	81
3.9. AdminRelationshipDTO	81
3.10. AdminSolutionInstanceDTO	82
3.11. AqtivaDataSourceRecord	82
3.12. AqtivaMetadataExpirationRequest	82
3.13. AqtivaMetadataSynchronizationRequest	82
3.14. AqtivaResultSynchronizationRequest	83
3.15. AqtivaRuleDto	83
3.16. AqtivaRulesRecordResponse	84
3.17. AriValueDTO	85
3.18. AttributeDTO	85
3.19. AttributeDefinitionDTO	86
3.20. AttributeDefinitionSimpleDTO	87
3.21. AttributeDefinitionValueDTO	87
3.22. AttributeRelationshipsParamDTO	88
3.23. AttributeValueDTO	88
3.24. BaseDTO	89
3.25. ChangeRelationshipEndsDTO	89
3.26. ChangeSubtypeDTO	89
3.27. CheckSubmitRequest	89
3.28. CombinationContractsDTO	89
3.29. CombinationDTO	90
3.30. ComponentsFrontDTO	90
3.31. CustomAttributeParamDTO	91
3.32. CustomTypeDTO	91
3.33. DSA	91
3.34. DSAAndDatasetsDTO	92

3.35. DataFormatsDataSourcesResponse	92
3.36. DataSourceDto	92
3.37. DatasetAndFieldsDTO	93
3.38. DatasetFieldDTO	93
3.39. DeprecatedDTO	93
3.40. DirectAdherenceRequestDTO	93
3.41. DisAdherenceDTO	93
3.42. DisAdherenceListDTO	94
3.43. DsaContractDTO	94
3.44. DsaDatasetDTO	94
3.45. DsaDsCombinationDTO	94
3.46. DynamicCatalogDTO	95
3.47. DynamicCatalogFieldDTO	95
3.48. EdgeGraphDTO	95
3.49. EditionConfigurationDTO	96
3.50. EditionSubmitRuleDTO	96
3.51. EntityCloneDTO	96
3.52. EntityCompositionRelationshipDTO	97
3.53. EntityDTO	97
3.54. EntityDirectRelationshipDTO	99
3.55. EntityFilterRequest	100
3.56. EntityFormDTO	100
3.57. EntityFormSimpleDTO	101
3.58. EntityIndirectRelationshipDTO	101
3.59. ErrorDetailDTO	101
3.60. ExchangeRelationshipEndsDTO	101
3.61. FilterBase	102
3.62. FilterBaseEntityFilterRequest	102
3.63. FilterBaseMapStringString	102
3.64. FilterBaseVoid	103
3.65. GenericDTO	103
3.66. GenericDTOListAttributeDefinitionDTO	103
3.67. GenericDTOListEntityCompositionRelationshipDTO	103
3.68. GenericDTOListEntityDTO	104
3.69. GenericDTOListEntityDirectRelationshipDTO	104
3.70. GenericDTOListEntityIndirectRelationshipDTO	104
3.71. GenericDTOListMapStringSerializable	104
3.72. GenericDTOListObjectStakeholderDTO	104
3.73. GenericDTOListObjectVersionsDTO	105
3.74. GenericDTOListRelatedEntitiesDTO	105
3.75. GenericDTOListRelatedObjectDTO	105

3.76. GenericDTOListRelationshipOneSideDTO	105
3.77. GenericDTOListString	106
3.78. GenericDTOMapStringString	106
3.79. GenericDTOSetString	106
3.80. GenericDTOString	106
3.81. GraphicsDTO	106
3.82. HeadEntityAndRelationshipInfoDTO	107
3.83. IdCombAndReasonDTO	108
3.84. IndexEntityInfoDTO	108
3.85. InfrastructureTechnologyZoneDTO	109
3.86. InputStream	109
3.87. InputStreamResource	109
3.88. InstanceAndDatasetsDTO	110
3.89. InstanceDatasetsDTO	110
3.90. InternationalizedMessage	110
3.91. MassiveEditDTO	110
3.92. MassiveOperationResult	111
3.93. MassiveSubmitRequest	111
3.94. MenuDTO	111
3.95. NewVersionDTO	111
3.96. NodeGraphDTO	112
3.97. ObjectFlagsDTO	112
3.98. ObjectFlagsRequestDTO	114
3.99. ObjectFlagsResponseDTO	114
3.100. ObjectInfoDTO	114
3.101. ObjectStakeholderDTO	114
3.102. ObjectStakeholdersDTO	115
3.103. ObjectSubTypeDTO	115
3.104. ObjectTypeAnjana	116
3.105. ObjectVersionsDTO	116
3.106. PendingAdherenceEventsDTO	116
3.107. QueryEntityFilterResponse	117
3.108. QueryEntityFilterResponseEntityDTO	118
3.109. QueryResponseDTO	118
3.110. QueryResponseDTODataFormatsDataSourcesResponse	119
3.111. RelatedEntitiesDTO	120
3.112. RelatedObjectDTO	120
3.113. RelationshipDTO	121
3.114. RelationshipFormDTO	122
3.115. RelationshipOneSideDTO	122
3.116. RequestAttributeDefinitionValuesDTO	123

3.117. RequestAttributeNameRelatedToObjectsDto	123
3.118. RequestImportDTO	123
3.119. RequestNewDsaDTO	124
3.120. ResponseBase	125
3.121. ResponseBaseAdminDatasetFieldResponseDTO	125
3.122. ResponseBaseAdminEntityResponseDTO	125
3.123. ResponseBaseAttributeDefinitionDTO	125
3.124. ResponseBaseAttributeDefinitionValueDTO	126
3.125. ResponseBaseBaseDTO	126
3.126. ResponseBaseBoolean	126
3.127. ResponseBaseCombinationContractsDTO	126
3.128. ResponseBaseDSA	127
3.129. ResponseBaseDSAAndDatasetsDTO	127
3.130. ResponseBaseDatasetAndFieldsDTO	127
3.131. ResponseBaseDynamicCatalogDTO	128
3.132. ResponseBaseEditionSubmitRuleDTO	128
3.133. ResponseBaseEntityDTO	128
3.134. ResponseBaseGenericDTOListAttributeDefinitionDTO	128
3.135. ResponseBaseGenericDTOListEntityCompositionRelationshipDTO	129
3.136. ResponseBaseGenericDTOListEntityDTO	129
3.137. ResponseBaseGenericDTOListEntityDirectRelationshipDTO	129
3.138. ResponseBaseGenericDTOListEntityIndirectRelationshipDTO	130
3.139. ResponseBaseGenericDTOListMapStringSerializable	130
3.140. ResponseBaseGenericDTOListObjectStakeholderDTO	130
3.141. ResponseBaseGenericDTOListObjectVersionsDTO	130
3.142. ResponseBaseGenericDTOListRelatedEntitiesDTO	131
3.143. ResponseBaseGenericDTOListRelatedObjectDTO	131
3.144. ResponseBaseGenericDTOListRelationshipOneSideDTO	131
3.145. ResponseBaseGenericDTOListString	132
3.146. ResponseBaseGenericDTOMapStringString	132
3.147. ResponseBaseGenericDTOSetString	132
3.148. ResponseBaseGenericDTOString	132
3.149. ResponseBaseGraphicsDTO	133
3.150. ResponseBaseHeadEntityAndRelationshipInfoDTO	133
3.151. ResponseBaseIndexEntityInfoDTO	133
3.152. ResponseBaseInstanceAndDatasetsDTO	133
3.153. ResponseBaseInteger	134
3.154. ResponseBaseListAdherenceCartDTO	134
3.155. ResponseBaseListAriValueDTO	134
3.156. ResponseBaseListAttributeDefinitionDTO	135
3.157. ResponseBaseListCustomTypeDTO	135

3.158. ResponseBaseListDatasetFieldDTO	135
3.159. ResponseBaseListEditionConfigurationDTO	135
3.160. ResponseBaseListInternationalizedMessage	136
3.161. ResponseBaseListMapStringSerializable	136
3.162. ResponseBaseListObjectSubTypeDTO	136
3.163. ResponseBaseListObjectTypeAnjana	136
3.164. ResponseBaseListSelectValueDTO	137
3.165. ResponseBaseListSubTypeDTO	137
3.166. ResponseBaseMapStringMapStringSerializable	137
3.167. ResponseBaseMapStringSetString	137
3.168. ResponseBaseMassiveOperationResult	138
3.169. ResponseBaseMenuDTO	138
3.170. ResponseBaseNewVersionDTO	138
3.171. ResponseBaseObject	138
3.172. ResponseBaseObjectFlagsResponseDTO	139
3.173. ResponseBaseObjectStakeholdersDTO	139
3.174. ResponseBaseObjectSubTypeDTO	139
3.175. ResponseBasePendingAdherenceEventsDTO	139
3.176. ResponseBaseQueryEntityFilterResponseEntityDTO	140
3.177. ResponseBaseQueryResponseDTODataFormatsDataSourcesResponse	140
3.178. ResponseBaseRelationshipDTO	140
3.179. ResponseBaseSectionsDTO	140
3.180. ResponseBaseSetInteger	141
3.181. ResponseBaseSetSelectValueDTO	141
3.182. ResponseBaseSolutionAndInstancesDTO	141
3.183. ResponseBaseString	141
3.184. ResponseBaseSubmitEntityDTOString	142
3.185. ResponseBaseTelemetryData	142
3.186. ResponseBaseTemplateAttributeDTO	142
3.187. ResponseBaseVoid	143
3.188. ResponseBaseWizardDTO	143
3.189. ResponseBaseWorkflowResponseDTO	143
3.190. RuleDto	143
3.191. SectionsDTO	144
3.192. SelectValueDTO	144
3.193. Serializable	144
3.194. SimpleObjectDTO	144
3.195. SimplifiedAttributeDTO	145
3.196. SolutionAndInstancesDTO	145
3.197. SolutionInstancesDTO	146
3.198. StreamingResponseBody	146

3.199. SubTypeDTO	146
3.200. SubmitEntityDTO	146
3.201. SubmitEntityDTOString	146
3.202. SubmitFormDTO	147
3.203. TelemetryData	147
3.204. TemplateAttributeDTO	148
3.205. TemplateAttributeValidationDTO	148
3.206. UpdateNameDTO	148
3.207. ValuesDTO	149
3.208. WizardDTO	149
3.209. WizardWithPositionAndPhysicalNameDTO	152
3.210. WorkflowEndInfo	154
3.211. WorkflowResponseDTO	154

Chapter 1. Overview

1.1. Version information

Version : 4.5.0-SNAPSHOT

1.2. URI scheme

BasePath : /api

Schemes : HTTP, HTTPS

Chapter 2. Paths

2.1. PUT

/api/admin/kerno/attribute/update/{objectType}/{objectSubType}

2.1.1. Parameters

Type	Name	Schema	Default
Path	objectSubType <i>required</i>	string	
Path	objectType <i>required</i>	enum (ORGANIZATIONAL_UNIT, ENTITY, RELATIONSHIP, ATTRIBUTE, ALL, USER)	
Query	validateType <i>optional</i>	boolean	"true"
Body	body <i>optional</i>	MassiveEditDTO	

2.1.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseMassiveOperationResult

2.1.3. Consumes

- `application/json`
- `application/xml`

2.2. PUT

/api/admin/kerno/attribute/update/{objectType}/{objectSubType}/{idObject}

2.2.1. Parameters

Type	Name	Schema	Default
Path	idObject <i>required</i>	integer (int32)	
Path	objectSubType <i>required</i>	string	
Path	objectType <i>required</i>	enum (ORGANIZATIONAL_UNIT, ENTITY, RELATIONSHIP, ATTRIBUTE, ALL, USER)	
Query	validateType <i>optional</i>	boolean	"true"
Body	body <i>optional</i>	< AdminAttributeValueDTO > array	

2.2.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseGenericDTOString

2.2.3. Consumes

- `application/json`
- `application/xml`

2.3. PUT /api/admin/kerno/batch/expiration/all-entities

2.3.1. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseGenericDTOMapStringString

2.4. PUT /api/admin/kerno/batch/index/all-entities

2.4.1. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseGenericDTOMapStringString

2.5. PUT /api/admin/kerno/batch/notification/expired-entities

2.5.1. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseGenericDTOSetString

2.6. GET /api/admin/kerno/body-create-update/{objectSubType}

2.6.1. Parameters

Type	Name	Schema
Path	objectSubType <i>required</i>	string

2.6.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseObject

2.7. GET /api/admin/kerno/body-create-update/{objectSubType}/{idObject}

2.7.1. Parameters

Type	Name	Schema
Path	idObject <i>required</i>	integer (int32)

Type	Name	Schema
Path	objectSubType <i>required</i>	string

2.7.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseObject

2.8. POST /api/admin/kerno/change-organizational-unit/{idEntity}

2.8.1. Parameters

Type	Name	Schema
Path	idEntity <i>required</i>	integer (int32)
Body	body <i>optional</i>	SubmitFormDTO

2.8.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseString

2.9. POST /api/admin/kerno/create-update/entity/dataset

2.9.1. Parameters

Type	Name	Schema
Path	idObject <i>required</i>	integer (int32)
Body	body <i>optional</i>	AdminDatasetFieldDTO

2.9.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseAdminDatasetFieldResponseDTO

2.10. POST /api/admin/kerno/create-update/entity/dsa

2.10.1. Parameters

Type	Name	Schema
Path	idObject <i>required</i>	integer (int32)
Body	body <i>optional</i>	AdminDsaDatasetDTO

2.10.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseAdminEntityResponseDTO

2.11. POST /api/admin/kerno/create-update/entity/instance

2.11.1. Parameters

Type	Name	Schema
Path	idObject <i>required</i>	integer (int32)
Body	body <i>optional</i>	AdminInstanceDTO

2.11.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseAdminEntityResponseDTO

2.12. POST /api/admin/kerno/create-update/entity/process

2.12.1. Parameters

Type	Name	Schema
Path	idObject <i>required</i>	integer (int32)
Body	body <i>optional</i>	AdminEntityDTO

2.12.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseEntityDTO

2.13. POST /api/admin/kerno/create-update/entity/solution

2.13.1. Parameters

Type	Name	Schema
Path	idObject <i>required</i>	integer (int32)
Body	body <i>optional</i>	AdminSolutionInstanceDTO

2.13.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseAdminEntityResponse DTO

2.14. POST /api/admin/kerno/create-update/entity/{objectSubType}

2.14.1. Parameters

Type	Name	Schema
Path	idObject <i>required</i>	integer (int32)
Path	objectSubType <i>required</i>	string
Body	body <i>optional</i>	AdminEntityDTO

2.14.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseEntityDTO

2.15. POST /api/admin/kerno/create-update/relationships/{objectSubType}

2.15.1. Parameters

Type	Name	Schema
Path	idObject <i>required</i>	integer (int32)
Path	objectSubType <i>required</i>	string
Body	body <i>optional</i>	AdminRelationshipDTO

2.15.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseRelationshipDTO

2.16. POST /api/admin/kerno/create/attribute-definition

2.16.1. Parameters

Type	Name	Schema
Body	body <i>optional</i>	AttributeDefinitionDTO

2.16.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseAttributeDefinitionDTO

2.17. POST /api/admin/kerno/create/attribute-definition-value

CAUTION | operation.deprecated

2.17.1. Parameters

Type	Name	Schema
Body	body <i>optional</i>	AttributeDefinitionValueDTO

2.17.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseAttributeDefinitionValueDTO

2.18. POST /api/admin/kerno/create/menu

2.18.1. Parameters

Type	Name	Schema
Body	body <i>optional</i>	MenuDTO

2.18.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseMenuDTO

2.19. POST /api/admin/kerno/create/object-sub-type

2.19.1. Parameters

Type	Name	Schema
Body	body <i>optional</i>	ObjectSubTypeDTO

2.19.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseObjectSubTypeDTO

2.20. POST /api/admin/kerno/create/section

2.20.1. Parameters

Type	Name	Schema
Body	body <i>optional</i>	SectionsDTO

2.20.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseSectionsDTO

2.21. POST /api/admin/kerno/create/template-attribute

2.21.1. Parameters

Type	Name	Schema
Body	body <i>optional</i>	TemplateAttributeDTO

2.21.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseTemplateAttributeDTO

2.22. POST /api/admin/kerno/create/template-attribute-validation

2.22.1. Parameters

Type	Name	Schema
Body	body <i>optional</i>	TemplateAttributeDTO

2.22.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseTemplateAttributeDTO

2.23. DELETE /api/admin/kerno/delete/attribute-definition-value/{id}

2.23.1. Parameters

Type	Name	Schema
Path	id <i>required</i>	integer (int32)

2.23.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseVoid

2.24. DELETE /api/admin/kerno/delete/attribute-definition/{id}

2.24.1. Parameters

Type	Name	Schema
Path	id <i>required</i>	integer (int32)

2.24.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseVoid

2.25. DELETE /api/admin/kerno/delete/edition-submit-rule/{id}

2.25.1. Parameters

Type	Name	Schema
Path	id <i>required</i>	integer (int32)

2.25.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseVoid

2.26. DELETE /api/admin/kerno/delete/entity/{id}

2.26.1. Parameters

Type	Name	Schema
Path	id <i>required</i>	integer (int32)

2.26.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseVoid

2.27. DELETE /api/admin/kerno/delete/menu/{id}

2.27.1. Parameters

Type	Name	Schema
Path	id <i>required</i>	integer (int32)

2.27.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseVoid

2.28. DELETE /api/admin/kerno/delete/object-sub-type/{id}

2.28.1. Parameters

Type	Name	Schema
Path	id <i>required</i>	integer (int32)

2.28.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseVoid

2.29. DELETE /api/admin/kerno/delete/relationship/{id}

2.29.1. Parameters

Type	Name	Schema
Path	id <i>required</i>	integer (int32)

2.29.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseVoid

2.30. DELETE /api/admin/kerno/delete/section/{id}

2.30.1. Parameters

Type	Name	Schema
Path	id <i>required</i>	integer (int32)

2.30.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseVoid

2.31. DELETE /api/admin/kerno/delete/template-attribute-validation/{id}

2.31.1. Parameters

Type	Name	Schema
Path	id <i>required</i>	integer (int32)

2.31.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseVoid

2.32. DELETE /api/admin/kerno/delete/template-attribute/{idTemplateAttribute}

2.32.1. Parameters

Type	Name	Schema
Path	idTemplateAttribute <i>required</i>	integer (int32)

2.32.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseVoid

2.33. POST /api/admin/kerno/disadhere/{idObject}

2.33.1. Parameters

Type	Name	Schema
Path	idObject <i>required</i>	integer (int32)
Body	body <i>optional</i>	DisAdherenceDTO

2.33.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseVoid

2.34. PUT /api/admin/kerno/entity/change-state/{idObject}/{state}

2.34.1. Parameters

Type	Name	Schema
Path	idObject <i>required</i>	integer (int32)

Type	Name	Schema
Path	state <i>required</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)

2.34.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseEntityDTO

2.35. GET

/api/admin/kerno/entity/{objectSubType}/{idObject}

2.35.1. Parameters

Type	Name	Schema
Path	idObject <i>required</i>	integer (int32)
Path	objectSubType <i>required</i>	string

2.35.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseDynamicCatalogDTO

2.36. PUT /api/admin/kerno/index/all-entities

2.36.1. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseGenericDTOMapStringString

2.37. PUT /api/admin/kerno/lineage/entity/load/{id}

2.37.1. Parameters

Type	Name	Schema
Path	id <i>required</i>	integer (int32)

2.37.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseGenericDTOSetString

2.38. PUT /api/admin/kerno/lineage/load

2.38.1. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseGenericDTOSetString

2.39. PUT /api/admin/kerno/lineage/relationship/load/{id}

2.39.1. Parameters

Type	Name	Schema
Path	id <i>required</i>	integer (int32)

2.39.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseGenericDTOSetString

2.40. PUT /api/admin/kerno/name/{objectType}

2.40.1. Parameters

Type	Name	Schema
Path	objectType <i>required</i>	enum (ORGANIZATIONAL_UNIT, ENTITY, RELATIONSHIP, ATTRIBUTE, ALL, USER)
Body	body <i>optional</i>	UpdateNameDTO

2.40.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseVoid

2.41. POST /api/admin/kerno/relationship

2.41.1. Parameters

Type	Name	Schema
Body	body <i>optional</i>	AttributeRelationshipsParamDTO

2.41.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseSetS electValueDTO

2.42. PUT /api/admin/kerno/relationship/change

2.42.1. Parameters

Type	Name	Schema
Body	body <i>optional</i>	ChangeRelationshipEndsDTO

2.42.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseVoid

2.43. PUT /api/admin/kerno/relationship/change-state/{idObject}/{state}

2.43.1. Parameters

Type	Name	Schema
Path	idObject <i>required</i>	integer (int32)
Path	state <i>required</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)

2.43.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseRelationshipDTO

2.44. PUT /api/admin/kerno/relationship/change-subtype/{id}

2.44.1. Parameters

Type	Name	Schema
Path	id <i>required</i>	integer (int32)
Body	body <i>optional</i>	ChangeSubtypeDTO

2.44.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseVoid

2.45. PUT /api/admin/kerno/relationship/exchange

2.45.1. Parameters

Type	Name	Schema
Body	body <i>optional</i>	ExchangeRelationshipEndsDTO

2.45.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseVoid

2.46. GET

/api/admin/kerno/relationship/{objectSubType}/{idObject}

2.46.1. Parameters

Type	Name	Schema
Path	idObject <i>required</i>	integer (int32)
Path	objectSubType <i>required</i>	string

2.46.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseDynamicCatalogDTO

2.47. POST /api/admin/kerno/save/edition-submit-rule

2.47.1. Parameters

Type	Name	Schema
Body	body <i>optional</i>	EditionSubmitRuleDTO

2.47.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseEditonSubmitRuleDTO

2.48. PATCH /api/admin/kerno/update/attribute-definition

2.48.1. Parameters

Type	Name	Schema
Body	body <i>optional</i>	AttributeDefinitionDTO

2.48.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseAttributeDefinitionDTO

2.49. PATCH /api/admin/kerno/update/attribute-definition-value

CAUTION | operation.deprecated

2.49.1. Parameters

Type	Name	Schema
Body	body <i>optional</i>	AttributeDefinitionValueDTO

2.49.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseAttributeDefinitionValueDTO

2.50. PATCH /api/admin/kerno/update/menu

2.50.1. Parameters

Type	Name	Schema
Body	body <i>optional</i>	MenuDTO

2.50.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseMenuDTO

2.51. PATCH /api/admin/kerno/update/object-sub-type

2.51.1. Parameters

Type	Name	Schema
Body	body <i>optional</i>	ObjectSubTypeDTO

2.51.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseObjectSubTypeDTO

2.52. PATCH /api/admin/kerno/update/section

2.52.1. Parameters

Type	Name	Schema
Body	body <i>optional</i>	SectionsDTO

2.52.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseSectionsDTO

2.53. PATCH /api/admin/kerno/update/template-attribute

2.53.1. Parameters

Type	Name	Schema
Body	body <i>optional</i>	TemplateAttributeDTO

2.53.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseTemplateAttributeDTO

2.54. PATCH /api/admin/kerno/update/template-attribute-validation

2.54.1. Parameters

Type	Name	Schema
Body	body <i>optional</i>	TemplateAttributeDTO

2.54.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseTemplateAttributeDTO

2.55. PUT

/api/admin/kerno/workflow/finish/{workflowExecutionId}

2.55.1. Parameters

Type	Name	Schema
Path	workflowExecutionId <i>required</i>	integer (int32)
Body	body <i>optional</i>	WorkflowEndInfo

2.55.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseObject

2.56. POST /api/v1/adherence/addAdherenceCart

2.56.1. Parameters

Type	Name	Schema
Body	body <i>optional</i>	AdherenceCartDTO

2.56.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseListAdherenceCartDTO

2.57. PUT

/api/v1/adherence/combination/contracts/read/{idCombination}/{idDsa}

2.57.1. Parameters

Type	Name	Schema
Path	idComb <i>required</i>	integer (int32)
Path	idDsa <i>required</i>	integer (int32)

2.57.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseBase DTO

2.58. GET

/api/v1/adherence/combination/contracts/{idComb}

2.58.1. Parameters

Type	Name	Schema
Path	idComb <i>required</i>	integer (int32)

2.58.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseCombinationContracts DTO

2.59. GET /api/v1/adherence/combinations

2.59.1. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBasePendingAdherenceEventsDTO

2.60. GET /api/v1/adherence/combinations/more

2.60.1. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBasePendingAdherenceEventsDTO

2.61. POST /api/v1/adherence/deleteAdherenceCart

2.61.1. Parameters

Type	Name	Schema
Body	body <i>optional</i>	AdherenceCartDTO

2.61.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseListAdherenceCartDTO

2.62. DELETE

/api/v1/adherence/deleteAllUserAdherenceCart

2.62.1. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseListAdherenceCartDTO

2.63. GET /api/v1/adherence/listAdherenceCart

2.63.1. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseListAdherenceCartDTO

2.64. POST /api/v1/adherence/requestNewDsa

2.64.1. Parameters

Type	Name	Schema
Body	body <i>optional</i>	RequestNewDsaDTO

2.64.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseVoid

2.65. PUT /api/v1/adherence/sendCombination

2.65.1. Parameters

Type	Name	Schema
Body	body <i>optional</i>	IdCombAndReasonDTO

2.65.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseString

2.66. POST /api/v1/dataset/deprecate

2.66.1. Parameters

Type	Name	Schema
Body	body <i>optional</i>	DeprecateDTO

2.66.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseBaseDTO

2.67. POST /api/v1/dataset/structure/{idDataset}

2.67.1. Parameters

Type	Name	Schema
Path	idDataset <i>required</i>	integer (int32)
Path	idField <i>required</i>	integer (int32)
Body	body <i>optional</i>	EntityFormDTO

2.67.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseDataSetAndFieldsDTO

2.68. GET /api/v1/dataset/structure/{idDataset}

2.68.1. Parameters

Type	Name	Schema
Path	idDataset <i>required</i>	integer (int32)

2.68.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseListDatasetFieldDTO

2.69. DELETE

/api/v1/dataset/structure/{idDataset}/{idField}

2.69.1. Parameters

Type	Name	Schema
Path	idDataset <i>required</i>	integer (int32)
Path	idField <i>required</i>	integer (int32)

2.69.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseDataSetAndFieldsDTO

2.70. GET /api/v1/dataset/versions/{idObject}

CAUTION | operation.deprecated

2.70.1. Parameters

Type	Name	Schema
Path	idObject <i>required</i>	integer (int32)

2.70.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseGenericDTOListEntityDTO

2.71. POST /api/v1/dsa/adhere

2.71.1. Parameters

Type	Name	Schema
Body	body <i>optional</i>	DirectAdherenceRequestDTO

2.71.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseString

2.72. GET /api/v1/dsa/contract/{idObject}

2.72.1. Parameters

Type	Name	Schema
Path	idObject <i>required</i>	integer (int32)

2.72.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseDSA

2.73. POST /api/v1/dsa/datasets/{idObject}

CAUTION | operation.deprecated

2.73.1. Parameters

Type	Name	Schema
Path	idObject <i>required</i>	integer (int32)
Body	body <i>optional</i>	DsaDatasetDTO

2.73.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseDSAAndDatasetsDTO

2.74. GET /api/v1/dsa/datasets/{idObject}

CAUTION | operation.deprecated

2.74.1. Parameters

Type	Name	Schema
Path	idObject <i>required</i>	integer (int32)

2.74.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseListMapStringSerializable

2.75. POST /api/v1/dsa/deprecate

2.75.1. Parameters

Type	Name	Schema
Body	body <i>optional</i>	DeprecatedDTO

2.75.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseBaseDTO

2.76. POST /api/v1/dsa/disadhere/{idObject}

2.76.1. Parameters

Type	Name	Schema
Path	idObject <i>required</i>	integer (int32)
Body	body <i>optional</i>	DisAdherenceDTO

2.76.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseVoid

2.77. GET /api/v1/dsa/users/{idObject}

2.77.1. Parameters

Type	Name	Schema
Path	idObject <i>required</i>	integer (int32)

2.77.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseGenericDTOListString

2.78. GET /api/v1/dsa/versions/{idObject}

CAUTION | operation.deprecated

2.78.1. Parameters

Type	Name	Schema
Path	idObject <i>required</i>	integer (int32)

2.78.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseGenericDTOListEntityDTO

2.79. POST /api/v1/instance/datasets/{io}/{idObject}

2.79.1. Parameters

Type	Name	Schema
Path	idObject <i>required</i>	integer (int32)
Path	io <i>required</i>	string
Body	body <i>optional</i>	InstanceDatasetsDTO

2.79.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseInstanceAndDatasetsDTO

2.80. GET

/api/v1/instance/datasets/{io}/{idProcessInstance}

2.80.1. Parameters

Type	Name	Schema
Path	idProcessInstance <i>required</i>	integer (int32)
Path	io <i>required</i>	string

2.80.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseGenericDTOListMapStringSerializable

2.81. POST /api/v1/instance/deprecate

2.81.1. Parameters

Type	Name	Schema
Body	body <i>optional</i>	DeprecatedDTO

2.81.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseBaseDTO

2.82. GET /api/v1/instance/project/{idObject}

CAUTION | operation.deprecated

2.82.1. Parameters

Type	Name	Schema
Path	idObject <i>required</i>	integer (int32)

2.82.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseGenericDTOListMapStringSerializable

2.83. GET

/api/v1/instance/solutions/{idProcessInstance}

CAUTION | operation.deprecated

2.83.1. Parameters

Type	Name	Schema
Path	idProcessInstance <i>required</i>	integer (int32)

2.83.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseGenericDTOListMapStringSerializable

2.84. GET /api/v1/instance/versions/{idObject}

CAUTION | operation.deprecated

2.84.1. Parameters

Type	Name	Schema
Path	idObject <i>required</i>	integer (int32)

2.84.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseGenericDTOListEntityDTO

2.85. POST /api/v1/process/deprecate

2.85.1. Parameters

Type	Name	Schema
Body	body <i>optional</i>	DeprecateDTO

2.85.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseBaseDTO

2.86. GET /api/v1/process/instances/{idProcess}

CAUTION | operation.deprecated

2.86.1. Parameters

Type	Name	Schema
Path	idProcess <i>required</i>	integer (int32)

2.86.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseGenericDTOListMapStringSerializable

2.87. GET /api/v1/process/versions/{idObject}

CAUTION | operation.deprecated

2.87.1. Parameters

Type	Name	Schema
Path	idObject <i>required</i>	integer (int32)

2.87.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseGenericDTOListEntityDTO

2.88. POST /api/v1/solution/deprecate

2.88.1. Parameters

Type	Name	Schema
Body	body <i>optional</i>	DeprecatedDTO

2.88.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseBaseDTO

2.89. GET /api/v1/solution/instances/owned/{idObject}

CAUTION | operation.deprecated

2.89.1. Parameters

Type	Name	Schema
Path	idObject <i>required</i>	integer (int32)

2.89.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseGenericDTOListMapStringSerializable

2.90. POST /api/v1/solution/instances/related/{idObject}

CAUTION | operation.deprecated

2.90.1. Parameters

Type	Name	Schema
Path	idObject <i>required</i>	integer (int32)
Body	body <i>optional</i>	SolutionInstancesDTO

2.90.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseSolutionAndInstancesDTO

2.91. GET /api/v1/solution/instances/related/{idObject}

CAUTION | operation.deprecated

2.91.1. Parameters

Type	Name	Schema
Path	idObject <i>required</i>	integer (int32)

2.91.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseGenericDTOListMapStringSerializable

2.92. GET /api/v1/solution/versions/{idObject}

CAUTION | operation.deprecated

2.92.1. Parameters

Type	Name	Schema
Path	idObject <i>required</i>	integer (int32)

2.92.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseGenericDTOListEntityDTO

2.93. POST /api/v2/attribute/custom/list

CAUTION | operation.deprecated

2.93.1. Parameters

Type	Name	Schema
Body	body <i>optional</i>	CustomAttributeParamDTO

2.93.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseGenericDTOListAttributeDefinitionDTO

2.94. POST /api/v2/attribute/objects

2.94.1. Parameters

Type	Name	Schema
Body	body <i>optional</i>	RequestAttributeNameRelatedToObjectsDto

2.94.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseMapStringMapStringSerializable

2.95. POST /api/v2/attribute/relationship

2.95.1. Parameters

Type	Name	Schema
Body	body <i>optional</i>	AttributeRelationshipsParamDTO

2.95.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseSetSelectValueDTO

2.96. POST /api/v2/attribute/values

2.96.1. Parameters

Type	Name	Schema
Body	body <i>optional</i>	RequestAttributeDefinitionValuesDTO

2.96.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseListSelectValueDTO

2.97. POST /api/v2/common/checkSubmit

2.97.1. Parameters

Type	Name	Schema
Body	body <i>optional</i>	CheckSubmitRequest

2.97.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseSetInteger

2.98. GET /api/v2/common/compare/{objectType}

2.98.1. Parameters

Type	Name	Schema
Path	objectType <i>required</i>	enum (ORGANIZATIONAL_UNIT, ENTITY, RELATIONSHIP, ATTRIBUTE, ALL, USER)
Query	id1 <i>required</i>	integer (int32)
Query	id2 <i>required</i>	integer (int32)

2.98.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseListEditionConfigurationDTO

2.99. GET /api/v2/common/compare/{objectType}/{idObject}

2.99.1. Parameters

Type	Name	Schema
Path	idObject <i>required</i>	integer (int32)
Path	objectType <i>required</i>	enum (ORGANIZATIONAL_UNIT, ENTITY, RELATIONSHIP, ATTRIBUTE, ALL, USER)

Type	Name	Schema
Body	body <i>optional</i>	EntityFormDTO

2.99.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseListEditionConfigurationDTO

2.100. GET

/api/v2/common/hasPermission/{permissionAction}/{objectSubType}/{objectId}

2.100.1. Parameters

Type	Name	Schema
Path	objectId <i>required</i>	integer (int32)
Path	objectSubType <i>required</i>	string
Path	permissionAction <i>required</i>	enum (CHANGE_STATUS, CHANGE_OU, ACCESS, API_ADMIN, DEACTIVATE, ACTIVATE, ORGANIZATIONAL_UNIT_OWNER, CREATION_MODIF, LINEAGE_ACCESS, WORKFLOW_ACCESS, AUTOMATIC_METADATA, DEPRECATION, WIZARD, ADMIN, CREDENTIAL_ADMIN, FULL_VIEW, DELETE_MY_OBJ, DELETE_ALL, ALL)

2.100.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseBoolean

2.101. POST

/api/v2/common/massiveSubmit/{objectSubType}

2.101.1. Parameters

Type	Name	Schema
Path	objectSubType <i>required</i>	string
Body	body <i>optional</i>	MassiveSubmitRequest

2.101.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseMassiveOperationResult

2.102. GET

/api/v2/common/stakeholders/{objectType}/{objectSubType}/{idObject}

CAUTION | operation.deprecated

2.102.1. Parameters

Type	Name	Schema
Path	idObject <i>required</i>	integer (int32)
Path	objectSubType <i>required</i>	string
Path	objectType <i>required</i>	enum (ORGANIZATIONAL_UNIT, ENTITY, RELATIONSHIP, ATTRIBUTE, ALL, USER)

2.102.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseObjectStakeholdersDTO

2.103. GET /api/v2/common/{objectType}/{idObject}

2.103.1. Parameters

Type	Name	Schema
Path	idObject <i>required</i>	integer (int32)
Path	objectType <i>required</i>	enum (ORGANIZATIONAL_UNIT, ENTITY, RELATIONSHIP, ATTRIBUTE, ALL, USER)

2.103.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseHeadEntityAndRelationshipInfoDTO

2.104. GET /api/v2/entity/approved-relationships/{objectSubType}/{idEntity}

2.104.1. Parameters

Type	Name	Schema
Path	idEntity <i>required</i>	integer (int32)
Path	objectSubType <i>required</i>	string

2.104.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseGenericDTOListRelationshipOneSideDTO

2.105. POST /api/v2/entity/change-organizational-unit/{objectSubType}/{idEntity}

2.105.1. Parameters

Type	Name	Schema
Path	idEntity <i>required</i>	integer (int32)
Path	objectSubType <i>required</i>	string
Body	body <i>optional</i>	SubmitFormDTO

2.105.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseString

2.106. POST /api/v2/entity/change-state/{objectSubType}/{initialState}/{endState}/{idEntity}

2.106.1. Parameters

Type	Name	Schema
Path	endState <i>required</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)
Path	idEntity <i>required</i>	integer (int32)

Type	Name	Schema
Path	initialState <i>required</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)
Path	objectSubType <i>required</i>	string
Body	body <i>optional</i>	SubmitFormDTO

2.106.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseWorkflowResponseDTO

2.107. POST

`/api/v2/entity/clone/{objectSubType}/{idEntity}`

2.107.1. Parameters

Type	Name	Schema
Path	idEntity <i>required</i>	integer (int32)
Path	objectSubType <i>required</i>	string
Body	body <i>optional</i>	EntityCloneDTO

2.107.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseEntityDTO

2.108. GET /api/v2/entity/complete-dynamic-catalog/{objectSubType}

CAUTION | operation.deprecated

2.108.1. Parameters

Type	Name	Schema
Path	objectSubType <i>required</i>	string

2.108.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseDynamicCatalogDTO

2.109. POST /api/v2/entity/create/{objectSubType}

CAUTION | operation.deprecated

2.109.1. Parameters

Type	Name	Schema
Path	objectSubType <i>required</i>	string
Body	body <i>optional</i>	WizardDTO

2.109.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseEntityDTO

2.110. GET /api/v2/entity/dynamic-catalog/{objectSubTypeParam}/{idObject}

CAUTION | operation.deprecated

2.110.1. Parameters

Type	Name	Schema
Path	idObject <i>required</i>	integer (int32)
Path	objectSubTypeParam <i>required</i>	string

2.110.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseDynamicCatalogDTO

2.111. GET /api/v2/entity/dynamic-catalog/{objectSubType}

CAUTION | operation.deprecated

2.111.1. Parameters

Type	Name	Schema
Path	objectSubType <i>required</i>	string

2.111.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseDynamicCatalogDTO

2.112. GET /api/v2/entity/find-relationships/{objectSubType}/{id}

2.112.1. Parameters

Type	Name	Schema
Path	id <i>required</i>	integer (int32)

Type	Name	Schema
Path	objectSubType <i>required</i>	string

2.112.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseGenericDTOListRelationshipOneSideDTO

2.113. POST /api/v2/entity/is-new-version/{objectSubType}/{idObject}

2.113.1. Parameters

Type	Name	Schema
Path	idObject <i>required</i>	integer (int32)
Path	objectSubType <i>required</i>	string
Body	body <i>optional</i>	EntityFormDTO

2.113.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseNewVersionDTO

2.114. GET /api/v2/entity/owner/{objectSubType}/{idEntity}

2.114.1. Parameters

Type	Name	Schema
Path	idEntity <i>required</i>	integer (int32)

Type	Name	Schema
Path	objectSubType <i>required</i>	string

2.114.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseGenericDTOSetString

2.115. GET

/api/v2/entity/relationships/{objectSubType}/{idEntity}

CAUTION | operation.deprecated

2.115.1. Parameters

Type	Name	Schema
Path	idEntity <i>required</i>	integer (int32)
Path	objectSubType <i>required</i>	string

2.115.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseGenericDTOListRelationshipOneSideDTO

2.116. POST

/api/v2/entity/save/{objectSubType}/{idObject}

2.116.1. Parameters

Type	Name	Schema
Path	idObject <i>required</i>	integer (int32)

Type	Name	Schema
Path	objectSubType <i>required</i>	string
Body	body <i>optional</i>	EntityFormDTO

2.116.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseEntityDTO

2.117. POST

/api/v2/entity/submit/{objectSubType}/{idObject}

CAUTION | operation.deprecated

2.117.1. Parameters

Type	Name	Schema
Path	idObject <i>required</i>	integer (int32)
Path	objectSubType <i>required</i>	string
Body	body <i>optional</i>	SubmitFormDTO

2.117.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseSubmitEntityDTOString

2.118. POST /api/v2/entity/validate/{objectSubType}

2.118.1. Parameters

Type	Name	Schema
Path	objectSubType <i>required</i>	string
Body	body <i>optional</i>	WizardDTO

2.118.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseWizardDTO

2.119. GET /api/v2/entity/{objectSubType}/{idEntity}

2.119.1. Parameters

Type	Name	Schema
Path	idEntity <i>required</i>	integer (int32)
Path	objectSubType <i>required</i>	string

2.119.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseEntityDTO

2.120. POST /api/v2/excel/{objectType}/{objectSubType}

CAUTION | operation.deprecated

2.120.1. Parameters

Type	Name	Schema
Path	objectSubType <i>required</i>	string
Path	objectType <i>required</i>	string

Type	Name	Schema
Body	body <i>optional</i>	string

2.120.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseInteger

2.121. GET /api/v2/excel/{objectType}/{objectSubType}

CAUTION | operation.deprecated

2.121.1. Parameters

Type	Name	Schema
Path	objectSubType <i>required</i>	string
Path	objectType <i>required</i>	string

2.121.2. Responses

HTTP Code	Description	Schema
200	successful operation	InputStreamResource

2.122. GET /api/v2/graphics/getAll

2.122.1. Responses

HTTP Code	Description	Schema
200	successful operation	StreamingResponseBody

2.123. GET

/api/v2/graphics/listGraphics/{objectType}/{idObject}

2.123.1. Parameters

Type	Name	Schema
Path	idObject <i>required</i>	integer (int32)
Path	objectType <i>required</i>	string

2.123.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseGraphicsDTO

2.124. GET /api/v2/graphics/myLineage

2.124.1. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseGraphicsDTO

2.125. GET /api/v2/objectsubtypes/subtypes-wftypes

2.125.1. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseMapStringSetString

2.126. GET /api/v2/objectsubtypes/{objectType}

CAUTION | operation.deprecated

2.126.1. Parameters

Type	Name	Schema
Path	objectType <i>required</i>	enum (ORGANIZATIONAL_UNIT, ENTITY, RELATIONSHIP, ATTRIBUTE, ALL, USER)

2.126.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseList ObjectSubTypeDT O

2.127. GET /api/v2/objecttypes

2.127.1. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseList ObjectTypeAnjana

2.128. GET /api/v2/objecttypes/objectsubtypes

CAUTION | operation.deprecated

2.128.1. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseList SubTypeDTO

2.129. GET /api/v2/objecttypes/relationship/sides

2.129.1. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseList SubTypeDTO

2.130. GET /api/v2/objecttypes/{objectType}

CAUTION | operation.deprecated

2.130.1. Parameters

Type	Name	Schema
Path	objectType <i>required</i>	enum (ORGANIZATIONAL_UNIT, ENTITY, RELATIONSHIP, ATTRIBUTE, ALL, USER)

2.130.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseListSubTypeDTO

2.131. GET /api/v2/relationship/all/{objectSubType}/{id}

2.131.1. Parameters

Type	Name	Schema
Path	id <i>required</i>	integer (int32)
Path	objectSubType <i>required</i>	string

2.131.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseGenericDTOListRelationshipOneSideDTO

2.132. POST /api/v2/relationship/change-state/{objectSubType}/{initialState}/{endState}/{idRelationship}

2.132.1. Parameters

Type	Name	Schema
Path	endState <i>required</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)
Path	idRelationship <i>required</i>	integer (int32)
Path	initialState <i>required</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)
Path	objectSubType <i>required</i>	string
Body	body <i>optional</i>	SubmitFormDTO

2.132.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseWorkflowResponseDTO

2.133. POST

/api/v2/relationship/clone/{objectSubType}/{idRelationship}

2.133.1. Parameters

Type	Name	Schema
Path	idRelationship <i>required</i>	integer (int32)
Path	objectSubType <i>required</i>	string
Body	body <i>optional</i>	EntityCloneDTO

2.133.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseRelationshipDTO

2.134. POST

/api/v2/relationship/create/{objectSubType}

2.134.1. Parameters

Type	Name	Schema
Path	objectSubType <i>required</i>	string
Body	body <i>optional</i>	RelationshipDTO

2.134.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseRelationshipDTO

2.135. GET /api/v2/relationship/dynamic-catalog/{objectSubType}

CAUTION | operation.deprecated

2.135.1. Parameters

Type	Name	Schema
Path	objectSubType <i>required</i>	string

2.135.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseDynamicCatalogDTO

2.136. GET /api/v2/relationship/dynamic-catalog/{objectSubType}/{idObject}

CAUTION | operation.deprecated

2.136.1. Parameters

Type	Name	Schema
Path	idObject <i>required</i>	integer (int32)
Path	objectSubType <i>required</i>	string

2.136.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseDynamicCatalogDTO

2.137. GET /api/v2/relationship/entities/{objectSubType}/{idRelationship}

CAUTION | operation.deprecated

2.137.1. Parameters

Type	Name	Schema
Path	idRelationship <i>required</i>	integer (int32)
Path	objectSubType <i>required</i>	string

2.137.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseGenericDTOListRelatedObjectDTO

2.138. POST /api/v2/relationship/is-new-version/{objectSubType}/{idObject}

2.138.1. Parameters

Type	Name	Schema
Path	idObject <i>required</i>	integer (int32)
Path	objectSubType <i>required</i>	string
Body	body <i>optional</i>	EntityFormDTO

2.138.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseNewVersionDTO

2.139. GET /api/v2/relationship/owner/{idRelationship}

2.139.1. Parameters

Type	Name	Schema
Path	idRelationship <i>required</i>	integer (int32)

2.139.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseGenericDTOSetString

2.140. POST /api/v2/relationship/save/{objectSubType}

2.140.1. Parameters

Type	Name	Schema
Path	id <i>required</i>	integer (int32)
Path	objectSubType <i>required</i>	string
Body	body <i>optional</i>	RelationshipFormDTO

2.140.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseRelationshipDTO

2.141. POST

/api/v2/relationship/submit/{objectSubType}/{idObject}

CAUTION | operation.deprecated

2.141.1. Parameters

Type	Name	Schema
Path	idObject <i>required</i>	integer (int32)
Path	objectSubType <i>required</i>	string
Body	body <i>optional</i>	SubmitFormDTO

2.141.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseSubmitEntityDTOString

2.142. GET /api/v2/relationship/{idRelationship}

2.142.1. Parameters

Type	Name	Schema
Path	idRelationship <i>required</i>	integer (int32)

2.142.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseRelationshipDTO

2.143. GET /api/v2/relationship/{objectSubType}/{id}

2.143.1. Parameters

Type	Name	Schema
Path	id <i>required</i>	integer (int32)
Path	objectSubType <i>required</i>	string

2.143.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseGenericDTOListRelationshipOneSideDTO

2.144. POST /api/v4/attribute/custom/list

2.144.1. Parameters

Type	Name	Schema
Body	body <i>optional</i>	CustomAttributeParamDTO

2.144.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseGenericDTOListAttributeDefinitionDTO

2.145. GET /api/v4/attribute/validate_fields

2.145.1. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseString

2.146. GET /api/v4/catalog/complete/{objectType}/{objectSubType}

2.146.1. Parameters

Type	Name	Schema
Path	objectSubType <i>required</i>	string
Path	objectType <i>required</i>	string

2.146.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseDynamicCatalogDTO

2.147. GET /api/v4/catalog/custom-types

2.147.1. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseListCustomTypeDTO

2.148. GET

/api/v4/catalog/{objectType}/{objectSubType}

2.148.1. Parameters

Type	Name	Schema
Path	objectSubType <i>required</i>	string
Path	objectType <i>required</i>	string

2.148.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseDynamicCatalogDTO

2.149. GET

/api/v4/catalog/{objectType}/{objectSubType}/{idObject}

2.149.1. Parameters

Type	Name	Schema
Path	idObject <i>required</i>	integer (int32)
Path	objectSubType <i>required</i>	string
Path	objectType <i>required</i>	string

2.149.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseDynamicCatalogDTO

2.150. GET

/api/v4/common/stakeholders/{objectType}/{objectSubType}/{idObject}

2.150.1. Parameters

Type	Name	Schema
Path	idObject <i>required</i>	integer (int32)
Path	objectSubType <i>required</i>	string
Path	objectType <i>required</i>	enum (ORGANIZATIONAL_UNIT, ENTITY, RELATIONSHIP, ATTRIBUTE, ALL, USER)

2.150.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseGenericDTOListObjectStakeholderDTO

2.151. POST /api/v4/dataset/structure/{idDataset}

2.151.1. Parameters

Type	Name	Schema
Path	idDataset <i>required</i>	integer (int32)
Body	body <i>optional</i>	FilterBaseMapStringString

2.151.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseList DatasetFieldDTO

2.152. GET /api/v4/dataset/versions/{idObject}

2.152.1. Parameters

Type	Name	Schema
Path	idObject <i>required</i>	integer (int32)

2.152.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseGenericDTOListObject VersionsDTO

2.153. POST /api/v4/dsa/disadhere

2.153.1. Parameters

Type	Name	Schema
Body	body <i>optional</i>	DisAdherenceListDTO

2.153.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseVoid

2.154. GET /api/v4/dsa/versions/{idObject}

2.154.1. Parameters

Type	Name	Schema
Path	idObject <i>required</i>	integer (int32)

2.154.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseGenericDTOListObjectVersionsDTO

2.155. POST /api/v4/entity/create/{objectSubType}

2.155.1. Parameters

Type	Name	Schema
Path	objectSubType <i>required</i>	string
Body	body <i>optional</i>	WizardWithPositionAndPhysicalNameDTO

2.155.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseEntityDTO

2.156. DELETE /api/v4/entity/delete/{objectSubType}/{id}

2.156.1. Parameters

Type	Name	Schema
Path	id <i>required</i>	integer (int32)
Path	objectSubType <i>required</i>	string

2.156.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseVoid

2.157. GET

/api/v4/entity/{idEntity}/relationships/COMPOSITION

2.157.1. Parameters

Type	Name	Schema
Path	idEntity <i>required</i>	integer (int32)

2.157.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseGenericDTOListEntityCompositionRelationshipDTO

2.158. GET

/api/v4/entity/{idEntity}/relationships/DIRECT

2.158.1. Parameters

Type	Name	Schema
Path	idEntity <i>required</i>	integer (int32)

2.158.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseGenericDTOListEntityDirectRelationshipDTO

2.159. GET

/api/v4/entity/{idEntity}/relationships/INDIRECT

2.159.1. Parameters

Type	Name	Schema
Path	idEntity <i>required</i>	integer (int32)

2.159.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseGenericDTOListEntityIndirectRelationshipDTO

2.160. POST

/api/v4/entity/{objectSubType}/instances/owned

2.160.1. Parameters

Type	Name	Schema
Path	objectSubType <i>required</i>	string
Body	body <i>optional</i>	string

2.160.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseListAriValueDTO

2.161. GET /api/v4/instance/versions/{idObject}

2.161.1. Parameters

Type	Name	Schema
Path	idObject <i>required</i>	integer (int32)

2.161.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseGenericDTOListObjectVersionsDTO

2.162. GET /api/v4/objecttypes/objectsubtypes

2.162.1. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseListSubTypeDTO

2.163. GET /api/v4/objecttypes/{objectType}

2.163.1. Parameters

Type	Name	Schema
Path	objectType <i>required</i>	enum (ORGANIZATIONAL_UNIT, ENTITY, RELATIONSHIP, ATTRIBUTE, ALL, USER)

2.163.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseListSubTypeDTO

2.164. GET /api/v4/process/versions/{idObject}

2.164.1. Parameters

Type	Name	Schema
Path	idObject <i>required</i>	integer (int32)

2.164.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseGenericDTOListObjectVersionsDTO

2.165. DELETE

/api/v4/relationship/delete/{objectSubType}/{id}

2.165.1. Parameters

Type	Name	Schema
Path	id <i>required</i>	integer (int32)
Path	objectSubType <i>required</i>	string

2.165.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseVoid

2.166. GET

/api/v4/relationship/entities/{objectSubType}/{idRelationship}

2.166.1. Parameters

Type	Name	Schema
Path	idRelationship <i>required</i>	integer (int32)
Path	objectSubType <i>required</i>	string

2.166.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseGenericDTOListRelatedEntitiesDTO

2.167. GET /api/v4/solution/versions/{idObject}

2.167.1. Parameters

Type	Name	Schema
Path	idObject <i>required</i>	integer (int32)

2.167.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseGenericDTOListObjectVersionsDTO

2.168. PUT /internal/v1/cache/clear-all

2.168.1. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseVoid

2.169. PUT /internal/v1/cache/clear/license

2.169.1. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseVoid

2.170. POST /internal/v1/index/indexAll/{objectType}

2.170.1. Parameters

Type	Name	Schema
Path	objectType <i>required</i>	string

2.170.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseString

2.171. GET /internal/v1/telemetry

2.171.1. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseTelemetryData

2.172. GET /internal/v2/attribute/attributedefinition/list

2.172.1. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseListAttributeDefinitionDTO

2.173. POST /internal/v2/common/flags

2.173.1. Parameters

Type	Name	Schema
Body	body <i>optional</i>	ObjectFlagsRequestDTO

2.173.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseObjectFlagsResponseDTO

2.173.3. Produces

- [application/json](#)

2.174. GET `/internal/v2/common/objectType/{objectSubType}`

2.174.1. Parameters

Type	Name	Schema
Path	<code>objectSubType</code> <i>required</i>	string

2.174.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseString

2.174.3. Produces

- [application/json](#)

2.175. PUT `/internal/v2/entity/change-state/{idEntity}/{initialState}/{endState}/{objectSubType}`

2.175.1. Parameters

Type	Name	Schema
Path	<code>endState</code> <i>required</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)

Type	Name	Schema
Path	idEntity <i>required</i>	integer (int32)
Path	initialState <i>required</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)
Path	objectSubType <i>required</i>	string

2.175.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseBoolean

2.176. POST /internal/v4/common/getObject

2.176.1. Parameters

Type	Name	Schema
Body	body <i>optional</i>	ObjectInfoDTO

2.176.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseIndexEntityInfoDTO

2.177. POST /internal/v4/common/object/check

2.177.1. Parameters

Type	Name	Schema
Body	body <i>optional</i>	SimpleObjectDTO

2.177.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseListInternationalizedMessage

2.178. DELETE

/internal/v4/common/workflow/{idWorkflowExecution}
}

2.178.1. Parameters

Type	Name	Schema
Path	idWorkflowExecution <i>required</i>	integer (int32)

2.178.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseInteger

2.179. POST /internal/v4/entity/filter

2.179.1. Parameters

Type	Name	Schema
Body	body <i>optional</i>	FilterBaseEntityFilterRequest

2.179.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseQueryEntityFilterResponseEntityDTO

2.180. POST /internal/v4/index/AsyncIndexAll

2.180.1. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseString

2.181. PATCH /internal/v4/metadata/aqtiva/result

2.181.1. Parameters

Type	Name	Schema
Body	body <i>optional</i>	AqtivaResultSynchronizationRequest

2.181.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseString

2.182. POST /internal/v4/metadata/aqtiva/synchronize

2.182.1. Parameters

Type	Name	Schema
Body	body <i>optional</i>	FilterBaseVoid

2.182.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseQueryResponseDTODataFormatsDataSourcesResponse

2.183. PATCH /internal/v4/metadata/aqtiva/synchronize

2.183.1. Parameters

Type	Name	Schema
Body	body <i>optional</i>	AqtivaMetadataSynchronizationRequest

2.183.2. Responses

HTTP Code	Description	Schema
200	successful operation	ResponseBaseString

Chapter 3. Definitions

3.1. AdherenceCartDTO

Name	Schema
hasCombination <i>optional</i>	boolean
hasNewValidVersion <i>optional</i>	boolean
idObject <i>optional</i>	integer (int32)
idSuperObj <i>optional</i>	integer (int32)
layer <i>optional</i>	string
name <i>optional</i>	string
organizationalUnit <i>optional</i>	string
primaryClusterName <i>optional</i>	string
state <i>optional</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)
typeObject <i>optional</i>	string
version <i>optional</i>	integer (int32)

3.2. AdminAttributeValueDTO

Name	Schema
attributeName <i>required</i>	string
attributeValue <i>required</i>	object
language <i>optional</i>	string

3.3. AdminDatasetFieldDTO

Name	Schema
disableNonEditValidations <i>optional</i>	boolean
entityFormDatasetFields <i>optional</i>	< EntityFormSimpleDTO > array
entityFormSimpleDTO <i>optional</i>	EntityFormSimpleDTO
expirationDate <i>optional</i>	integer (int64)
state <i>optional</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)

3.4. AdminDatasetFieldResponseDTO

Name	Schema
datasetAndFieldsDTO <i>optional</i>	< DatasetAndFieldsDTO > array
entity <i>optional</i>	EntityDTO

3.5. AdminDsaDatasetDTO

Name	Schema
disableNonEditValidations <i>optional</i>	boolean
entityFormSimpleDTO <i>optional</i>	EntityFormSimpleDTO
expirationDate <i>optional</i>	integer (int64)
state <i>optional</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)

3.6. AdminEntityDTO

Name	Schema
disableNonEditValidations <i>optional</i>	boolean
entityFormSimpleDTO <i>optional</i>	EntityFormSimpleDTO
expirationDate <i>optional</i>	integer (int64)
state <i>optional</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)

3.7. AdminEntityResponseDTO

Name	Schema
entity <i>optional</i>	EntityDTO

3.8. AdminInstanceDTO

Name	Schema
disableNonEditValidations <i>optional</i>	boolean
entityFormSimpleDTO <i>optional</i>	EntityFormSimpleDTO
expirationDate <i>optional</i>	integer (int64)
state <i>optional</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)
wizardDTO <i>optional</i>	WizardDTO

3.9. AdminRelationshipDTO

Name	Schema
disableNonEditValidations <i>optional</i>	boolean
relationshipFormDTO <i>optional</i>	RelationshipFormDTO

Name	Schema
state <i>optional</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)

3.10. AdminSolutionInstanceDTO

Name	Schema
disableNonEditValidations <i>optional</i>	boolean
entityFormSimpleDTO <i>optional</i>	EntityFormSimpleDTO
expirationDate <i>optional</i>	integer (int64)
state <i>optional</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)

3.11. AqtivaDataSourceRecord

Name	Schema
dataFormat <i>optional</i>	string
dataSources <i>optional</i>	< string, string > map

3.12. AqtivaMetadataExpirationRequest

Name	Schema
dataFormats <i>optional</i>	< string > array
dataSources <i>optional</i>	< string, string > map
rules <i>optional</i>	< string > array

3.13. AqtivaMetadataSynchronizationRequest

Name	Schema
dataFormatWithNames <i>optional</i>	< string, string > map
dataToExpire <i>optional</i>	AqtivaMetadataExpirationRequest
rulesToCreateOrModify <i>optional</i>	< AqtivaRuleDto > array

3.14. AqtivaResultSynchronizationRequest

Name	Schema
resultByDataSource <i>optional</i>	< AqtivaDataSourceRecord > array
resultByRules <i>optional</i>	< AqtivaRulesRecordResponse > array

3.15. AqtivaRuleDto

Name	Schema
dataFormatName <i>optional</i>	string
dataFormatSource <i>optional</i>	string
dataSourceName <i>optional</i>	string
dataSourceResultIdentifier <i>optional</i>	string
dataSourceResultName <i>optional</i>	string
idDataFormat <i>optional</i>	string
idDataSource <i>optional</i>	string
idProject <i>optional</i>	string
idQualityPoint <i>optional</i>	string
idQualityRule <i>optional</i>	string

Name	Schema
projectName <i>optional</i>	string
qualityPointName <i>optional</i>	string
qualityRuleActive <i>optional</i>	boolean
qualityRuleColumns <i>optional</i>	string
qualityRuleConditions <i>optional</i>	string
qualityRuleCreationDate <i>optional</i>	integer (int64)
qualityRuleDimension <i>optional</i>	string
qualityRuleErrThValue <i>optional</i>	number (float)
qualityRuleErrType <i>optional</i>	string
qualityRuleName <i>optional</i>	string
qualityRuleWarnThType <i>optional</i>	string
qualityRuleWarnThValue <i>optional</i>	number (float)

3.16. AqtivaRulesRecordResponse

Name	Schema
dqidataformat <i>optional</i>	number (double)
environment <i>optional</i>	string
id <i>optional</i>	string
idDataFormat <i>optional</i>	string
idDataSource <i>optional</i>	string

Name	Schema
idExecution <i>optional</i>	string
idQualityPoint <i>optional</i>	string
idQualityRule <i>optional</i>	string
level <i>optional</i>	string
msg <i>optional</i>	string
numIn <i>optional</i>	integer (int32)
numKo <i>optional</i>	integer (int32)
numOk <i>optional</i>	integer (int32)
numOut <i>optional</i>	integer (int32)
numWarn <i>optional</i>	integer (int32)
timestamp <i>optional</i>	integer (int64)

3.17. AriValueDTO

Name	Schema
ari <i>optional</i>	string
state <i>optional</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)
version <i>optional</i>	integer (int32)

3.18. AttributeDTO

Name	Schema
name <i>optional</i>	string

Name	Schema
value <i>optional</i>	string

3.19. AttributeDefinitionDTO

Name	Schema
attributeValues <i>optional</i>	< AttributeDefinitionValueDTO > array
description <i>optional</i>	string
id <i>optional</i>	integer (int32)
isCustom <i>optional</i>	boolean
label <i>optional</i>	string
labelTranslationKey <i>optional</i>	string
name <i>optional</i>	string
placeholder <i>optional</i>	string
translateOption <i>optional</i>	boolean
type <i>optional</i>	enum (INPUT_TEXT, INPUT_DATE, INPUT_RANGE, INPUT_NUMBER, SELECT, TEXT_AREA, INPUT_CHECKBOX, INPUT_DECIMAL, SELECT_USERS, MULTI_USERS, SELECT_ORGANIZATIONAL_UNIT, MULTI_ORGANIZATIONAL_UNIT, UPLOAD_FILE, UPLOAD_URL, ARRAY_NUMBER, ARRAY_DATE, ARRAY_DECIMAL, ARRAY_BOOLEAN, ARRAY_ALPHANUMERICAL, ARRAY_UPLOAD_FILE, ARRAY_UPLOAD_URL, MULTI_SELECT, ARRAY_ENTITY, ENTITY_SEARCH, ENRICHED_TEXT_AREA, INPUT_TEXT_INTERNATIONAL, TEXT_AREA_INTERNATIONAL, ENRICHED_TEXT_AREA_INTERNATIONAL, ENTITY_CONTAINER, TREE_SELECT, TREE_MULTISELECT, SELECT_IMG_TXT, MULTI_SELECT_IMG_TXT, SELECT_IMG, MULTI_SELECT_IMG)

Name	Schema
value <i>optional</i>	Serializable

3.20. AttributeDefinitionSimpleDTO

Name	Schema
id <i>optional</i>	integer (int32)
isCustom <i>optional</i>	boolean
label <i>optional</i>	string
name <i>optional</i>	string
type <i>optional</i>	enum (INPUT_TEXT, INPUT_DATE, INPUT_RANGE, INPUT_NUMBER, SELECT, TEXT_AREA, INPUT_CHECKBOX, INPUT_DECIMAL, SELECT_USERS, MULTI_USERS, SELECT_ORGANIZATIONAL_UNIT, MULTI_ORGANIZATIONAL_UNIT, UPLOAD_FILE, UPLOAD_URL, ARRAY_NUMBER, ARRAY_DATE, ARRAY_DECIMAL, ARRAY_BOOLEAN, ARRAY_ALPHANUMERICAL, ARRAY_UPLOAD_FILE, ARRAY_UPLOAD_URL, MULTI_SELECT, ARRAY_ENTITY, ENTITY_SEARCH, ENRICHED_TEXT_AREA, INPUT_TEXT_INTERNATIONAL, TEXT_AREA_INTERNATIONAL, ENRICHED_TEXT_AREA_INTERNATIONAL, ENTITY_CONTAINER, TREE_SELECT, TREE_MULTISELECT, SELECT_IMG_TXT, MULTI_SELECT_IMG_TXT, SELECT_IMG, MULTI_SELECT_IMG)
value <i>optional</i>	Serializable

3.21. AttributeDefinitionValueDTO

Name	Schema
children <i>optional</i>	< AttributeDefinitionValueDTO > array
id <i>optional</i>	integer (int32)

Name	Schema
idAttributeDefinition <i>optional</i>	integer (int32)
labelSelect <i>optional</i>	string
value <i>optional</i>	string

3.22. AttributeRelationshipsParamDTO

Name	Schema
nameAttributeDest <i>optional</i>	string
nameAttributeSource <i>optional</i>	string
objectSubType <i>optional</i>	string
valueAttributeSource <i>optional</i>	< string > array

3.23. AttributeValueDTO

Name	Schema
attributeDefinition <i>optional</i>	AttributeDefinitionDTO
children <i>optional</i>	< AttributeValueDTO > array
i18n <i>optional</i>	string
id <i>optional</i>	integer (int32)
idObject <i>optional</i>	integer (int32)
objectType <i>optional</i>	enum (ORGANIZATIONAL_UNIT, ENTITY, RELATIONSHIP, ATTRIBUTE, ALL, USER)
value <i>optional</i>	string

3.24. BaseDTO

Type : object

3.25. ChangeRelationshipEndsDTO

Name	Schema
ari <i>optional</i>	string
destination <i>optional</i>	string
source <i>optional</i>	string

3.26. ChangeSubtypeDTO

Name	Schema
attributes <i>optional</i>	< AttributeDTO > array
objectSubtype <i>optional</i>	string

3.27. CheckSubmitRequest

Name	Schema
ids <i>optional</i>	< integer (int32) > array
subType <i>optional</i>	string

3.28. CombinationContractsDTO

Name	Schema
allRead <i>optional</i>	boolean
dsas <i>optional</i>	< DSA > array
idCombination <i>optional</i>	integer (int32)

3.29. CombinationDTO

Name	Schema
allLicensesRead <i>optional</i>	boolean
dsaDatasetCombinations <i>optional</i>	< DsaDsCombinationDTO > array
idCombination <i>optional</i>	integer (int32)
optimal <i>optional</i>	boolean

3.30. ComponentsFrontDTO

Name	Schema
idTemplateAttribute <i>optional</i>	integer (int32)
label <i>optional</i>	string
name <i>optional</i>	string
placeholder <i>optional</i>	string
type <i>optional</i>	enum (INPUT_TEXT, INPUT_DATE, INPUT_RANGE, INPUT_NUMBER, SELECT, TEXT_AREA, INPUT_CHECKBOX, INPUT_DECIMAL, SELECT_USERS, MULTI_USERS, SELECT_ORGANIZATIONAL_UNIT, MULTI_ORGANIZATIONAL_UNIT, UPLOAD_FILE, UPLOAD_URL, ARRAY_NUMBER, ARRAY_DATE, ARRAY_DECIMAL, ARRAY_BOOLEAN, ARRAY_ALPHANUMERICAL, ARRAY_UPLOAD_FILE, ARRAY_UPLOAD_URL, MULTI_SELECT, ARRAY_ENTITY, ENTITY_SEARCH, ENRICHED_TEXT_AREA, INPUT_TEXT_INTERNATIONAL, TEXT_AREA_INTERNATIONAL, ENRICHED_TEXT_AREA_INTERNATIONAL, ENTITY_CONTAINER, TREE_SELECT, TREE_MULTISELECT, SELECT_IMG_TXT, MULTI_SELECT_IMG_TXT, SELECT_IMG, MULTI_SELECT_IMG)
validations <i>optional</i>	< TemplateAttributeValidationDTO > array

3.31. CustomAttributeParamDTO

Name	Schema
ari <i>optional</i>	string
contains <i>optional</i>	string
objectId <i>optional</i>	integer (int32)
objectSubType <i>optional</i>	string

3.32. CustomTypeDTO

Name	Schema
disabled <i>optional</i>	boolean
label <i>optional</i>	string
type <i>optional</i>	enum (INPUT_TEXT, INPUT_DATE, INPUT_RANGE, INPUT_NUMBER, SELECT, TEXT_AREA, INPUT_CHECKBOX, INPUT_DECIMAL, SELECT_USERS, MULTI_USERS, SELECT_ORGANIZATIONAL_UNIT, MULTI_ORGANIZATIONAL_UNIT, UPLOAD_FILE, UPLOAD_URL, ARRAY_NUMBER, ARRAY_DATE, ARRAY_DECIMAL, ARRAY_BOOLEAN, ARRAY_ALPHANUMERICAL, ARRAY_UPLOAD_FILE, ARRAY_UPLOAD_URL, MULTI_SELECT, ARRAY_ENTITY, ENTITY_SEARCH, ENRICHED_TEXT_AREA, INPUT_TEXT_INTERNATIONAL, TEXT_AREA_INTERNATIONAL, ENRICHED_TEXT_AREA_INTERNATIONAL, ENTITY_CONTAINER, TREE_SELECT, TREE_MULTISELECT, SELECT_IMG_TXT, MULTI_SELECT_IMG_TXT, SELECT_IMG, MULTI_SELECT_IMG)
validations <i>optional</i>	< TemplateAttributeValidationDTO > array

3.33. DSA

Name	Schema
contractDTO <i>optional</i>	DsaContractDTO
id <i>optional</i>	integer (int32)
name <i>optional</i>	string
read <i>optional</i>	boolean
version <i>optional</i>	integer (int32)

3.34. DSAAndDatasetsDTO

Name	Schema
datasets <i>optional</i>	< < string, Serializable > map > array
id <i>optional</i>	integer (int32)
nonExistingDataset <i>optional</i>	< integer (int32) > array

3.35. DataFormatsDataSourcesResponse

Name	Schema
dataSources <i>optional</i>	< DataSourceDto > array
idDataFormat <i>optional</i>	string

3.36. DataSourceDto

Name	Schema
dataSourceNameResults <i>optional</i>	string
idDataSource <i>optional</i>	string
rules <i>optional</i>	< RuleDto > array

3.37. DatasetAndFieldsDTO

Name	Schema
fields <i>optional</i>	< < string, SimplifiedAttributeDTO > map > array
id <i>optional</i>	integer (int32)

3.38. DatasetFieldDTO

Name	Schema
attributes <i>optional</i>	< string, SimplifiedAttributeDTO > map
id <i>optional</i>	integer (int32)
validated <i>optional</i>	boolean

3.39. DeprecatedDTO

Name	Schema
id <i>optional</i>	integer (int32)
submitFormDTO <i>optional</i>	SubmitFormDTO

3.40. DirectAdherenceRequestDTO

Name	Schema
objectId <i>required</i>	integer (int32)
requestReason <i>optional</i>	< string, string > map
role <i>required</i>	string

3.41. DisAdherenceDTO

Name	Schema
userDisAdhered <i>optional</i>	string

3.42. DisAdherenceListDTO

Name	Schema
objectId <i>required</i>	integer (int32)
users <i>optional</i>	< string > array

3.43. DsaContractDTO

Name	Schema
dsaExpirationDate <i>optional</i>	integer (int64)
fileName <i>optional</i>	string
hasUploadFile <i>optional</i>	boolean

3.44. DsaDatasetDTO

Name	Schema
datasets <i>optional</i>	< integer (int32) > array

3.45. DsaDsCombinationDTO

Name	Schema
datasets <i>optional</i>	< EntityDTO > array
dsa <i>optional</i>	EntityDTO
dsaLicTermsRead <i>optional</i>	boolean
idDsaDatasetComb <i>optional</i>	integer (int32)

Name	Schema
required <i>optional</i>	boolean

3.46. DynamicCatalogDTO

Name	Schema
menus <i>optional</i>	< MenuDTO > array

3.47. DynamicCatalogFieldDTO

Name	Schema
attributeValues <i>optional</i>	< AttributeDefinitionValueDTO > array
componentFront <i>optional</i>	ComponentsFrontDTO
selectedValue <i>optional</i>	AttributeDefinitionDTO

3.48. EdgeGraphDTO

Name	Schema
arrow <i>optional</i>	string
canRedirect <i>optional</i>	boolean
dashes <i>optional</i>	boolean
from <i>optional</i>	string
idRelationship <i>optional</i>	integer (int32)
name <i>optional</i>	string
state <i>optional</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)
subtypeObject <i>optional</i>	string

Name	Schema
to <i>optional</i>	string

3.49. EditionConfigurationDTO

Name	Schema
currentValue <i>optional</i>	string
name <i>optional</i>	string
newValue <i>optional</i>	string
objectSubtype <i>optional</i>	string

3.50. EditionSubmitRuleDTO

Name	Schema
id <i>optional</i>	integer (int32)
idTemplateAttribute <i>optional</i>	integer (int32)
role <i>optional</i>	string

3.51. EntityCloneDTO

Name	Schema
creator <i>optional</i>	string
destination <i>optional</i>	string
infrastructure <i>optional</i>	string
name <i>optional</i>	string
organizationalUnit <i>optional</i>	string

Name	Schema
originalObject <i>optional</i>	integer (int32)
path <i>optional</i>	string
processAri <i>optional</i>	string
solutionAri <i>optional</i>	string
source <i>optional</i>	string
technology <i>optional</i>	string
zone <i>optional</i>	string

3.52. EntityCompositionRelationshipDTO

Name	Schema
relatedEntity <i>optional</i>	AriValueDTO

3.53. EntityDTO

Name	Schema
addInstances <i>optional</i>	boolean
adheredUsers <i>optional</i>	< string > array
adheredUsersOfOtherVersions <i>optional</i>	< string > array
ari <i>optional</i>	string
attributes <i>optional</i>	< AttributeValueDTO > array
creator <i>optional</i>	string
datasetName <i>optional</i>	string

Name	Schema
datasetVersion <i>optional</i>	integer (int32)
engineToIndex <i>optional</i>	boolean
expirationDate <i>optional</i>	integer (int64)
hasExternalRelationships <i>optional</i>	boolean
hasPendingOrDraftVersion <i>optional</i>	boolean
id <i>optional</i>	integer (int32)
idParent <i>optional</i>	integer (int32)
lastModifiedDate <i>optional</i>	integer (int64)
lastModifiedObject <i>optional</i>	boolean
lastValidVersion <i>optional</i>	boolean
module <i>optional</i>	enum (BG, DC, KERNO, TOT, PORTUNO, HD, AUTH, WF, AUDIT, SNAPSHOTS, ALL)
name <i>optional</i>	string
numInstances <i>optional</i>	integer (int32)
numOwnedInstances <i>optional</i>	integer (int32)
numRelatedInstances <i>optional</i>	integer (int32)
numVersions <i>optional</i>	integer (int32)
objectSubType <i>optional</i>	string
organizationalUnit <i>optional</i>	string
owners <i>optional</i>	< string > array

Name	Schema
path <i>optional</i>	string
pendingAdherenceUsers <i>optional</i>	< string > array
processName <i>optional</i>	string
relatedAris <i>optional</i>	< string, < string > array > map
relatedId <i>optional</i>	integer (int32)
relatedSolutions <i>optional</i>	string
relatedState <i>optional</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)
solutionName <i>optional</i>	string
startDate <i>optional</i>	integer (int64)
state <i>optional</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)
validated <i>optional</i>	boolean
validityDate <i>optional</i>	integer (int64)
version <i>optional</i>	integer (int32)
versionType <i>optional</i>	enum (CREATION, MODIFY, VERSION)

3.54. EntityDirectRelationshipDTO

Name	Schema
relatedEntity <i>optional</i>	AriValueDTO
relationship <i>optional</i>	AriValueDTO

Name	Schema
relationshipType <i>optional</i>	enum (SOURCE, DESTINATION)

3.55. EntityFilterRequest

Name	Schema
attributes <i>optional</i>	< string > array
infraTechZones <i>optional</i>	< InfrastructureTechnologyZoneDTO > array
isGoverned <i>optional</i>	boolean
objectSubType <i>optional</i>	string
retrieveAttributes <i>optional</i>	< string > array
states <i>optional</i>	< enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED) > array
withVersions <i>optional</i>	boolean

3.56. EntityFormDTO

Name	Schema
entityAttributes <i>optional</i>	< AttributeDefinitionDTO > array
idObject <i>optional</i>	integer (int32)
idParent <i>optional</i>	integer (int32)
modifiedDate <i>optional</i>	integer (int64)
organizationalUnit <i>optional</i>	string
referenceId <i>optional</i>	integer (int32)

3.57. EntityFormSimpleDTO

Name	Schema
entityAttributes <i>optional</i>	< AttributeDefinitionSimpleDTO > array
idObject <i>optional</i>	integer (int32)
modifiedDate <i>optional</i>	integer (int64)
organizationalUnit <i>optional</i>	string

3.58. EntityIndirectRelationshipDTO

Name	Schema
entity <i>optional</i>	AriValueDTO
relatedEntity <i>optional</i>	AriValueDTO
relationship <i>optional</i>	AriValueDTO
relationshipType <i>optional</i>	enum (SOURCE, DESTINATION)

3.59. ErrorDetailDTO

Name	Schema
error <i>optional</i>	string
id <i>optional</i>	integer (int32)

3.60. ExchangeRelationshipEndsDTO

Name	Schema
aris <i>optional</i>	< string > array

3.61. FilterBase

Name	Schema
criteria <i>optional</i>	object
order <i>optional</i>	enum (ASC, DESC)
page <i>optional</i>	integer (int32)
size <i>optional</i>	integer (int32)
sortBy <i>optional</i>	< string > array

3.62. FilterBaseEntityFilterRequest

Name	Schema
criteria <i>optional</i>	EntityFilterRequest
order <i>optional</i>	enum (ASC, DESC)
page <i>optional</i>	integer (int32)
size <i>optional</i>	integer (int32)
sortBy <i>optional</i>	< string > array

3.63. FilterBaseMapStringString

Name	Schema
criteria <i>optional</i>	< string, string > map
order <i>optional</i>	enum (ASC, DESC)
page <i>optional</i>	integer (int32)
size <i>optional</i>	integer (int32)

Name	Schema
sortBy <i>optional</i>	< string > array

3.64. FilterBaseVoid

Name	Schema
criteria <i>optional</i>	Void
order <i>optional</i>	enum (ASC, DESC)
page <i>optional</i>	integer (int32)
size <i>optional</i>	integer (int32)
sortBy <i>optional</i>	< string > array

3.65. GenericDTO

Name	Schema
name <i>optional</i>	string
value <i>optional</i>	object

3.66. GenericDTOListAttributeDefinitionDTO

Name	Schema
name <i>optional</i>	string
value <i>optional</i>	< AttributeDefinitionDTO > array

3.67. GenericDTOListEntityCompositionRelationshipDTO

Name	Schema
name <i>optional</i>	string

Name	Schema
value <i>optional</i>	< EntityCompositionRelationshipDTO > array

3.68. GenericDTOListEntityDTO

Name	Schema
name <i>optional</i>	string
value <i>optional</i>	< EntityDTO > array

3.69. GenericDTOListEntityDirectRelationshipDTO

Name	Schema
name <i>optional</i>	string
value <i>optional</i>	< EntityDirectRelationshipDTO > array

3.70. GenericDTOListEntityIndirectRelationshipDTO

Name	Schema
name <i>optional</i>	string
value <i>optional</i>	< EntityIndirectRelationshipDTO > array

3.71. GenericDTOListMapStringSerializable

Name	Schema
name <i>optional</i>	string
value <i>optional</i>	< < string, Serializable > map > array

3.72. GenericDTOListObjectStakeholderDTO

Name	Schema
name <i>optional</i>	string
value <i>optional</i>	< ObjectStakeholderDTO > array

3.73. GenericDTOListObjectVersionsDTO

Name	Schema
name <i>optional</i>	string
value <i>optional</i>	< ObjectVersionsDTO > array

3.74. GenericDTOListRelatedEntitiesDTO

Name	Schema
name <i>optional</i>	string
value <i>optional</i>	< RelatedEntitiesDTO > array

3.75. GenericDTOListRelatedObjectDTO

Name	Schema
name <i>optional</i>	string
value <i>optional</i>	< RelatedObjectDTO > array

3.76. GenericDTOListRelationshipOneSideDTO

Name	Schema
name <i>optional</i>	string
value <i>optional</i>	< RelationshipOneSideDTO > array

3.77. GenericDTOListString

Name	Schema
name <i>optional</i>	string
value <i>optional</i>	< string > array

3.78. GenericDTOMapStringString

Name	Schema
name <i>optional</i>	string
value <i>optional</i>	< string, string > map

3.79. GenericDTOSetString

Name	Schema
name <i>optional</i>	string
value <i>optional</i>	< string > array

3.80. GenericDTOString

Name	Schema
name <i>optional</i>	string
value <i>optional</i>	string

3.81. GraphicsDTO

Name	Schema
edges <i>optional</i>	< EdgeGraphDTO > array
nodes <i>optional</i>	< NodeGraphDTO > array

3.82. HeadEntityAndRelationshipInfoDTO

Name	Schema
ari <i>optional</i>	AriValueDTO
creator <i>optional</i>	string
dataset <i>optional</i>	AriValueDTO
destinationId <i>optional</i>	AriValueDTO
expirationDate <i>optional</i>	integer (int64)
flags <i>optional</i>	ObjectFlagsDTO
id <i>optional</i>	integer (int32)
idParent <i>optional</i>	integer (int32)
idWorkflowExecution <i>optional</i>	integer (int32)
infrastructure <i>optional</i>	string
module <i>optional</i>	enum (BG, DC, KERNO, TOT, PORTUNO, HD, AUTH, WF, AUDIT, SNAPSHOTS, ALL)
name <i>optional</i>	string
objectSubType <i>optional</i>	string
objectType <i>optional</i>	string
organizationalUnit <i>optional</i>	< string > array
path <i>optional</i>	string
process <i>optional</i>	AriValueDTO
relatedId <i>optional</i>	integer (int32)

Name	Schema
relatedState <i>optional</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)
solution <i>optional</i>	AriValueDTO
sourceId <i>optional</i>	AriValueDTO
startDate <i>optional</i>	integer (int64)
state <i>optional</i>	string
technicalId <i>optional</i>	string
technology <i>optional</i>	string
validityDate <i>optional</i>	integer (int64)
version <i>optional</i>	integer (int32)
zone <i>optional</i>	string

3.83. IdCombAndReasonDTO

Name	Schema
idComb <i>optional</i>	integer (int32)
requestReason <i>optional</i>	< string, string > map
role <i>optional</i>	string

3.84. IndexEntityInfoDTO

Name	Schema
attributeDefinitionList <i>optional</i>	< AttributeDefinitionDTO > array
entity <i>optional</i>	Serializable

Name	Schema
entityClass <i>optional</i>	string
objectSubtype <i>optional</i>	string
objectType <i>optional</i>	enum (ORGANIZATIONAL_UNIT, ENTITY, RELATIONSHIP, ATTRIBUTE, ALL, USER)

3.85. InfrastructureTechnologyZoneDTO

Name	Schema
infrastructure <i>optional</i>	string
technology <i>optional</i>	string
zone <i>optional</i>	string

3.86. InputStream

Type : object

3.87. InputStreamResource

Name	Schema
description <i>optional</i>	string
file <i>optional</i>	file
filename <i>optional</i>	string
inputStream <i>optional</i>	InputStream
open <i>optional</i>	boolean
readable <i>optional</i>	boolean
uri <i>optional</i>	string (uri)

Name	Schema
url <i>optional</i>	string (url)

3.88. InstanceAndDatasetsDTO

Name	Schema
datasets <i>optional</i>	< < string, Serializable > map > array
id <i>optional</i>	integer (int32)
nonExistingDataset <i>optional</i>	< integer (int32) > array

3.89. InstanceDatasetsDTO

Name	Schema
datasets <i>optional</i>	< integer (int32) > array

3.90. InternationalizedMessage

Name	Schema
name <i>optional</i>	string
parameters <i>optional</i>	< string > array
translationKey <i>optional</i>	string

3.91. MassiveEditDTO

Name	Schema
attributes <i>optional</i>	< AdminAttributeValueDTO > array
objectList <i>optional</i>	< integer (int32) > array

3.92. MassiveOperationResult

Name	Schema
failed <i>optional</i>	< ErrorDetailDTO > array
successful <i>optional</i>	< integer (int32) > array

3.93. MassiveSubmitRequest

Name	Schema
ids <i>optional</i>	< integer (int32) > array
role <i>optional</i>	string

3.94. MenuDTO

Name	Schema
description <i>optional</i>	string
idMenu <i>optional</i>	integer (int32)
idSubType <i>optional</i>	integer (int32)
name <i>optional</i>	string
orderMenu <i>optional</i>	integer (int32)
sections <i>optional</i>	< SectionsDTO > array

3.95. NewVersionDTO

Name	Schema
oldVersionEndDate <i>optional</i>	string
versionReasons <i>optional</i>	< EditionConfigurationDTO > array

Name	Schema
versionReasonsSpecialFields <i>optional</i>	< string, < EditionConfigurationDTO > array > map
versionType <i>optional</i>	enum (CREATION, MODIFY, VERSION)

3.96. NodeGraphDTO

Name	Schema
idEntity <i>optional</i>	integer (int32)
lastModifiedObject <i>optional</i>	boolean
lastValidVersion <i>optional</i>	boolean
moreInfo <i>optional</i>	< string, Serializable > map
name <i>optional</i>	string
objectAri <i>optional</i>	string
organizationalUnit <i>optional</i>	string
redirection <i>optional</i>	string
state <i>optional</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)
subtypeObject <i>optional</i>	string
timestamp <i>optional</i>	integer (int64)
version <i>optional</i>	integer (int32)

3.97. ObjectFlagsDTO

Name	Schema
adhered <i>optional</i>	boolean

Name	Schema
canAddToCart <i>optional</i>	boolean
canAdhereDirect <i>optional</i>	boolean
canCreateFields <i>optional</i>	boolean
canDelete <i>optional</i>	boolean
canDeprecate <i>optional</i>	boolean
canDisadhere <i>optional</i>	boolean
canOwnerDisadhere <i>optional</i>	boolean
canRelate <i>optional</i>	boolean
canSubmit <i>optional</i>	boolean
canTransfer <i>optional</i>	boolean
hasSampleData <i>optional</i>	boolean
isActivable <i>optional</i>	boolean
isClonable <i>optional</i>	boolean
isDeactivable <i>optional</i>	boolean
isEditable <i>optional</i>	boolean
isInAdherenceCart <i>optional</i>	boolean
isOwner <i>optional</i>	boolean
pendingAdherence <i>optional</i>	boolean
specialSave <i>optional</i>	boolean

Name	Schema
validated <i>optional</i>	boolean

3.98. ObjectFlagsRequestDTO

Name	Schema
idsBySubType <i>optional</i>	< string, < integer (int32) > array > map
username <i>optional</i>	string

3.99. ObjectFlagsResponseDTO

Name	Schema
flagsByIdBySubType <i>optional</i>	< string, < string, ObjectFlagsDTO > map > map

3.100. ObjectInfoDTO

Name	Schema
id <i>optional</i>	integer (int32)
objectSubtype <i>optional</i>	string
objectType <i>optional</i>	enum (ORGANIZATIONAL_UNIT, ENTITY, RELATIONSHIP, ATTRIBUTE, ALL, USER)

3.101. ObjectStakeholderDTO

Name	Schema
role <i>optional</i>	string
type <i>optional</i>	string
user <i>optional</i>	string

3.102. ObjectStakeholdersDTO

Name	Schema
organizationalUnits <i>optional</i>	< string > array
users <i>optional</i>	< string, < string > array > map

3.103. ObjectSubTypeDTO

Name	Schema
activateWF <i>optional</i>	string
allowExcelImport <i>optional</i>	boolean
createWF <i>optional</i>	string
deactivateWF <i>optional</i>	string
deprecateWF <i>optional</i>	string
id <i>optional</i>	integer (int32)
modifyWF <i>optional</i>	string
module <i>optional</i>	enum (BG, DC, KERNO, TOT, PORTUNO, HD, AUTH, WF, AUDIT, SNAPSHOTS, ALL)
name <i>optional</i>	string
objectType <i>optional</i>	string
parental <i>optional</i>	boolean
transferWF <i>optional</i>	string
wfRoleDependent <i>optional</i>	boolean

3.104. ObjectTypeAnjana

Name	Schema
objectType <i>optional</i>	string

3.105. ObjectVersionsDTO

Name	Schema
ari <i>optional</i>	string
expirationDate <i>optional</i>	integer (int64)
id <i>optional</i>	integer (int32)
idParent <i>optional</i>	integer (int32)
name <i>optional</i>	string
organizationalUnit <i>optional</i>	string
snapshotId <i>optional</i>	string
startDate <i>optional</i>	integer (int64)
state <i>optional</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)
version <i>optional</i>	integer (int32)
workflowValidationId <i>optional</i>	integer (int32)

3.106. PendingAdherenceEventsDTO

Name	Schema
combinations <i>optional</i>	< CombinationDTO > array
idPae <i>optional</i>	integer (int32)

Name	Schema
idUser <i>optional</i>	string
startDate <i>optional</i>	integer (int64)
status <i>optional</i>	boolean

3.107. QueryEntityFilterResponse

Name	Schema
hasToValidate <i>optional</i>	boolean
importStatusFilterValues <i>optional</i>	< string > array
notificationTypesFilterValues <i>optional</i>	< string > array
related <i>optional</i>	< Serializable > array
requestImport <i>optional</i>	RequestImportDTO
requestTypesFilterValues <i>optional</i>	< string > array
results <i>optional</i>	< Serializable > array
stateFilterValues <i>optional</i>	< string > array
subtypeObjectFilterValues <i>optional</i>	< string > array
totalPages <i>optional</i>	integer (int32)
totalResults <i>optional</i>	integer (int64)
typeObjectFilterValues <i>optional</i>	< string > array
versions <i>optional</i>	< Serializable > array
workflowTypesFilterValues <i>optional</i>	< string > array

3.108. QueryEntityFilterResponseEntityDTO

Name	Schema
hasToValidate <i>optional</i>	boolean
importStatusFilterValues <i>optional</i>	< string > array
notificationTypesFilterValues <i>optional</i>	< string > array
related <i>optional</i>	< EntityDTO > array
requestImport <i>optional</i>	RequestImportDTO
requestTypesFilterValues <i>optional</i>	< string > array
results <i>optional</i>	< EntityDTO > array
stateFilterValues <i>optional</i>	< string > array
subtypeObjectFilterValues <i>optional</i>	< string > array
totalPages <i>optional</i>	integer (int32)
totalResults <i>optional</i>	integer (int64)
typeObjectFilterValues <i>optional</i>	< string > array
versions <i>optional</i>	< EntityDTO > array
workflowTypesFilterValues <i>optional</i>	< string > array

3.109. QueryResponseDTO

Name	Schema
hasToValidate <i>optional</i>	boolean
importStatusFilterValues <i>optional</i>	< string > array

Name	Schema
notificationTypesFilterValues <i>optional</i>	< string > array
requestImport <i>optional</i>	RequestImportDTO
requestTypesFilterValues <i>optional</i>	< string > array
results <i>optional</i>	< Serializable > array
stateFilterValues <i>optional</i>	< string > array
subtypeObjectFilterValues <i>optional</i>	< string > array
totalPages <i>optional</i>	integer (int32)
totalResults <i>optional</i>	integer (int64)
typeObjectFilterValues <i>optional</i>	< string > array
workflowTypesFilterValues <i>optional</i>	< string > array

3.110.

QueryResponseDTODataFormatsDataSourcesResponse

Name	Schema
hasToValidate <i>optional</i>	boolean
importStatusFilterValues <i>optional</i>	< string > array
notificationTypesFilterValues <i>optional</i>	< string > array
requestImport <i>optional</i>	RequestImportDTO
requestTypesFilterValues <i>optional</i>	< string > array
results <i>optional</i>	< DataFormatsDataSourcesResponse > array

Name	Schema
stateFilterValues <i>optional</i>	< string > array
subtypeObjectFilterValues <i>optional</i>	< string > array
totalPages <i>optional</i>	integer (int32)
totalResults <i>optional</i>	integer (int64)
typeObjectFilterValues <i>optional</i>	< string > array
workflowTypesFilterValues <i>optional</i>	< string > array

3.111. RelatedEntitiesDTO

Name	Schema
ari <i>optional</i>	string
input <i>optional</i>	boolean
state <i>optional</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)
version <i>optional</i>	integer (int32)

3.112. RelatedObjectDTO

Name	Schema
idObj <i>optional</i>	integer (int32)
input <i>optional</i>	boolean
moduleObj <i>optional</i>	enum (BG, DC, KERNO, TOT, PORTUNO, HD, AUTH, WF, AUDIT, SNAPSHOTS, ALL)
name <i>optional</i>	string
typeObj <i>optional</i>	string

Name	Schema
version <i>optional</i>	integer (int32)

3.113. RelationshipDTO

Name	Schema
ari <i>optional</i>	string
attributes <i>optional</i>	< AttributeValueDTO > array
creator <i>optional</i>	string
destination <i>optional</i>	string
destinationModule <i>optional</i>	enum (BG, DC, KERNO, TOT, PORTUNO, HD, AUTH, WF, AUDIT, SNAPSHOTS, ALL)
destinationType <i>optional</i>	string
expirationDate <i>optional</i>	integer (int64)
hasPendingOrDraftVersion <i>optional</i>	boolean
id <i>optional</i>	integer (int32)
idParent <i>optional</i>	integer (int32)
lastModifiedDate <i>optional</i>	integer (int64)
lastModifiedObject <i>optional</i>	boolean
module <i>optional</i>	enum (BG, DC, KERNO, TOT, PORTUNO, HD, AUTH, WF, AUDIT, SNAPSHOTS, ALL)
name <i>optional</i>	string
objectSubType <i>optional</i>	string
organizationalUnit <i>optional</i>	< string > array

Name	Schema
relatedId <i>optional</i>	integer (int32)
relatedState <i>optional</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)
source <i>optional</i>	string
sourceModule <i>optional</i>	enum (BG, DC, KERNO, TOT, PORTUNO, HD, AUTH, WF, AUDIT, SNAPSHOTS, ALL)
sourceType <i>optional</i>	string
startDate <i>optional</i>	integer (int64)
state <i>optional</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)
validated <i>optional</i>	boolean
validityDate <i>optional</i>	integer (int64)

3.114. RelationshipFormDTO

Name	Schema
idObject <i>optional</i>	integer (int32)
modifiedDate <i>optional</i>	integer (int64)
relationshipAttributes <i>optional</i>	< AttributeDefinitionSimpleDTO > array

3.115. RelationshipOneSideDTO

Name	Schema
id <i>optional</i>	integer (int32)
input <i>optional</i>	boolean

Name	Schema
name <i>optional</i>	string
objectSubType <i>optional</i>	string
organizationalUnit <i>optional</i>	string
relatedAri <i>optional</i>	string
relatedId <i>optional</i>	integer (int32)
relatedName <i>optional</i>	string
relatedSubType <i>optional</i>	string
relatedVersion <i>optional</i>	integer (int32)
sourceName <i>optional</i>	string
state <i>optional</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)

3.116. RequestAttributeDefinitionValuesDTO

Name	Schema
attributeName <i>optional</i>	string

3.117. RequestAttributeNameRelatedToObjectsDto

Name	Schema
attributes <i>optional</i>	< string > array
objects <i>optional</i>	< string > array

3.118. RequestImportDTO

Name	Schema
endImportDate <i>optional</i>	string (date-time)
extractResult <i>optional</i>	boolean
fileARI <i>optional</i>	string
id <i>optional</i>	integer (int32)
importer <i>optional</i>	string
objectSubType <i>optional</i>	string
objectType <i>optional</i>	string
percentage <i>optional</i>	integer (int32)
percentageKo <i>optional</i>	number (float)
percentageOk <i>optional</i>	number (float)
percentagePending <i>optional</i>	number (float)
requestType <i>optional</i>	enum (EXCEL, AUTOMATIC)
source <i>optional</i>	string
startImportDate <i>optional</i>	string (date-time)
state <i>optional</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)
total <i>optional</i>	integer (int32)

3.119. RequestNewDsaDTO

Name	Schema
elements <i>optional</i>	< string, < ValuesDTO > array > map

Name	Schema
reason <i>optional</i>	< string, string > map

3.120. ResponseBase

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	object
description <i>optional</i>	string

3.121. ResponseBaseAdminDatasetFieldResponseDTO

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	AdminDatasetFieldResponseDTO
description <i>optional</i>	string

3.122. ResponseBaseAdminEntityResponseDTO

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	AdminEntityResponseDTO
description <i>optional</i>	string

3.123. ResponseBaseAttributeDefinitionDTO

Name	Schema
code <i>optional</i>	string

Name	Schema
data <i>optional</i>	AttributeDefinitionDTO
description <i>optional</i>	string

3.124. ResponseBaseAttributeDefinitionValueDTO

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	AttributeDefinitionValueDTO
description <i>optional</i>	string

3.125. ResponseBaseBaseDTO

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	BaseDTO
description <i>optional</i>	string

3.126. ResponseBaseBoolean

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	boolean
description <i>optional</i>	string

3.127. ResponseBaseCombinationContractsDTO

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	CombinationContractsDTO
description <i>optional</i>	string

3.128. ResponseBaseDSA

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	DSA
description <i>optional</i>	string

3.129. ResponseBaseDSAAndDatasetsDTO

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	DSAAndDatasetsDTO
description <i>optional</i>	string

3.130. ResponseBaseDatasetAndFieldsDTO

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	DatasetAndFieldsDTO
description <i>optional</i>	string

3.131. ResponseBaseDynamicCatalogDTO

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	DynamicCatalogDTO
description <i>optional</i>	string

3.132. ResponseBaseEditionSubmitRuleDTO

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	EditionSubmitRuleDTO
description <i>optional</i>	string

3.133. ResponseBaseEntityDTO

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	EntityDTO
description <i>optional</i>	string

3.134.

ResponseBaseGenericDTOListAttributeDefinitionDTO

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	GenericDTOListAttributeDefinitionDTO
description <i>optional</i>	string

3.135.

ResponseBaseGenericDTOListEntityCompositionRelationshipDTO

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	GenericDTOListEntityCompositionRelationshipDTO
description <i>optional</i>	string

3.136. ResponseBaseGenericDTOListEntityDTO

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	GenericDTOListEntityDTO
description <i>optional</i>	string

3.137.

ResponseBaseGenericDTOListEntityDirectRelationshipDTO

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	GenericDTOListEntityDirectRelationshipDTO
description <i>optional</i>	string

3.138.

ResponseBaseGenericDTOListEntityIndirectRelationshipDTO

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	GenericDTOListEntityIndirectRelationshipDTO
description <i>optional</i>	string

3.139.

ResponseBaseGenericDTOListMapStringSerializable

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	GenericDTOListMapStringSerializable
description <i>optional</i>	string

3.140.

ResponseBaseGenericDTOListObjectStakeholderDTO

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	GenericDTOListObjectStakeholderDTO
description <i>optional</i>	string

3.141.

ResponseBaseGenericDTOListObjectVersionsDTO

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	GenericDTOListObjectVersionsDTO
description <i>optional</i>	string

3.142.

ResponseBaseGenericDTOListRelatedEntitiesDTO

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	GenericDTOListRelatedEntitiesDTO
description <i>optional</i>	string

3.143. ResponseBaseGenericDTOListRelatedObjectDTO

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	GenericDTOListRelatedObjectDTO
description <i>optional</i>	string

3.144.

ResponseBaseGenericDTOListRelationshipOneSideDT O

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	GenericDTOListRelationshipOneSideDTO

Name	Schema
description <i>optional</i>	string

3.145. ResponseBaseGenericDTOListString

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	GenericDTOListString
description <i>optional</i>	string

3.146. ResponseBaseGenericDTOMapStringString

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	GenericDTOMapStringString
description <i>optional</i>	string

3.147. ResponseBaseGenericDTOSetString

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	GenericDTOSetString
description <i>optional</i>	string

3.148. ResponseBaseGenericDTOString

Name	Schema
code <i>optional</i>	string

Name	Schema
data <i>optional</i>	GenericDTOString
description <i>optional</i>	string

3.149. ResponseBaseGraphicsDTO

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	GraphicsDTO
description <i>optional</i>	string

3.150.

ResponseBaseHeadEntityAndRelationshipInfoDTO

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	HeadEntityAndRelationshipInfoDTO
description <i>optional</i>	string

3.151. ResponseBaseIndexEntityInfoDTO

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	IndexEntityInfoDTO
description <i>optional</i>	string

3.152. ResponseBaseInstanceAndDatasetsDTO

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	InstanceAndDatasetsDTO
description <i>optional</i>	string

3.153. ResponseBaseInteger

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	integer (int32)
description <i>optional</i>	string

3.154. ResponseBaseListAdherenceCartDTO

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	< AdherenceCartDTO > array
description <i>optional</i>	string

3.155. ResponseBaseListAriValueDTO

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	< AriValueDTO > array
description <i>optional</i>	string

3.156. ResponseBaseListAttributeDefinitionDTO

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	< AttributeDefinitionDTO > array
description <i>optional</i>	string

3.157. ResponseBaseListCustomTypeDTO

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	< CustomTypeDTO > array
description <i>optional</i>	string

3.158. ResponseBaseListDatasetFieldDTO

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	< DatasetFieldDTO > array
description <i>optional</i>	string

3.159. ResponseBaseListEditionConfigurationDTO

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	< EditionConfigurationDTO > array
description <i>optional</i>	string

3.160. ResponseBaseListInternationalizedMessage

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	< InternationalizedMessage > array
description <i>optional</i>	string

3.161. ResponseBaseListMapStringSerializable

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	< < string, Serializable > map > array
description <i>optional</i>	string

3.162. ResponseBaseListObjectSubTypeDTO

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	< ObjectSubTypeDTO > array
description <i>optional</i>	string

3.163. ResponseBaseListObjectTypeAnjana

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	< ObjectTypeAnjana > array
description <i>optional</i>	string

3.164. ResponseBaseListSelectValueDTO

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	< SelectValueDTO > array
description <i>optional</i>	string

3.165. ResponseBaseListSubTypeDTO

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	< SubTypeDTO > array
description <i>optional</i>	string

3.166. ResponseBaseMapStringMapStringSerializable

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	< string, < string, Serializable > map > map
description <i>optional</i>	string

3.167. ResponseBaseMapStringSetString

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	< string, < string > array > map
description <i>optional</i>	string

3.168. ResponseBaseMassiveOperationResult

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	MassiveOperationResult
description <i>optional</i>	string

3.169. ResponseBaseMenuDTO

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	MenuDTO
description <i>optional</i>	string

3.170. ResponseBaseNewVersionDTO

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	NewVersionDTO
description <i>optional</i>	string

3.171. ResponseBaseObject

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	object
description <i>optional</i>	string

3.172. ResponseBaseObjectFlagsResponseDTO

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	ObjectFlagsResponseDTO
description <i>optional</i>	string

3.173. ResponseBaseObjectStakeholdersDTO

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	ObjectStakeholdersDTO
description <i>optional</i>	string

3.174. ResponseBaseObjectSubTypeDTO

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	ObjectSubTypeDTO
description <i>optional</i>	string

3.175. ResponseBasePendingAdherenceEventsDTO

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	PendingAdherenceEventsDTO
description <i>optional</i>	string

3.176.

ResponseBaseQueryEntityFilterResponseEntityDTO

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	QueryEntityFilterResponseEntityDTO
description <i>optional</i>	string

3.177.

ResponseBaseQueryResponseDTODataFormatsDataSourcesResponse

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	QueryResponseDTODataFormatsDataSourcesResponse
description <i>optional</i>	string

3.178. ResponseBaseRelationshipDTO

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	RelationshipDTO
description <i>optional</i>	string

3.179. ResponseBaseSectionsDTO

Name	Schema
code <i>optional</i>	string

Name	Schema
data <i>optional</i>	SectionsDTO
description <i>optional</i>	string

3.180. ResponseBaseSetInteger

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	< integer (int32) > array
description <i>optional</i>	string

3.181. ResponseBaseSetSelectValueDTO

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	< SelectValueDTO > array
description <i>optional</i>	string

3.182. ResponseBaseSolutionAndInstancesDTO

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	SolutionAndInstancesDTO
description <i>optional</i>	string

3.183. ResponseBaseString

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	string
description <i>optional</i>	string

3.184. ResponseBaseSubmitEntityDTOString

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	SubmitEntityDTOString
description <i>optional</i>	string

3.185. ResponseBaseTelemetryData

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	TelemetryData
description <i>optional</i>	string

3.186. ResponseBaseTemplateAttributeDTO

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	TemplateAttributeDTO
description <i>optional</i>	string

3.187. ResponseBaseVoid

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	Void
description <i>optional</i>	string

3.188. ResponseBaseWizardDTO

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	WizardDTO
description <i>optional</i>	string

3.189. ResponseBaseWorkflowResponseDTO

Name	Schema
code <i>optional</i>	string
data <i>optional</i>	WorkflowResponseDTO
description <i>optional</i>	string

3.190. RuleDto

Name	Schema
ari <i>optional</i>	string
idQualityPoint <i>optional</i>	string
idQualityRule <i>optional</i>	string

3.191. SectionsDTO

Name	Schema
description <i>optional</i>	string
idMenu <i>optional</i>	integer (int32)
idSection <i>optional</i>	integer (int32)
name <i>optional</i>	string
orderSection <i>optional</i>	integer (int32)
sectionFields <i>optional</i>	< DynamicCatalogFieldDTO > array

3.192. SelectValueDTO

Name	Schema
labelSelect <i>optional</i>	string
value <i>optional</i>	string

3.193. Serializable

Type : object

3.194. SimpleObjectDTO

Name	Schema
objectId <i>optional</i>	integer (int32)
objectName <i>optional</i>	string
objectSubtype <i>optional</i>	string
objectType <i>optional</i>	enum (ORGANIZATIONAL_UNIT, ENTITY, RELATIONSHIP, ATTRIBUTE, ALL, USER)

Name	Schema
organizationalUnit <i>optional</i>	string
version <i>optional</i>	integer (int32)

3.195. SimplifiedAttributeDTO

Name	Schema
label <i>optional</i>	string
type <i>optional</i>	enum (INPUT_TEXT, INPUT_DATE, INPUT_RANGE, INPUT_NUMBER, SELECT, TEXT_AREA, INPUT_CHECKBOX, INPUT_DECIMAL, SELECT_USERS, MULTI_USERS, SELECT_ORGANIZATIONAL_UNIT, MULTI_ORGANIZATIONAL_UNIT, UPLOAD_FILE, UPLOAD_URL, ARRAY_NUMBER, ARRAY_DATE, ARRAY_DECIMAL, ARRAY_BOOLEAN, ARRAY_ALPHANUMERICAL, ARRAY_UPLOAD_FILE, ARRAY_UPLOAD_URL, MULTI_SELECT, ARRAY_ENTITY, ENTITY_SEARCH, ENRICHED_TEXT_AREA, INPUT_TEXT_INTERNATIONAL, TEXT_AREA_INTERNATIONAL, ENRICHED_TEXT_AREA_INTERNATIONAL, ENTITY_CONTAINER, TREE_SELECT, TREE_MULTISELECT, SELECT_IMG_TXT, MULTI_SELECT_IMG_TXT, SELECT_IMG, MULTI_SELECT_IMG)
value <i>optional</i>	object

3.196. SolutionAndInstancesDTO

Name	Schema
instances <i>optional</i>	< RelationshipDTO > array
nonExistingInstances <i>optional</i>	< integer (int32) > array
solution <i>optional</i>	integer (int32)

3.197. SolutionInstancesDTO

Name	Schema
instances <i>optional</i>	< integer (int32) > array

3.198. StreamingResponseBody

Type : object

3.199. SubTypeDTO

Name	Schema
destinationFilter <i>optional</i>	< string, Serializable > map
module <i>optional</i>	string
objectSubType <i>optional</i>	string
objectType <i>optional</i>	string
processFilter <i>optional</i>	< string, Serializable > map
solutionFilter <i>optional</i>	< string, Serializable > map
sourceFilter <i>optional</i>	< string, Serializable > map

3.200. SubmitEntityDTO

Name	Schema
name <i>optional</i>	string
redirectId <i>optional</i>	integer (int32)
value <i>optional</i>	object

3.201. SubmitEntityDTOString

Name	Schema
name <i>optional</i>	string
redirectId <i>optional</i>	integer (int32)
value <i>optional</i>	string

3.202. SubmitFormDTO

Name	Schema
expirationDate <i>optional</i>	integer (int64)
organizationalUnit <i>optional</i>	string
requestReason <i>optional</i>	< string, string > map
role <i>optional</i>	string

3.203. TelemetryData

Name	Schema
activeEntities <i>optional</i>	integer (int32)
allEntities <i>optional</i>	integer (int32)
datasets <i>optional</i>	integer (int32)
dsas <i>optional</i>	integer (int32)
infoMachine <i>optional</i>	string
processInstances <i>optional</i>	integer (int32)
processes <i>optional</i>	integer (int32)
userLogins <i>optional</i>	integer (int32)

Name	Schema
userSessions <i>optional</i>	integer (int32)
users <i>optional</i>	integer (int32)

3.204. TemplateAttributeDTO

Name	Schema
attributeDefinition <i>required</i>	AttributeDefinitionDTO
componentFront <i>optional</i>	ComponentsFrontDTO
idTemplateAttribute <i>optional</i>	integer (int32)
section <i>required</i>	SectionsDTO
sort <i>optional</i>	integer (int32)
validations <i>optional</i>	< TemplateAttributeValidationDTO > array

3.205. TemplateAttributeValidationDTO

Name	Schema
onlyOnEdition <i>optional</i>	boolean
validatorKey <i>optional</i>	enum (REQUIRED, NOT_EDITABLE, MIN, MAX, MIN_LENGTH, MAX_LENGTH, MIN_LENGTH_ARRAY, MAX_LENGTH_ARRAY, DEPENDS_ON, HERITABLE, MAX_DECIMAL_PRECISION, MIN_DECIMAL_PRECISION, SUBTYPE_FILTER, RELATIONSHIP_TYPE)
validatorMessage <i>optional</i>	string
validatorParams <i>optional</i>	object

3.206. UpdateNameDTO

Name	Schema
name <i>required</i>	string
objectId <i>required</i>	integer (int32)

3.207. ValuesDTO

Name	Schema
childList <i>optional</i>	< ValuesDTO > array
imported <i>optional</i>	boolean
valueId <i>optional</i>	integer (int32)
valueName <i>optional</i>	string

3.208. WizardDTO

Name	Schema
addInstances <i>optional</i>	boolean
adheredUsers <i>optional</i>	< string > array
adheredUsersOfOtherVersions <i>optional</i>	< string > array
ari <i>optional</i>	string
attributes <i>optional</i>	< AttributeValueDTO > array
creator <i>optional</i>	string
datasetName <i>optional</i>	string
datasetVersion <i>optional</i>	integer (int32)
engineToIndex <i>optional</i>	boolean

Name	Schema
expirationDate <i>optional</i>	integer (int64)
hasExternalRelationships <i>optional</i>	boolean
hasPendingOrDraftVersion <i>optional</i>	boolean
id <i>optional</i>	integer (int32)
idParent <i>optional</i>	integer (int32)
infrastructure <i>optional</i>	string
lastModifiedDate <i>optional</i>	integer (int64)
lastModifiedObject <i>optional</i>	boolean
lastValidVersion <i>optional</i>	boolean
module <i>optional</i>	enum (BG, DC, KERNO, TOT, PORTUNO, HD, AUTH, WF, AUDIT, SNAPSHOTS, ALL)
name <i>optional</i>	string
numInstances <i>optional</i>	integer (int32)
numOwnedInstances <i>optional</i>	integer (int32)
numRelatedInstances <i>optional</i>	integer (int32)
numVersions <i>optional</i>	integer (int32)
objectSubType <i>optional</i>	string
organizationalUnit <i>optional</i>	string
owners <i>optional</i>	< string > array
path <i>optional</i>	string

Name	Schema
pendingAdherenceUsers <i>optional</i>	< string > array
processAri <i>optional</i>	string
processName <i>optional</i>	string
relatedAris <i>optional</i>	< string, < string > array > map
relatedId <i>optional</i>	integer (int32)
relatedSolutions <i>optional</i>	string
relatedState <i>optional</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)
solutionAri <i>optional</i>	string
solutionName <i>optional</i>	string
startDate <i>optional</i>	integer (int64)
state <i>optional</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)
technology <i>optional</i>	string
validated <i>optional</i>	boolean
validityDate <i>optional</i>	integer (int64)
version <i>optional</i>	integer (int32)
versionType <i>optional</i>	enum (CREATION, MODIFY, VERSION)
zone <i>optional</i>	string

3.209. WizardWithPositionAndPhysicalNameDTO

Name	Schema
addInstances <i>optional</i>	boolean
adheredUsers <i>optional</i>	< string > array
adheredUsersOfOtherVersions <i>optional</i>	< string > array
ari <i>optional</i>	string
attributes <i>optional</i>	< AttributeValueDTO > array
creator <i>optional</i>	string
datasetName <i>optional</i>	string
datasetVersion <i>optional</i>	integer (int32)
engineToIndex <i>optional</i>	boolean
expirationDate <i>optional</i>	integer (int64)
hasExternalRelationships <i>optional</i>	boolean
hasPendingOrDraftVersion <i>optional</i>	boolean
id <i>optional</i>	integer (int32)
idParent <i>optional</i>	integer (int32)
infrastructure <i>optional</i>	string
lastModifiedDate <i>optional</i>	integer (int64)
lastModifiedObject <i>optional</i>	boolean
lastValidVersion <i>optional</i>	boolean

Name	Schema
module <i>optional</i>	enum (BG, DC, KERNO, TOT, PORTUNO, HD, AUTH, WF, AUDIT, SNAPSHOTS, ALL)
name <i>optional</i>	string
numInstances <i>optional</i>	integer (int32)
numOwnedInstances <i>optional</i>	integer (int32)
numRelatedInstances <i>optional</i>	integer (int32)
numVersions <i>optional</i>	integer (int32)
objectSubType <i>optional</i>	string
organizationalUnit <i>optional</i>	string
owners <i>optional</i>	< string > array
path <i>optional</i>	string
pendingAdherenceUsers <i>optional</i>	< string > array
physicalName <i>optional</i>	string
position <i>optional</i>	integer (int32)
processAri <i>optional</i>	string
processName <i>optional</i>	string
relatedAris <i>optional</i>	< string, < string > array > map
relatedId <i>optional</i>	integer (int32)
relatedSolutions <i>optional</i>	string
relatedState <i>optional</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)

Name	Schema
solutionAri <i>optional</i>	string
solutionName <i>optional</i>	string
startDate <i>optional</i>	integer (int64)
state <i>optional</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)
technology <i>optional</i>	string
validated <i>optional</i>	boolean
validityDate <i>optional</i>	integer (int64)
version <i>optional</i>	integer (int32)
versionType <i>optional</i>	enum (CREATION, MODIFY, VERSION)
zone <i>optional</i>	string

3.210. WorkflowEndInfo

Name	Schema
accepted <i>optional</i>	boolean
moduleType <i>optional</i>	enum (BG, DC, KERNO, TOT, PORTUNO, HD, AUTH, WF, AUDIT, SNAPSHOTS, ALL)

3.211. WorkflowResponseDTO

Name	Schema
errorMessage <i>optional</i>	string
idObject <i>optional</i>	integer (int32)
idWorkflowExecution <i>optional</i>	integer (int32)