

# Minerva API documentation

# Table of Contents

1. Overview .....	1
1.1. Version information .....	1
1.2. URI scheme .....	1
2. Paths .....	2
2.1. GET /api/admin/minerva/audit/getAll .....	2
2.1.1. Responses .....	2
2.2. GET /api/admin/minerva/audit/getAll/{objectSubType}/{objectId} .....	2
2.2.1. Parameters .....	2
2.2.2. Responses .....	2
2.3. GET /api/admin/minerva/audit/getAll/{username} .....	2
2.3.1. Parameters .....	2
2.3.2. Responses .....	2
2.4. POST /api/admin/minerva/audit/save .....	3
2.4.1. Parameters .....	3
2.4.2. Responses .....	3
2.5. DELETE /api/admin/minerva/collection .....	3
2.5.1. Responses .....	3
2.6. DELETE /api/admin/minerva/collection/delete-field/{field} .....	3
2.6.1. Parameters .....	3
2.6.2. Responses .....	3
2.7. DELETE /api/admin/minerva/collection/delete-field/{field}/kerno .....	4
2.7.1. Parameters .....	4
2.7.2. Responses .....	4
2.8. DELETE /api/admin/minerva/collection/kerno .....	4
2.8.1. Responses .....	4
2.9. PUT /api/admin/minerva/collection/update .....	4
2.9.1. Responses .....	4
2.10. PUT /api/admin/minerva/collection/update/kerno .....	5
2.10.1. Responses .....	5
2.11. POST /api/admin/minerva/create/filterConf .....	5
2.11.1. Parameters .....	5
2.11.2. Responses .....	5
2.12. POST /api/admin/minerva/index .....	5
2.12.1. Parameters .....	5
2.12.2. Responses .....	5
2.13. GET /api/admin/minerva/kerno/getAll .....	6
2.13.1. Responses .....	6
2.14. POST /api/admin/minerva/migrateAuditLogsAndSnapshots .....	6

2.14.1. Responses	6
2.15. GET /api/admin/minerva/snapshots/getAll/{objectSubType}/{objectId}	6
2.15.1. Parameters	6
2.15.2. Responses	6
2.16. PATCH /api/admin/minerva/update/filterConf	7
2.16.1. Parameters	7
2.16.2. Responses	7
2.17. DELETE /api/v1/indexer/{target}/deleteAll	7
2.17.1. Parameters	7
2.17.2. Responses	7
2.18. POST /api/v1/indexer/{target}/search	7
2.18.1. Parameters	7
2.18.2. Responses	8
2.19. POST /api/v1/indexer/{target}/search/checkWorkflow	8
2.19.1. Parameters	8
2.19.2. Responses	8
2.20. POST /api/v1/snapshot/download	8
2.20.1. Parameters	8
2.20.2. Responses	8
2.21. GET /api/v1/snapshot/downloadByObject/{objectSubType}/{objectId}	9
2.21.1. Parameters	9
2.21.2. Responses	9
2.22. GET /api/v2/favorite/user	9
2.22.1. Responses	9
2.23. POST /api/v2/favorite/user/delete	9
2.23.1. Parameters	9
2.23.2. Responses	9
2.24. POST /api/v2/favorite/user/save	10
2.24.1. Parameters	10
2.24.2. Responses	10
2.25. POST /api/v4/audit/search	10
2.25.1. Parameters	10
2.25.2. Responses	10
2.26. POST /api/v4/audit/search/{pageName}	10
2.26.1. Parameters	10
2.26.2. Responses	11
2.27. POST /api/v4/indexer/ari-search	11
2.27.1. Parameters	11
2.27.2. Responses	11
2.28. POST /api/v4/snapshot/compare	11
2.28.1. Parameters	11

2.28.2. Responses .....	11
2.29. POST /api/v4/snapshot/uuids .....	12
2.29.1. Parameters .....	12
2.29.2. Responses .....	12
2.30. POST /internal/v1/audit/reset .....	12
2.30.1. Parameters .....	12
2.30.2. Responses .....	12
2.31. POST /internal/v1/audit/save .....	12
2.31.1. Parameters .....	12
2.31.2. Responses .....	13
2.32. POST /internal/v1/audit/transfer .....	13
2.32.1. Parameters .....	13
2.32.2. Responses .....	13
2.33. DELETE /internal/v1/indexer/{target}/delete .....	13
2.33.1. Parameters .....	13
2.33.2. Responses .....	13
2.34. DELETE /internal/v1/indexer/{target}/delete/{object_type}/{object_sub_type}/{id_object} ..	14
2.34.1. Parameters .....	14
2.34.2. Responses .....	14
2.35. DELETE /internal/v1/indexer/{target}/deleteAll .....	14
2.35.1. Parameters .....	14
2.35.2. Responses .....	14
2.36. POST /internal/v1/indexer/{target}/index/batch .....	14
2.36.1. Parameters .....	15
2.36.2. Responses .....	15
2.37. POST /internal/v1/indexer/{target}/index/change .....	15
2.37.1. Parameters .....	15
2.37.2. Responses .....	15
2.38. POST /internal/v1/indexer/{target}/index/group .....	15
2.38.1. Parameters .....	15
2.38.2. Responses .....	16
2.39. POST /internal/v4/indexer/{target}/search/checkWorkflow .....	16
2.39.1. Parameters .....	16
2.39.2. Responses .....	16
2.40. POST /internal/v4/snapshot/transfer .....	16
2.40.1. Parameters .....	16
2.40.2. Responses .....	16
2.41. POST /internal/v4/snapshot/uuids .....	17
2.41.1. Parameters .....	17
2.41.2. Responses .....	17
2.42. POST /internal/v4/snapshot/uuids-list .....	17

2.42.1. Parameters .....	17
2.42.2. Responses .....	17
3. Definitions .....	18
3.1. AriValueDTO .....	18
3.2. AttributeDefinitionDTO .....	18
3.3. AttributeDefinitionValueDTO .....	19
3.4. AuditLogDTO .....	19
3.5. AuditLogFilter .....	22
3.6. AuditLogResultDTO .....	23
3.7. CompareSnapshotsRequestDTO .....	23
3.8. CompareSnapshotsResponseDTO .....	24
3.9. DeleteEntityInfoDTO .....	24
3.10. ExtraFilter .....	24
3.11. FacetFieldDTO .....	25
3.12. FacetFieldValueDTO .....	25
3.13. FilterBase .....	25
3.14. FilterBaseAuditLogFilter .....	26
3.15. FilterConfDTO .....	26
3.16. IndexEntityChangeInfoDTO .....	27
3.17. IndexEntityInfoDTO .....	27
3.18. ObjectInfoDTO .....	27
3.19. ObjectsResetActionRequest .....	28
3.20. ObjectsWithSubtypeDTO .....	28
3.21. ResponseBase .....	28
3.22. ResponseBaseAuditLogResultDTO .....	28
3.23. ResponseBaseCompareSnapshotsResponseDTO .....	28
3.24. ResponseBaseFilterConfDTO .....	29
3.25. ResponseBaseInteger .....	29
3.26. ResponseBaseListAuditLogDTO .....	29
3.27. ResponseBaseListMapStringSerializable .....	30
3.28. ResponseBaseListSavedSearchDTO .....	30
3.29. ResponseBaseMapIntegerUUID .....	30
3.30. ResponseBaseMapStringMapIntegerUUID .....	30
3.31. ResponseBaseSolrAriResultDTO .....	31
3.32. ResponseBaseSolrDocumentResultDTO .....	31
3.33. ResponseBaseStateAndEditedDTO .....	31
3.34. ResponseBaseString .....	31
3.35. ResponseBaseVoid .....	32
3.36. SavedSearchDTO .....	32
3.37. SearchErrorDTO .....	32
3.38. SearchQueryDTO .....	32

3.39. SearchQueryInternalDTO .....	33
3.40. Serializable .....	34
3.41. SolrAriResultDTO .....	34
3.42. SolrDataDocumentDTO .....	34
3.43. SolrDocumentResultDTO .....	34
3.44. StateAndEditedDTO .....	35
3.45. TransferAuditRequestDTO .....	35
3.46. TransferSnapshotRequestDTO .....	35

# Chapter 1. Overview

Module to communicate with an indexer to save or consult

## 1.1. Version information

*Version* : 4.5.0-SNAPSHOT

## 1.2. URI scheme

*BasePath* : /api

*Schemes* : HTTP, HTTPS

# Chapter 2. Paths

## 2.1. GET /api/admin/minerva/audit/getAll

### 2.1.1. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseList</a> <a href="#">AuditLogDTO</a>

## 2.2. GET

## /api/admin/minerva/audit/getAll/{objectSubType}/{objectId}

### 2.2.1. Parameters

Type	Name	Schema
Path	<b>objectId</b> <i>required</i>	integer (int32)
Path	<b>objectSubType</b> <i>required</i>	string

### 2.2.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseList</a> <a href="#">AuditLogDTO</a>

## 2.3. GET /api/admin/minerva/audit/getAll/{username}

### 2.3.1. Parameters

Type	Name	Schema
Path	<b>username</b> <i>required</i>	string

### 2.3.2. Responses



HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseList</a> <a href="#">AuditLogDTO</a>

## 2.4. POST /api/admin/minerva/audit/save

### 2.4.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	< <a href="#">AuditLogDTO</a> > array

### 2.4.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseString</a>

## 2.5. DELETE /api/admin/minerva/collection

### 2.5.1. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseString</a>

## 2.6. DELETE /api/admin/minerva/collection/delete-field/{field}

### 2.6.1. Parameters

Type	Name	Schema
Path	<b>field</b> <i>required</i>	string

### 2.6.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseString</a>

## 2.7. DELETE /api/admin/minerva/collection/delete-field/{field}/kerno

CAUTION | operation.deprecated

### 2.7.1. Parameters

Type	Name	Schema
Path	<b>field</b> <i>required</i>	string

### 2.7.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseString</a>

## 2.8. DELETE /api/admin/minerva/collection/kerno

CAUTION | operation.deprecated

### 2.8.1. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseString</a>

## 2.9. PUT /api/admin/minerva/collection/update

### 2.9.1. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseString</a>

## 2.10. PUT /api/admin/minerva/collection/update/kerno

CAUTION | operation.deprecated

### 2.10.1. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseString</a>

## 2.11. POST /api/admin/minerva/create/filterConf

### 2.11.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	<a href="#">FilterConfDTO</a>

### 2.11.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseFilterConfDTO</a>

## 2.12. POST /api/admin/minerva/index

### 2.12.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	<a href="#">ObjectInfoDTO</a>

### 2.12.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseVoid</a>

## 2.13. GET /api/admin/minerva/kerno/getAll

### 2.13.1. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseSolrDocumentResultDTO</a>

## 2.14. POST

### /api/admin/minerva/migrateAuditLogsAndSnapshots

#### 2.14.1. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseString</a>

## 2.15. GET

### /api/admin/minerva/snapshots/getAll/{objectSubType}/{objectId}

#### 2.15.1. Parameters

Type	Name	Schema
Path	<b>objectId</b> <i>required</i>	integer (int32)
Path	<b>objectSubType</b> <i>required</i>	string

#### 2.15.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseListMapStringSerializable</a>

## 2.16. PATCH /api/admin/minerva/update/filterConf

### 2.16.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	<a href="#">FilterConfDTO</a>

### 2.16.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseFilterConfDTO</a>

## 2.17. DELETE /api/v1/indexer/{target}/deleteAll

### 2.17.1. Parameters

Type	Name	Schema
Path	<b>target</b> <i>required</i>	enum (AUDIT, SNAPSHOT, RECOMMENDATIONS, KERNO)

### 2.17.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseInteger</a>

## 2.18. POST /api/v1/indexer/{target}/search

### 2.18.1. Parameters

Type	Name	Schema
Path	<b>target</b> <i>required</i>	enum (AUDIT, SNAPSHOT, RECOMMENDATIONS, KERNO)
Body	<b>body</b> <i>optional</i>	<a href="#">SearchQueryDTO</a>

## 2.18.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseSolrDocumentResultDTO</a>

## 2.19. POST

### /api/v1/indexer/{target}/search/checkWorkflow

#### 2.19.1. Parameters

Type	Name	Schema
Path	<b>target</b> <i>required</i>	enum (AUDIT, SNAPSHOT, RECOMMENDATIONS, KERNO)
Body	<b>body</b> <i>optional</i>	<a href="#">SearchQueryDTO</a>

#### 2.19.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseStateAndEditedDTO</a>

## 2.20. POST /api/v1/snapshot/download

#### 2.20.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	< string (uuid) > array

#### 2.20.2. Responses

HTTP Code	Description	Schema
200	successful operation	< string (byte) > array

## 2.21. GET

**/api/v1/snapshot/downloadByObject/{objectSubType}/{objectId}**

### 2.21.1. Parameters

Type	Name	Schema
Path	<b>objectId</b> <i>required</i>	integer (int32)
Path	<b>objectSubType</b> <i>required</i>	string

### 2.21.2. Responses

HTTP Code	Description	Schema
200	successful operation	< string (byte) > array

## 2.22. GET /api/v2/favorite/user

### 2.22.1. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseList</a> <a href="#">SavedSearchDTO</a>

## 2.23. POST /api/v2/favorite/user/delete

### 2.23.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	<a href="#">SavedSearchDTO</a>

### 2.23.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseList</a> <a href="#">SavedSearchDTO</a>

## 2.24. POST /api/v2/favorite/user/save

### 2.24.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	<a href="#">SavedSearchDTO</a>

### 2.24.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseList</a> <a href="#">SavedSearchDTO</a>

## 2.25. POST /api/v4/audit/search

### 2.25.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	<a href="#">FilterBaseAuditLogFilter</a>

### 2.25.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseAuditLogResultDTO</a>

## 2.26. POST /api/v4/audit/search/{pageName}

### 2.26.1. Parameters



Type	Name	Schema
Path	<b>pageName</b> <i>required</i>	enum (AUDIT_ALL, HISTORIC_ALL, AUDIT_USER, HISTORIC_USER, AUDIT_OBJECT, HISTORIC_OBJECT)
Body	<b>body</b> <i>optional</i>	<a href="#">FilterBaseAuditLogFilter</a>

## 2.26.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseAuditLogResultDTO</a>

## 2.27. POST /api/v4/indexer/ari-search

### 2.27.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	<a href="#">SearchQueryDTO</a>

### 2.27.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseSolrAriResultDTO</a>

## 2.28. POST /api/v4/snapshot/compare

### 2.28.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	<a href="#">CompareSnapshotsRequestDTO</a>

### 2.28.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseCompareSnapshotsResponseDTO</a>

## 2.29. POST /api/v4/snapshot/uuids

### 2.29.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	<a href="#">ObjectsWithSubtypeDTO</a>

### 2.29.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseMapIntegerUUID</a>

## 2.30. POST /internal/v1/audit/reset

### 2.30.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	<a href="#">ObjectsResetActionRequest</a>

### 2.30.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseString</a>

## 2.31. POST /internal/v1/audit/save

### 2.31.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	< <a href="#">AuditLogDTO</a> > array

### 2.31.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseString</a>

## 2.32. POST /internal/v1/audit/transfer

### 2.32.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	<a href="#">TransferAuditRequestDTO</a>

### 2.32.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseString</a>

## 2.33. DELETE /internal/v1/indexer/{target}/delete

### 2.33.1. Parameters

Type	Name	Schema
Path	<b>target</b> <i>required</i>	enum (AUDIT, SNAPSHOT, RECOMMENDATIONS, KERNO)
Body	<b>body</b> <i>optional</i>	< <a href="#">DeleteEntityInfoDTO</a> > array

### 2.33.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseString</a>

## 2.34. DELETE

**/internal/v1/indexer/{target}/delete/{object\_type}/{object\_sub\_type}/{id\_object}**

### 2.34.1. Parameters

Type	Name	Schema
Path	<b>id_object</b> <i>required</i>	string
Path	<b>object_sub_type</b> <i>required</i>	string
Path	<b>object_type</b> <i>required</i>	enum (ORGANIZATIONAL_UNIT, ENTITY, RELATIONSHIP, ATTRIBUTE, ALL, USER)
Path	<b>target</b> <i>required</i>	enum (AUDIT, SNAPSHOTS, RECOMMENDATIONS, KERNO)

### 2.34.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseString</a>

## 2.35. DELETE /internal/v1/indexer/{target}/deleteAll

### 2.35.1. Parameters

Type	Name	Schema
Path	<b>target</b> <i>required</i>	enum (AUDIT, SNAPSHOTS, RECOMMENDATIONS, KERNO)

### 2.35.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseInteger</a>

## 2.36. POST /internal/v1/indexer/{target}/index/batch

### 2.36.1. Parameters

Type	Name	Schema
Path	<b>target</b> <i>required</i>	enum (AUDIT, SNAPSHOT, RECOMMENDATIONS, KERNO)
Body	<b>body</b> <i>optional</i>	< <a href="#">IndexEntityInfoDTO</a> > array

### 2.36.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseString</a>

## 2.37. POST /internal/v1/indexer/{target}/index/change

### 2.37.1. Parameters

Type	Name	Schema
Path	<b>target</b> <i>required</i>	enum (AUDIT, SNAPSHOT, RECOMMENDATIONS, KERNO)
Body	<b>body</b> <i>optional</i>	< <a href="#">IndexEntityChangeInfoDTO</a> > array

### 2.37.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseString</a>

## 2.38. POST /internal/v1/indexer/{target}/index/group

### 2.38.1. Parameters

Type	Name	Schema
Path	<b>target</b> <i>required</i>	enum (AUDIT, SNAPSHOT, RECOMMENDATIONS, KERNO)
Body	<b>body</b> <i>optional</i>	< <a href="#">IndexEntityInfoDTO</a> > array

## 2.38.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseString</a>

## 2.39. POST

### /internal/v4/indexer/{target}/search/checkWorkflow

#### 2.39.1. Parameters

Type	Name	Schema
Path	<b>target</b> <i>required</i>	enum (AUDIT, SNAPSHOT, RECOMMENDATIONS, KERNO)
Body	<b>body</b> <i>optional</i>	<a href="#">SearchQueryInternalDTO</a>

#### 2.39.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseStateAndEditedDTO</a>

## 2.40. POST /internal/v4/snapshot/transfer

#### 2.40.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	<a href="#">TransferSnapshotRequestDTO</a>

#### 2.40.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseString</a>

## 2.41. POST /internal/v4/snapshot/uuids

### 2.41.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	<a href="#">ObjectsWithSubtypeDTO</a>

### 2.41.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseMap</a> <a href="#">IntegerUUID</a>

## 2.42. POST /internal/v4/snapshot/uuids-list

### 2.42.1. Parameters

Type	Name	Schema
Body	<b>body</b> <i>optional</i>	< <a href="#">ObjectsWithSubtypeDTO</a> > array

### 2.42.2. Responses

HTTP Code	Description	Schema
200	successful operation	<a href="#">ResponseBaseMap</a> <a href="#">StringMapInteger</a> <a href="#">UUID</a>

# Chapter 3. Definitions

## 3.1. AriValueDTO

Name	Schema
<b>ari</b> <i>optional</i>	string
<b>state</b> <i>optional</i>	enum (DRAFT, REJECTED, PENDING, APPROVED, DISABLED, SUCCESS, ERROR, WAITING, CANCELLED, DEPRECATED, EXPIRED, IMPORTED)
<b>version</b> <i>optional</i>	integer (int32)

## 3.2. AttributeDefinitionDTO

Name	Schema
<b>attributeValues</b> <i>optional</i>	< <a href="#">AttributeDefinitionValueDTO</a> > array
<b>description</b> <i>optional</i>	string
<b>id</b> <i>optional</i>	integer (int32)
<b>isCustom</b> <i>optional</i>	boolean
<b>label</b> <i>optional</i>	string
<b>labelTranslationKey</b> <i>optional</i>	string
<b>name</b> <i>optional</i>	string
<b>placeholder</b> <i>optional</i>	string
<b>translateOption</b> <i>optional</i>	boolean



Name	Schema
<b>type</b> <i>optional</i>	enum (INPUT_TEXT, INPUT_DATE, INPUT_RANGE, INPUT_NUMBER, SELECT, TEXT_AREA, INPUT_CHECKBOX, INPUT_DECIMAL, SELECT_USERS, MULTI_USERS, SELECT_ORGANIZATIONAL_UNIT, MULTI_ORGANIZATIONAL_UNIT, UPLOAD_FILE, UPLOAD_URL, ARRAY_NUMBER, ARRAY_DATE, ARRAY_DECIMAL, ARRAY_BOOLEAN, ARRAY_ALPHANUMERICAL, ARRAY_UPLOAD_FILE, ARRAY_UPLOAD_URL, MULTI_SELECT, ARRAY_ENTITY, ENTITY_SEARCH, ENRICHED_TEXT_AREA, INPUT_TEXT_INTERNATIONAL, TEXT_AREA_INTERNATIONAL, ENRICHED_TEXT_AREA_INTERNATIONAL, ENTITY_CONTAINER, TREE_SELECT, TREE_MULTISELECT, SELECT_IMG_TXT, MULTI_SELECT_IMG_TXT, SELECT_IMG, MULTI_SELECT_IMG)
<b>value</b> <i>optional</i>	<a href="#">Serializable</a>

### 3.3. AttributeDefinitionValueDTO

Name	Schema
<b>children</b> <i>optional</i>	< <a href="#">AttributeDefinitionValueDTO</a> > array
<b>id</b> <i>optional</i>	integer (int32)
<b>idAttributeDefinition</b> <i>optional</i>	integer (int32)
<b>labelSelect</b> <i>optional</i>	string
<b>value</b> <i>optional</i>	string

### 3.4. AuditLogDTO

Name	Schema
<b>action</b> <i>optional</i>	string
<b>actionDescription</b> <i>optional</i>	string

<b>Name</b>	<b>Schema</b>
<b>apiVersion</b> <i>optional</i>	string
<b>businessNode</b> <i>optional</i>	string
<b>cluster</b> <i>optional</i>	string
<b>endTime</b> <i>optional</i>	integer (int64)
<b>extra</b> <i>optional</i>	string
<b>group</b> <i>optional</i>	< string > array
<b>host</b> <i>optional</i>	string
<b>id</b> <i>optional</i>	integer (int32)
<b>ip</b> <i>optional</i>	string
<b>logOrigin</b> <i>optional</i>	string
<b>nameChanged</b> <i>optional</i>	string
<b>objectAttributesChanged</b> <i>optional</i>	< string > array
<b>objectId</b> <i>optional</i>	integer (int32)
<b>objectName</b> <i>optional</i>	string
<b>objectSubType</b> <i>optional</i>	string
<b>objectType</b> <i>optional</i>	string
<b>organizationalUnit</b> <i>optional</i>	string
<b>organizationalUnitChanged</b> <i>optional</i>	string
<b>parentName</b> <i>optional</i>	string

<b>Name</b>	<b>Schema</b>
<b>processId</b> <i>optional</i>	string
<b>reason</b> <i>optional</i>	string
<b>relatedEntities</b> <i>optional</i>	string
<b>relatedObjectId</b> <i>optional</i>	string
<b>relatedObjectName</b> <i>optional</i>	string
<b>relatedObjectSubType</b> <i>optional</i>	string
<b>relatedObjectType</b> <i>optional</i>	string
<b>result</b> <i>optional</i>	string
<b>role</b> <i>optional</i>	< string > array
<b>searchAction</b> <i>optional</i>	boolean
<b>snapshotId</b> <i>optional</i>	string (uuid)
<b>startTime</b> <i>optional</i>	integer (int64)
<b>timestamp</b> <i>optional</i>	integer (int64)
<b>userName</b> <i>optional</i>	string
<b>usersRelated</b> <i>optional</i>	string
<b>validation</b> <i>optional</i>	boolean
<b>version</b> <i>optional</i>	integer (int32)
<b>workflowType</b> <i>optional</i>	string

## 3.5. AuditLogFilter

Name	Schema
<b>action</b> <i>optional</i>	< string > array
<b>actionDescription</b> <i>optional</i>	< string > array
<b>apiVersion</b> <i>optional</i>	string
<b>endTime</b> <i>optional</i>	< integer (int64) > array
<b>extra</b> <i>optional</i>	string
<b>logOrigin</b> <i>optional</i>	string
<b>objectAttributesChanged</b> <i>optional</i>	< string > array
<b>objectId</b> <i>optional</i>	integer (int32)
<b>objectName</b> <i>optional</i>	string
<b>objectSubType</b> <i>optional</i>	< string > array
<b>objectType</b> <i>optional</i>	< string > array
<b>organizationalUnit</b> <i>optional</i>	string
<b>organizationalUnitChanged</b> <i>optional</i>	string
<b>parentName</b> <i>optional</i>	string
<b>processId</b> <i>optional</i>	string
<b>reason</b> <i>optional</i>	string
<b>relatedObjectId</b> <i>optional</i>	string
<b>relatedObjectName</b> <i>optional</i>	string

Name	Schema
<b>relatedObjectSubType</b> <i>optional</i>	string
<b>relatedObjectType</b> <i>optional</i>	string
<b>result</b> <i>optional</i>	< string > array
<b>searchAction</b> <i>optional</i>	boolean
<b>snapshotId</b> <i>optional</i>	integer (int32)
<b>startTime</b> <i>optional</i>	< integer (int64) > array
<b>userName</b> <i>optional</i>	< string > array
<b>version</b> <i>optional</i>	integer (int32)
<b>workflowType</b> <i>optional</i>	string

### 3.6. AuditLogResultDTO

Name	Schema
<b>extraFilter</b> <i>optional</i>	< <a href="#">ExtraFilter</a> > array
<b>facetFields</b> <i>optional</i>	< <a href="#">FacetFieldDTO</a> > array
<b>grouped</b> <i>optional</i>	boolean
<b>orderBy</b> <i>optional</i>	< string > array
<b>results</b> <i>optional</i>	< <a href="#">AuditLogDTO</a> > array
<b>totalResults</b> <i>optional</i>	integer (int64)

### 3.7. CompareSnapshotsRequestDTO

Name	Schema
<b>modified</b> <i>optional</i>	string (uuid)
<b>original</b> <i>optional</i>	string (uuid)

### 3.8. CompareSnapshotsResponseDTO

Name	Schema
<b>modified</b> <i>optional</i>	< string, <a href="#">Serializable</a> > map
<b>original</b> <i>optional</i>	< string, <a href="#">Serializable</a> > map

### 3.9. DeleteEntityInfoDTO

Name	Schema
<b>ari</b> <i>optional</i>	string
<b>id</b> <i>optional</i>	integer (int32)
<b>objectSubtype</b> <i>optional</i>	string
<b>objectType</b> <i>optional</i>	enum (ORGANIZATIONAL_UNIT, ENTITY, RELATIONSHIP, ATTRIBUTE, ALL, USER)

### 3.10. ExtraFilter

Name	Schema
<b>label</b> <i>optional</i>	string
<b>name</b> <i>optional</i>	string
<b>translateOption</b> <i>optional</i>	boolean
<b>type</b> <i>optional</i>	string

## 3.11. FacetFieldDTO

Name	Schema
<b>label</b> <i>optional</i>	string
<b>name</b> <i>optional</i>	string
<b>order</b> <i>optional</i>	integer (int32)
<b>translateOption</b> <i>optional</i>	boolean
<b>type</b> <i>optional</i>	string
<b>values</b> <i>optional</i>	< <a href="#">FacetFieldValueDTO</a> > array

## 3.12. FacetFieldValueDTO

Name	Schema
<b>checked</b> <i>optional</i>	boolean
<b>name</b> <i>optional</i>	string
<b>numResults</b> <i>optional</i>	integer (int64)

## 3.13. FilterBase

Name	Schema
<b>criteria</b> <i>optional</i>	object
<b>order</b> <i>optional</i>	enum (ASC, DESC)
<b>page</b> <i>optional</i>	integer (int32)
<b>size</b> <i>optional</i>	integer (int32)
<b>sortBy</b> <i>optional</i>	< string > array

## 3.14. FilterBaseAuditLogFilter

Name	Schema
<b>criteria</b> <i>optional</i>	<a href="#">AuditLogFilter</a>
<b>order</b> <i>optional</i>	enum (ASC, DESC)
<b>page</b> <i>optional</i>	integer (int32)
<b>size</b> <i>optional</i>	integer (int32)
<b>sortBy</b> <i>optional</i>	< string > array

## 3.15. FilterConfDTO

Name	Schema
<b>collection</b> <i>optional</i>	string
<b>filterName</b> <i>optional</i>	string
<b>groupable</b> <i>optional</i>	boolean
<b>id</b> <i>optional</i>	integer (int32)
<b>label</b> <i>optional</i>	string
<b>main</b> <i>optional</i>	boolean
<b>pageName</b> <i>optional</i>	enum (AUDIT_ALL, HISTORIC_ALL, AUDIT_USER, HISTORIC_USER, AUDIT_OBJECT, HISTORIC_OBJECT)
<b>position</b> <i>optional</i>	integer (int32)
<b>sortable</b> <i>optional</i>	boolean
<b>type</b> <i>optional</i>	string



### 3.16. IndexEntityChangeInfoDTO

Name	Schema
<b>attributeName</b> <i>optional</i>	string
<b>attributeValue</b> <i>optional</i>	string
<b>entityId</b> <i>optional</i>	integer (int32)
<b>objectName</b> <i>optional</i>	string
<b>objectSubtype</b> <i>optional</i>	string
<b>objectVersion</b> <i>optional</i>	integer (int32)

### 3.17. IndexEntityInfoDTO

Name	Schema
<b>attributeDefinitionList</b> <i>optional</i>	< <a href="#">AttributeDefinitionDTO</a> > array
<b>entity</b> <i>optional</i>	<a href="#">Serializable</a>
<b>entityClass</b> <i>optional</i>	string
<b>objectSubtype</b> <i>optional</i>	string
<b>objectType</b> <i>optional</i>	enum (ORGANIZATIONAL_UNIT, ENTITY, RELATIONSHIP, ATTRIBUTE, ALL, USER)

### 3.18. ObjectInfoDTO

Name	Schema
<b>id</b> <i>optional</i>	integer (int32)
<b>objectSubtype</b> <i>optional</i>	string
<b>objectType</b> <i>optional</i>	enum (ORGANIZATIONAL_UNIT, ENTITY, RELATIONSHIP, ATTRIBUTE, ALL, USER)

### 3.19. ObjectsResetActionRequest

Name	Schema
<b>objectIds</b> <i>optional</i>	< integer (int32) > array
<b>objectSubtype</b> <i>optional</i>	string

### 3.20. ObjectsWithSubtypeDTO

Name	Schema
<b>ids</b> <i>optional</i>	< integer (int32) > array
<b>subtype</b> <i>optional</i>	string

### 3.21. ResponseBase

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	object
<b>description</b> <i>optional</i>	string

### 3.22. ResponseBaseAuditLogResultDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">AuditLogResultDTO</a>
<b>description</b> <i>optional</i>	string

### 3.23. ResponseBaseCompareSnapshotsResponseDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">CompareSnapshotsResponseDTO</a>
<b>description</b> <i>optional</i>	string

### 3.24. ResponseBaseFilterConfDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">FilterConfDTO</a>
<b>description</b> <i>optional</i>	string

### 3.25. ResponseBaseInteger

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	integer (int32)
<b>description</b> <i>optional</i>	string

### 3.26. ResponseBaseListAuditLogDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	< <a href="#">AuditLogDTO</a> > array
<b>description</b> <i>optional</i>	string

### 3.27. ResponseBaseListMapStringSerializable

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	< < string, <a href="#">Serializable</a> > map > array
<b>description</b> <i>optional</i>	string

### 3.28. ResponseBaseListSavedSearchDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	< <a href="#">SavedSearchDTO</a> > array
<b>description</b> <i>optional</i>	string

### 3.29. ResponseBaseMapIntegerUUID

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	< string, string (uuid) > map
<b>description</b> <i>optional</i>	string

### 3.30. ResponseBaseMapStringMapIntegerUUID

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	< string, < string, string (uuid) > map > map
<b>description</b> <i>optional</i>	string

### 3.31. ResponseBaseSolrAriResultDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">SolrAriResultDTO</a>
<b>description</b> <i>optional</i>	string

### 3.32. ResponseBaseSolrDocumentResultDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">SolrDocumentResultDTO</a>
<b>description</b> <i>optional</i>	string

### 3.33. ResponseBaseStateAndEditedDTO

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">StateAndEditedDTO</a>
<b>description</b> <i>optional</i>	string

### 3.34. ResponseBaseString

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	string
<b>description</b> <i>optional</i>	string

### 3.35. ResponseBaseVoid

Name	Schema
<b>code</b> <i>optional</i>	string
<b>data</b> <i>optional</i>	<a href="#">Void</a>
<b>description</b> <i>optional</i>	string

### 3.36. SavedSearchDTO

Name	Schema
<b>name</b> <i>optional</i>	string
<b>query</b> <i>optional</i>	<a href="#">SearchQueryDTO</a>

### 3.37. SearchErrorDTO

Name	Schema
<b>errorMsg</b> <i>optional</i>	string
<b>responseCode</b> <i>optional</i>	string

### 3.38. SearchQueryDTO

Name	Schema
<b>addedFilter</b> <i>optional</i>	string
<b>fq</b> <i>optional</i>	< string, < string > array > map
<b>groupBy</b> <i>optional</i>	string
<b>maxGroups</b> <i>optional</i>	integer (int32)
<b>orderBy</b> <i>optional</i>	string

Name	Schema
<b>q</b> <i>optional</i>	string
<b>rows</b> <i>optional</i>	integer (int32)
<b>simpleSearch</b> <i>optional</i>	boolean
<b>sortingType</b> <i>optional</i>	enum (ASC, DESC)
<b>start</b> <i>optional</i>	integer (int32)

### 3.39. SearchQueryInternalDTO

Name	Schema
<b>addedFilter</b> <i>optional</i>	string
<b>fq</b> <i>optional</i>	< string, < string > array > map
<b>groupBy</b> <i>optional</i>	string
<b>maxGroups</b> <i>optional</i>	integer (int32)
<b>orderBy</b> <i>optional</i>	string
<b>q</b> <i>optional</i>	string
<b>rows</b> <i>optional</i>	integer (int32)
<b>simpleSearch</b> <i>optional</i>	boolean
<b>sortingType</b> <i>optional</i>	enum (ASC, DESC)
<b>start</b> <i>optional</i>	integer (int32)
<b>username</b> <i>optional</i>	string

## 3.40. Serializable

Type : object

## 3.41. SolrAriResultDTO

Name	Schema
<b>extraFilter</b> <i>optional</i>	< <a href="#">ExtraFilter</a> > array
<b>facetFields</b> <i>optional</i>	< <a href="#">FacetFieldDTO</a> > array
<b>grouped</b> <i>optional</i>	boolean
<b>orderBy</b> <i>optional</i>	< string > array
<b>queryToShow</b> <i>optional</i>	string
<b>results</b> <i>optional</i>	< <a href="#">AriValueDTO</a> > array
<b>searchError</b> <i>optional</i>	<a href="#">SearchErrorDTO</a>
<b>totalResults</b> <i>optional</i>	integer (int64)

## 3.42. SolrDataDocumentDTO

Name	Schema
<b>solrDocument</b> <i>optional</i>	< string, object > map

## 3.43. SolrDocumentResultDTO

Name	Schema
<b>extraFilter</b> <i>optional</i>	< <a href="#">ExtraFilter</a> > array
<b>facetFields</b> <i>optional</i>	< <a href="#">FacetFieldDTO</a> > array
<b>grouped</b> <i>optional</i>	boolean



Name	Schema
<b>orderBy</b> <i>optional</i>	< string > array
<b>queryToShow</b> <i>optional</i>	string
<b>results</b> <i>optional</i>	< string, < <a href="#">SolrDataDocumentDTO</a> > array > map
<b>searchError</b> <i>optional</i>	<a href="#">SearchErrorDTO</a>
<b>totalResults</b> <i>optional</i>	integer (int64)

### 3.44. StateAndEditedDTO

Name	Schema
<b>hasPendingOrDraft</b> <i>optional</i>	boolean
<b>state</b> <i>optional</i>	string

### 3.45. TransferAuditRequestDTO

Name	Schema
<b>destinationId</b> <i>optional</i>	integer (int32)
<b>objectSubtype</b> <i>optional</i>	string
<b>originId</b> <i>optional</i>	integer (int32)
<b>processId</b> <i>optional</i>	string

### 3.46. TransferSnapshotRequestDTO

Name	Schema
<b>modifiedObjectId</b> <i>required</i>	integer (int32)
<b>objectSubtype</b> <i>optional</i>	string

Name	Schema
<b>originalObjectId</b> <i>required</i>	integer (int32)